



**NOTIFICATION TO ATTEND MEETING OF THE ENVIRONMENT SPC
TO BE HELD IN THE COUNCIL CHAMBER, CITY HALL, DAME STREET, DUBLIN 2,
ON WEDNESDAY, 27 APRIL 2016 AT 3.30 PM**

AGENDA

WEDNESDAY, 27 APRIL 2016

	PAGE
1 Minutes of the meeting held on 9th March 2016 (copy attached).	1 - 8
2 Matters arising.	
3 Chairpersons Business.	
4 Correspondence (See attached).	
5 Recent Dumping Campaign and data protection concerns.	9 - 14
6 Update on Independent Expert Assessment of Dollymount Flood Defence.	
7 Minutes of the Special Committee on Waste Regulations meeting held on 24th March 2016. (Copy attached)	15 - 16
8 Dublin Waste to Energy update report. (Report attached)	17 - 38
9 Issues referred from the Public Participation Network Environmental Linkage Group Meeting held on 15th March 2016.	
a Dublin Bay Tidal Flood Prevention Walls are not suitable at Clontarf and Sandymount. This is because of the prevalence of pluvial flooding at both of these sites. Previously the sea wall at Clontarf has had to be breached to release pluvial flood water. Demountable barriers are required at these sites rather than a sea wall. (Report attached)	
b Prioritisation of the orbital sewer within West Dublin. This is to avoid continued flooding at Ringsend caused by storm waters being directed into the frequently overloaded water treatment plant. (Report Attached)	
10 A.O.B.	