

| | | | | | | | South Central Dec 17 Area Agenda 13/12/17 (TAG Date: 28/11/17) | | | | | |
|-------------|-----------------|-----------------------|---------------------|-----------------------------|------------------|------------------------------|--|----------------------|-------------------|-------------------|--|------------|
| Item | TAMS Ref | Sharepoint Ref | Request | Road | Post-Code | Topic | Request Rescription | Request by | Date Rec'd | TAG Result | TAG Comments | sec |
| 1 | 7000020 | | Yellow Box | CLADDAGH GREEN (SC) | Dublin 10 | Yellow Box (Rescind) | Opposite Boylan's Pharamacy from a point 17.1m south of PLS 2 to a point 19.6 m south of PLS 2 on the west side of the road. | Internal | 24/10/2017 16:28 | Recommended | Outside Boylan's Pharmacy between 2 dishings. This is rescinding a previously recommended Yellow Box that was recommended in error as a pedestrian crossing aid, which is not the purpose of a yellow box. | 0 |
| 2 | 7000146 | | Bus markings | SOUTH CIRCULAR ROAD (SC/SE) | Dublin 8 | Bus Stop Marking (Rescind) | Relocate Dublin bus Stop Number 1366 on the South Circular Road | Member of the Public | 02/11/2017 14:07 | Recommended | Remove a bus cage on the South side of South Circular Road from a point 32m from the boundary line between house numbers 373 and 375, extending eastwards for 21.5m. Install a bus cage on the South side of South Circular Road from a point 16.2m from the boundary line between house numbers 373 and 375, extending eastwards for 14.5m. Install a Dublin Bus Pole on the South side of South Circular Road at a point 15.2m from the boundary line between house numbers 373 and 375. The relocation of the Bus Cage is required on the grounds of Health and Safety, as the mobility impaired will require access to the new Primary Care Centre. | 0 |
| 3 | 7000199 | | Double Yellow Lines | CRANE STREET (SC) | Dublin 8 | Double Yellow Lines | Clearways on both siides 24 hrs/7 days between Thomas Street and Rainsford Street. | Member of the Public | 06/11/2017 14:50 | Recommended | Clearways on both sides of Sugar House Lane, 24 hrs, 7 days. | 0 |
| 4 | 7000521 | | Double Yellow Lines | INNISMORE (SC) | Dublin 12 | Double Yellow Lines (Extend) | Extension of double yellow lines at the entrance to Innismore estate, Crumlin Village. | Internal | 22/11/2017 12:41 | Not Recommended | After a site inspection the area engineer would not recommend an extension of double yellow lines across the entrance of Innismore as there is already a yellow box covering this junction and therefore illegal to park in it. | 0 |

| | | | | | | | | | | | | |
|---|----------|----------|---------------------|-----------------------------|----------|--------------------|--|----------------------|------------------|-----------------|--|---|
| 5 | 90045266 | SP_19178 | Parking Bays | TURVEY AVENUE (SC) | Dublin 8 | P&D/Permit Parking | on the road. | Member of the Public | 16/07/2015 13:24 | Recommended | Stat correction: install double yellow lines and rescind Pay & Display & Permit Parking on the north side of Turvey Avenue in an easterly direction starting from LS9 stretching around the corner in a northerly direction to a point 4.5m north of LS8. | 0 |
| 6 | 90045521 | SP_20998 | No U Turn | KILMAINHAM LANE (SC) | Dublin 8 | No U Turn | Cars coming of Chapelizod Bypass and trying to do a U turn at the entrance to the War Memorial Gardens | Member of the Public | 22/10/2015 15:52 | Recommended | After several site visits the area engineer has noted that a "No U-turn" Rus 017 should be placed approx 19m north of LS 13 on the west side of the South Circular Road beside the entrance to the War Memorial Gardens. | 1 |
| 7 | 90045880 | SP_29674 | Weight Restrictions | SOUTH CIRCULAR ROAD (SC/SE) | Dublin 8 | 3.5 Tonne Limit | to lane at entrance to Bellevue Apartments | Member of the Public | 15/02/2016 10:51 | Not Recommended | After several site visits the area engineer would not be in favour of installing a weight limit ban on this lane-way. This lane-way acts as access to a large apartment complex. If heavy goods vehicles need to make deliveries to these premises they must use this route so a restriction wouldn't be advised. A speed ramp is already installed in the lane way approx. 47 meters from the main road. Further traffic calming measures on the lane, such as the installation of additional speed ramps, is not warranted, as the road should have a straight run of at least 200m. | 0 |

| | | | | | | | | | | | | |
|----|----------|----------|-----------------|----------------------------|-----------|----------------------------|---|----------------------|------------------|-----------------|---|---|
| 8 | 90045990 | SP_30394 | Traffic Calming | MARTIN'S ROW (SC) | Dublin 20 | Traffic Calming | on Knockmaroon Hill Chapelizod D20 | Member of the Public | 22/03/2016 16:31 | Not Recommended | The area engineer has noted that on this road (from Castleknock college to the entrance to Chapelizod village) there are several signs warning drivers of danger. There are 2 school crossing signs along with road markings on the ground, 2 school ahead signs, a 50km speed sign, "slow" road markings, a steep decent sign, a restricted head room sign, a traffic lights sign x 2, a pedestrian sign x 2, a set of pedestrian traffic lights. 8 ramps, 4 two way traffic signs and several bollards. The road is very well sign posted and the fact that it is narrow in nature also acts along with the 8 speed ramps as a natural traffic calming measure. Any speeding done on this road would be an issue for An Garda Siochana. The area engineer would not be in favour of turning this into a one way street or bypassing Chapelizod. | 0 |
| 9 | 90046333 | SP_32921 | School | CRUMLIN ROAD (SC) | Dublin 12 | School Warden | 2 school wardens for Crumlin Rd entrance to Loreto Junior Primary School. | Member of the Public | 22/07/2016 14:42 | Not Recommended | The provision of a School Warden is not recommended on the Crumlin Road at the Laneway entrance to the School, as all the children crossing were accompanied by a parent/gaurdian, it was also noted that there are two pedestrian crossings within 100 meters on either side of this location. A suggestion to the School would be to close the gate at the end of the laneway, this would direct parents upto the Pedestrian crossing outside the main gate to the School, and to also use the pedestrain crossing at Dolphin Barn bridge. | 2 |
| 10 | 90047925 | SP_36783 | Parking Bays | SAINT FRANCIS' SQUARE (SC) | Dublin 8 | P&D Parking (Change Hours) | Change hours to Monday-Sunday 7.00-24.00. | Member of the Public | 02/03/2017 13:21 | Recommended | Accepted at Ballot, extend hours Mon-Sun 07.00-24.00. 14 on register of electors, 3 votes all in favour returned. | 1 |

| | | | | | | | | | | | | |
|----|----------|----------|----------------------|-------------------------|-----------|----------------------------|---|----------------------|------------------|-----------------|---|---|
| 11 | 90048580 | SP_37444 | Yellow Box | WALKINSTOWN AVENUE (SC) | Dublin 12 | Yellow Box | yellow box on Walkinstown Avenue | Member of the Public | 07/04/2017 11:54 | Not Recommended | After several site visits the area engineer would not recommend a yellow box outside the Nissan car garage on the Walkinstown Avenue as it didn't meet the criteria. It's too close to an existing yellow box nearby. It would be advised that Yellow boxes would have a distance of 20m between them. Also Windsor Nissan wouldnt be generating enough traffic to warrant a yellow box so for those reasons it wouldn't be recommended. | 0 |
| 12 | 90049082 | SP_37953 | Double Yellow Lines | SAINT AGNES ROAD (SC) | Dublin 12 | Double Yellow Lines | at the junction with BUNTING ROAD and SAINT MARY'S ROAD | Member of the Public | 09/05/2017 16:48 | Not Recommended | It is not Dublin City Council current policy to use signage and/or road marking that duplicate existing regulations. For example the use of double yellow lines around corners to reinforce the standard prohibition on stopping within 5m of a road junction may lead to misinterpretation that loading is generally permitted. Any cars parking on a corner would be in breach of the law as it is illegal to park within 5 metres of a junction. Residents should report illegal parking to the Gardai or to Dublin Street Parking Services tel no. 6022500 if they see this happen again. | 0 |
| 13 | 90049154 | SP_38027 | Disabled Parking Bay | REUBEN STREET (SC) | Dublin 8 | Disab Park Bay Residential | Disabled bay for o/s 42 Reuben St. | Member of the Public | 15/05/2017 16:47 | Recommended | After a site visit it was noted that there was a high demand for parking in the area. For this reason I would recommend a disabled parking bay outside number 42 Reuben Street . Stat – install a disabled bay sign F 204 and road markings on the east side of Reuben Street parallel to the kerb centred outside number 42 | 1 |

| | | | | | | | | | | | | |
|----|----------|----------|----------------------|-----------------------|-----------|------------------------------|--|----------------------|------------------|-----------------|--|---|
| 14 | 90049575 | SP_38451 | Double Yellow Lines | COMERAGH ROAD (SC) | Dublin 12 | Double Yellow Lines | on the north and south side of the road leading up to No. 116. | Member of the Public | 01/06/2017 11:52 | Not Recommended | It is not DCC policy to introduce parking restrictions where restrictions are already covered under the law Under The Road Traffic (Traffic & Parking) Regulations, Section 36. Infringements of the Act should be reported to the Gardai or Dublin Street Parking Services Ph.6022500 for enforcement under the law | 0 |
| 15 | 90049803 | SP_38685 | Parking Bays | SHANNON TERRACE (SC) | Dublin 8 | P&D/Permit Parking | Introduction of a Scheme. | Member of the Public | 13/06/2017 15:13 | Recommended | Pay and Display and Permit Parking recommended, subject to ballot of residents indicating majority in favour. | 0 |
| 16 | 90049973 | SP_38857 | Double Yellow Lines | REILLY'S AVENUE (SC) | Dublin 8 | Double Yellow Lines (Extend) | to common boundary of houses no.1 & 2 | Member of the Public | 22/06/2017 15:45 | Not Recommended | After recent site visits at Reilly's Avenue no adverse problems regarding parking were observed. As the warrant has not been met, parking restrictions are not recommended | 0 |
| 17 | 90050114 | SP_39000 | Disabled Parking Bay | MALLIN AVENUE (SC) | Dublin 8 | Disab Park Bay Residential | outside No. 11. | Member of the Public | 03/07/2017 16:47 | Recommended | Disabled parking bay recommended outside number 11 Mallin Avenue. Stat – install a disabled bay parallel to the kerb centred outside number 11 Mallin Avenue. | 0 |
| 18 | 90050117 | SP_39003 | Double Yellow Lines | REUBEN STREET (SC) | Dublin 8 | Double Yellow Lines | outside the plant boxes. | Councillor | 04/07/2017 11:45 | Recommended | Double Yellow Lines are recommended on the carriageway on the outside of the plant boxes located on Reuben Street between Herberton Street and Herberton Walk (apart from the one on the corner with Reuben Walk as it is already illegal to park on a corner). Parking in front of the boxes is causing an obstruction. | 0 |
| 19 | 90050610 | SP_39508 | Turning Restrictions | RAINSFORD STREET (SC) | Dublin 8 | Right Turn Only | | Member of the Public | 02/08/2017 15:24 | Recommended | After a visit to the site the area engineer would recommend that a no left turn sign (RUS 013) and a right turn sign (RUS 005) be installed at the junction of Crane St at the west end of Rainsford st. This should be accompanied by "NO ENTRY" road markings on Bellvue at the junction with Crane st and Rainsford St. | 0 |

| | | | | | | | | | | | | |
|----|----------|----------|---------------------|----------------------------|----------|---------------------|---|----------------------|------------------|-----------------|---|---|
| 20 | 90050639 | SP_39537 | Cycle | THOMAS STREET (SC) | Dublin 8 | Cycle Track | Extend the operational hours of the bus lane from 7am - 7pm, between Echlin Street and Basin Street Lower | Member of the Public | 04/08/2017 12:44 | Not Recommended | The signs that are in place now are RUS 028 (nearside with flow bus lane) and P 051 (period of operation) with hours of 07.00 - 19.00. Therefore no further changes are required. | 0 |
| 21 | 90051167 | SP_40068 | Yellow Box | DOLPHIN'S BARN STREET (SC) | Dublin 8 | Yellow Box | Outbound, at the junction of Emerald Square. | Member of the Public | 05/09/2017 11:03 | Not Recommended | The area engineer would not recommend installing a yellow box for the outbound traffic at the junction of Emerald Square as it doesn't meet the criteria of having at least 50 houses in the cul de sac. This guideline is in place to avoid a proliferation of yellow boxes in the city. A yellow box is not recommended at this location as it does not meet this criteria | 0 |
| 22 | 90051251 | SP_40153 | Double Yellow Lines | TYRCONNELL PARK (SC) | Dublin 8 | Double Yellow Lines | outside no. 127 along the bend | Member of the Public | 08/09/2017 09:25 | Not Recommended | It is not Dublin City Council current policy to use signage and/or road marking that duplicate existing regulations. For example the use of double yellow lines around corners to reinforce the standard prohibition on stopping within 5m of a road junction may lead to misinterpretation that loading is generally permitted. Any cars parking on a corner would be in breach of the law as it is illegal to park within 5 metres of a junction. Residents should report illegal parking to the Gardai or to Dublin Street Parking Services tel no. 6022500 if they see this happen again. | 0 |
| 23 | 90051336 | SP_40239 | Yellow Box | MOUNT BROWN (SC) | Dublin 8 | Yellow Box (Extend) | at the junction of Ceannt Fort to cover the full width of the road. | Member of the Public | 12/09/2017 16:12 | Not Recommended | After several site visits the area engineer would not recommend an extension to the existing yellow box. It was noted that the outbound traffic volumes would not warrant a yellow box. During the site visit the engineer did not encounter any problems getting on to Mount Brown | 0 |

| | | | | | | | | | | | | |
|----|----------|----------|---------------------|-----------------------|-----------|----------------------------|--|----------------------|------------------|-----------------|---|---|
| 24 | 90051519 | SP_40428 | Children Crossing | RAPHOE ROAD (SC) | Dublin 12 | Children Crossing Sign | Q. 7 - SCAC - 20.9.17 - Request for signs along Raphoe Road | Councillor | 22/09/2017 10:18 | Not Recommended | This area is within the new speed limits set by Dublin City Council for residential areas within the boundaries of the canals. As part of the new limits "Speed limit" signs are erected at all points where there is a change of speed limit. Incorporated into these new signs there is a "Home Zone" and "Slow Zone" sign along with the speed limit. This is to warn motorists that it's a residential area and to expect children. It is felt that this sign would be sufficient to warn motorists | 0 |
| 25 | 90051660 | SP_40571 | Yield Sign | BOW LANE WEST (SC) | Dublin 8 | Yield Sign | On the cycle slip lane that comes from Bow Lane West onto Thomas Street. | Member of the Public | 03/10/2017 00:00 | Recommended | After a site inspection the area engineer would recommend installing a yield sign on the cycling slip lane coming up from Bow Lane West to join Thomas Street. Stat - install a yield sign on the footpath 3m west of LS50 on the northern side of the road. The road markings are there already. | 0 |
| 26 | 90051710 | SP_40624 | Weight Restrictions | O'LEARY ROAD (SC) | Dublin 8 | 3.5 Tonne Limit | on the road. | Member of the Public | 04/10/2017 00:00 | Recommended | The area engineer would recommend installing a weight limit on this road as its being used as a short cut for HGVs. Install 2 Number 3.5 Tonne signs (RUS 015)at the entrance to O'Leary Road facing traffic from Devoy Road. | 0 |
| 27 | 90051807 | SP_40721 | Engineer Query | SLIEVENAMON ROAD (SC) | Dublin 12 | TAG General Engineer Query | at the entrance to Brickfields Park. | Member of the Public | 10/10/2017 00:00 | Recommended | The following double yellow lines need Stats: Double Yellow Lines Slievenamon Road: West side at the entrance to Brickfields Park for 12m northwards from the southernmost corner of the road. At the entrance to Brickfields Park, from the southernmost corner of the road for 7m eastwards (across the top of the road). West side for 7m centred on the entrance to the DCC depot. | 0 |

| | | | | | | | | | | | | |
|----|----------|----------|---------|------------------------|-----------|-------------------------|--------------------|----------------------|------------------|-------------|---|---|
| 28 | 90051853 | SP_40767 | Traffic | CLONMACNOISE ROAD (SC) | Dublin 12 | Bus Stop/Sign (Rescind) | Appeal of SR 39531 | Member of the Public | 11/10/2017 00:00 | Recommended | Remove a Dublin Bus Pole on the West side of Clonmacnoise Road at a point 7.3m South of Lamp Post Number 29. Install a Dublin Bus Pole on the West side of Clonmacnoise Road at a point 10.5m South of Lamppost No. 29. | 0 |
|----|----------|----------|---------|------------------------|-----------|-------------------------|--------------------|----------------------|------------------|-------------|---|---|