

North West Area Committee - Council Questions - 3rd April 2019

Road Maintenance Services

Number	Reference	Address	Description	Logged Date	Text	Status
11076922	Q58 NWAC 19/03/19	Mellowes Road	To ask the Manager to say which section of (details supplied) is proposed for works in the 2019 Road Works Programme.	15/03/2019 10:03		Enquiry Resolved
11076544	Q56 NWAC 19/3/19	Rathvilly Road (adjacent Patrician Collage) to indicate entrances to Rathvilly Estate and Eastwood Estate	To ask the Manager to arrange for cast iron signs on Rathvilly Road (adjacent Patrician Collage) to indicate entrances to Rathvilly Estate and Eastwood Estate "To ask the Manager to arrange for the tarmac to be resurfaced at 15-41 Plunkett Green.	12/03/2019 15:45		Enquiry Resolved
11076543	Q54 NWAC 19/3/19	15-41 Plunkett Green.	"	11/03/2019 16:22		Enquiry Resolved
11076542	Q35 NWAC 19/3/19	139 Cappagh Avenue	To ask the Manager to arrange to repair a number of potholes on the roadway at (details supplied).	11/03/2019 16:23		Enquiry Resolved
11076539	Q34 NWAC 19/3/19	Barry Park	To ask the Manager to provide an update on plans to repave or repair the badly damaged pathway around the green at (details supplied).	11/03/2019 16:24		Enquiry Resolved
11076536	Q30 NWAC 19/3/19	Nephin Road	To ask the Manager to repair the damaged road surface on (details supplied).	11/03/2019 16:25		Enquiry Resolved
11076530	Q23 NWAC 19/3/19	Ratoath Estate	To ask the Manager to repair the damaged footpaths in (details supplied).	11/03/2019 16:25		Enquiry Resolved
11076523	Q32 NWAC 19/3/19	11 Wellmount Road	To ask the Manager to arrange to fix the badly damaged pathway outside (details supplied). There have been a number of falls at this location.	11/03/2019 16:12	Job 41095041 - 01-Job Raised, Defect Job created via Connector	6-Job Raised
11075987	Q85 NWCM 4/3/19	at 3 Saint Pappin's Road	To ask the Chief Executive will the council repair the cracked pavement at 3 Saint Pappin's Road. See photo To ask the Chief Executive will the council reinstate the bollards on the footpath outside 1-5 St. Pappin's Road to prevent delivery trucks mounting the footpath while carrying out their deliveries in the local shops?	04/03/2019 15:25	Job 41094146 - 01-Job Raised, Defect Job created via Connector	6-Job Raised
11075957	Q86 NWCM 4/3/19	outside 1-5 St. Pappin's Road	To ask the Chief Executive to have improved the cycle path along the parts of Finglas that run adjacent to the Glasnevin Cemetery. This is a major archery to the city, as it is a prominent location for tourists, and the condition of the cycle lane is entirely unsatisfactory.	26/02/2019 08:36		Enquiry Resolved
11075896	Q97 NWCM 4/3/19	parts of Finglas that run adjacent to the Glasnevin Cemetery		27/02/2019 08:18	Job 41094235 - 05-Job Scheduled, Job has been allocated to Work Crew	7-Job Passed to Crew
11075291	Q41 NWAC 19/2/19	Glasilawn Road and Tolka Estate Signage both ends unclear and sign outside 58 Glasilawn Road	To ask the Manager to improve the street name signs at both ends of (details supplied), Dublin 11, as the street name signs are unclear and ambiguous at both ends of the road, as some are worn and often hidden by parked cars; and given the added complication that the road changes name partway down and residents regularly report deliveries being made to the wrong houses; coupled with the fact that google maps is also incorrect which does not help deliveries, increasing the importance of the clear road signs.	12/02/2019 08:51		Enquiry Resolved
11075289	Q73 NWAC 19/2/19	Mellowes Crescent	To ask the Manager install a sign in (details supplied) to identify where the complex starts.	12/02/2019 09:39	subject to procurement and installation by nameplate contractor	Enquiry Resolved

11075288	Q70 NWAC 19/2/19	Cabra Drive	To ask the Manager to organise the replacement of the street sign at (details supplied) which was removed during the construction of the private dwelling wall at the entrance.	12/02/2019 09:03	Enquiry Resolved
11075287	Q54 NWAC 19/2/19	Dunsink Estate	"To ask the Manager could the management report on plans on the renovation of Dunsink Estate. I have walked the estate with the local residents recently and was shocked by the state and condition of the roads and footpaths.  Ramps in poor condition and badly repaired and literally falling apart  Footpaths covered in moss which looks like grass but is in fact Tarmac"	11/02/2019 12:22	Enquiry Resolved
11075286	Q82 NWAC 19/2/19	outside 42 Northway Estate	To ask the Manager to arrange for the pothole on the footpath outside 42 Northway Estate to be re-instated please. To ask the Manager to arrange to fix the very badly damaged pathway outside (details supplied). A temporary repair was carried out with tarmac a number of years ago which has now sunk. A number of elderly residents have slipped and fallen on the pathway especially since the pub reopened.	18/02/2019 10:22	Previously added to works list see enquiry no,11075277, Enquiry Resolved
11075285	Q81 NWAC 19/2/19	35 Barry Road	To ask the Manager to provide an update on the repair of two damaged bollards at (details supplied). The damage was reported last August and planning permission has since been granted for a 30 seat restaurant facing the affected houses and we can assume an increase in the regular illegal parking problems in this area.	11/02/2019 12:03	Enquiry Resolved
11075284	Q72 NWAC 19/2/19	o/s 46 and 48 Kinvara Park	To ask the Manager request the repair of the road at the entrance to (1) (details supplied) facing the (2) (details supplied).	05/03/2019 10:11	Done on previous enquiry , Resolved - No Further Action
11075283	Q71 NWAC 19/2/19	(1) Drumcliffe Road (2) Deaf Village	To ask the Manager provide an update on the query raised at the January North West Area Committee meeting (Q.37) regarding reinstatement road works	20/02/2019 10:28	Added to works list will be done in due course, 6-Job Raised
11075282	Q69 NWAC 19/2/19	new grilled chicken restaurant at the 17 shops on the New Cabra Road	To ask the Manager to ask the Roads & Traffic Department to comment on the state of the (1) (details supplied). The road was resurfaced in 2015 and there appears to be a number of damaged and repaired areas along the road. I've attached some photos of the damage and repairs. The temporary repair at (2) (details supplied) was reported at the North West Area Meeting last October and due for permanent repair by the utility company responsible for the works. Is three years a standard timescale for such defects to appear.	21/02/2019 12:21	See attached reply. Enquiry Resolved
11075281	Q68 NWAC 19/2/19	1) Old Cabra Road (2) 60 Old Cabra Road	To ask the Manager to arrange for the footpaths to be repaired at (details supplied) where they are in very poor condition.	21/02/2019 09:19	This is already in job raised list of works to be done in due course under jib no,41087357 an inspection of this road was completed last week by myself,mos,footway and kerb defects were created and jobs raised Enquiry Resolved
11075280	Q64 NWAC 19/2/19	St Malachy's Road, off Botanic Avenue	To ask the Manager to arrange for the paths at details supplied to be repaired as they are in very poor condition.	11/02/2019 08:04	Will be done in due course on a 6-Job Raised
11075278	Q62 NWAC 19/2/19	56-58 Wellmount Road	To ask the Manager to arrange a path repair/replacement at (details supplied) where the path is in very poor condition and a resident reported falling there	18/02/2019 10:37	Will be done in due course basedon priority basis, 6-Job Raised
11075277	Q61 NWAC 19/2/19	38-42 Northway Estate		18/02/2019 10:21	

		To ask the Manager to provide details of the status of promised work (details supplied), and in particular if he can provide a time-frame for the works to commence.		
		Details: The long promised drainage work at the pedestrian crossing outside Our Lady of Victories National School, Ballymun Road, Ballygall, Dublin 9; at the December local area meeting I was told that road maintenance services is currently progressing a remedial works package in collaboration with the Drainage Services and an external contractor; I understand also that there were some intermediate works carried out over Christmas and during January, which has made some improvements, however I am told that the school side of the median requires similar tarmacking as water is still lodging there		
11075275	Q36 NWAC 19/2/19	at the pedestrian crossing outside Our Lady of Victories National School, Ballymun Road, Ballygall, Dublin 9	11/02/2019 12:26	Enquiry Resolved
		To ask the Manager to arrange for the laneway which runs from Plunkett Grove to Plunkett Avenue to be completed to the edge of the railings to enable cars to get out of their driveways. The railing was moved back to facilitate this a while back but the remaining work to remove the extra green was not completed.		
11075274	Q30 NWAC 19/2/19	laneway which runs from Plunkett Grove to Plunkett Avenue	11/02/2019 11:40	Enquiry Resolved
		To ask the Manager to arrange for the tarmac which runs across the road near the junction of (details supplied) to be re-instated properly. A local resident reported it to me as being like a ramp with no markings and has possibly caused damage to his car.		
11075273	Q28 NWAC 19/2/19	Collins Avenue and Shanowen Avenue	25/02/2019 16:18	Enquiry Resolved
		To ask the Manager will the council fix the cobble locking that lifting up at the tree outside 395 Coutry Road.		
11075272	Q10 NWAC 19/2/19	outside 395 Coutry Road	19/02/2019 09:09	6-Job Raised
		To ask the Manager will the council ask the utility providers to fix their shore at the same location – on Coutry Crescent, at the corner with Coutry Road. Children have been lifting up the lid and getting their fingers caught. See photo		
11075271	Q9 NWAC 19/2/19	Coutry Crescent, at the corner with Coutry Road	21/02/2019 12:16	Enquiry Resolved
		To ask the Manager will the council fix the cracked pavement on Coutry Crescent, at the corner with Coutry Road (outside 379 Coutry Road). People are regularly tripping here. See photo		
11075270	Q8 NWAC 19/2/19	Coutry Crescent, at the corner with Coutry Road (outside 379 Coutry Road)	15/02/2019 09:26	6-Job Raised
		To ask the Manager if he will outline the plans and timescale to replace the temporary tarmac at (details supplied) Dublin 11, as there has been reports of elderly residents falling on the uneven tarmac which residents also find particular unsightly		
11075262	Q40 NWAC 19/2/19	All of Claremont Drive and on part of Johnstown Park	08/02/2019 11:58	Enquiry Resolved
		To ask the Chief Executive to arrange for appropriate dishing on footpaths at the entrances to Knowth Court. There is a lady who uses a wheelchair in (details supplied) who has difficulty in the local area with the lack of dishing on footpaths. Can a survey be done in the entire area to see if more dishing's are required to enable easier movement for people with mobility issues?		
11074484	Q54 NWA 04/02/19	Knowth Court	06/02/2019 13:52	6-Job Raised
		To ask the Chief Executive will the City Council resurface the footpaths on Wadelai Road. Please send me the 2019 programme for footpath upgrades in Dublin North West..		
11074481	Q89 NWA 04/02/19	Wadelai Road	08/03/2019 13:05	Enquiry Resolved
		To ask the Chief Executive will the council replace the footpaths on St. Pappin's Road. In particular, on the north side of the road, where a previous surface treatment is worn away resulting in a very uneven surface.		
11074480	Q50 NWA 04/02/19	St Pappins Road	29/01/2019 11:48	Enquiry Resolved

11074447	Q33 NCCM 4/2/19	at the entrance gate to Scoil Mhuire, Griffith Avenue, Marino, Dublin 9	To ask the Chief Executive to please refer to the serious break/rise in the pavement concrete at the entrance gate to Scoil Mhuire, Griffith Avenue, Marino, Dublin 9, due to tree root growth and encroachment lifting the concrete. When can you arrange to have the matter investigated and what can be done to resolve same as the broken concrete has created a serious trip hazard, caused very large heavy entrance gates to become misaligned and incapable of being adequately or properly locked (lock and chain has been cut with bold cutters on two occasions and premises burgled). Please arrange to have an official employee directly contact (details supplied) with a view to being, of assistance.	12/02/2019 12:00	Spoke to principle on site, advised that rm would repair footpath but if they suspect gate damage caused by roots to contact parks department. Footpath repair scheduled.	Enquiry Resolved
11074090	Q16 NWCM 4/2/19	outside 6 Dean Swift Road	To ask the Chief Executive, the council recently upgraded the footpaths on Dean Swift Road, Dublin 11. They marked the footpath outside 6 Dean Swift Road to be done, but because cars were parked on the footpath, this section of the footpath was skipped. Can a notice be put on the cars to ask them to park elsewhere and allow the footpath to be resurfaced? In addition, speed bumps were removed from this road following resurfacing works and have not been replaced. These speed bumps were ineffective anyway given their size and spacing. Can more effective speed bumps be considered for this road?	23/01/2019 08:56	3 jobs/defects were created between 1/6 at this location last week, Notices have been left previously. I have been told that cars belong to students from DCU and did not heed the notices.	Enquiry Resolved
11073934	Q24 NCAC 21/1/19	Grace park Road, Drumcondra		30/01/2019 09:09	Complete as part of 2019 works program	Enquiry Resolved
11073642	Q39 NWAC 15/1/19	53/57 Ashington Gardens	To ask the Manager in relation to Q.34 to the November NWAC meeting, the residents of (details supplied 1) inform me that the ESB have no record of identifying a defective footpath at this address and do not have a mini pillar at this location. The ESB identified a defective footpath at a mini pillar at (details supplied 2) and informed DCC. Can the Manager confirm a defective footpath at (details supplied 2) was reported to DCC by the ESB	11/01/2019 11:47		Enquiry Resolved
11073640	Q37 NWAC 15/1/19	new grilled chicken restaurant at the 17 shops on the New Cabra Road	To ask the Manager to confirm who is responsible for the reinstatement of the road at (details supplied) (see attached photo) and when the works are due to be completed	11/01/2019 12:00		Enquiry Resolved
11073639	Q15 NWAC 15/1/19	Northway Estate	To ask the Manager for an update when the ramps in (details supplied) will be repaired	11/01/2019 11:59		Enquiry Resolved
11073638	Q3 NWAC 15/1/19	outside house numbers 94, 96, 108, 109, 116 and 120	Details: On Willow Park Avenue, the pavement has shifted due to tree roots creating many trip hazards along the road. Examples can be seen outside house numbers 94, 96, 108, 109, 116 and 120 where the pavement has risen creating a 2-3-inch trip hazard. An elderly resident has already had a serious fall in this area due to this hazard.	02/04/2019 11:29	Job 41091330 - 16-Work Completed - Site Clear, Was already reinstated	8-Job Completed
11073633	Q41 NWAC 15/1/19	Kildonan Drive particularly the tarmac section.	To ask the Manager follow up on the request to repave Kildonan Drive particularly the tarmac section	14/01/2019 15:19	hotbox recently	Enquiry Resolved
11073632	ITEM 1A NWAC 15/1/19	Tolka Valley Road	That the Manager priorities road repairs on Tolka Valley Road, there is a series of deep potholes which is causing a lot of damage to cars.	07/02/2019 08:38	Job 41091404 - Job Closed, 5x1.5x0.05, 3x1, 7x1.5, completed on 4/2/19	Enquiry Resolved
11073359	Q38 NWCM 7/1/19	10 Glendun Road, Larkhill, Dublin 9	To ask the Chief Executive if he can have the footpath outside (details supplied) reinstated.	11/01/2019 11:47		Enquiry Resolved

11072640	Q45 NWAC 11/12/18	at the bus stop at Avila Park, Cappagh Road, stop number 4793 in Dublin 11	To ask the Manager if a drainage issue at the bus stop at Avila Park, Cappagh Road, stop number 4793 in Dublin 11 can be addressed, there is a need for better road drainage as when it rains there is a lot of water pooling here leading to people waiting being soaked when cars go by.	06/12/2018 14:19	Enquiry Resolved
11072424	Q50 NWAC 11/12/18	from No 9 to No 53, in particular the section between Nos. 33 and 53	To ask the Manager to replace the footpaths on (details supplied) from No 9 to No 53, in particular the section between Nos. 33 and 53 where the trees are surrounded by large raised beds which has been covered in tarmacadam. This tarmacadam is now in a sad state of repair as the tree roots are breaking through it.	11/12/2018 09:28	Footpath in reasonably good condition from no,09 to 55 however all other known defects have been added to works list and are being done at present , The raised beds in need of repair would not be a high priority as they are not presently used as part of the walk way also parks would need to have tree roots removed otherwise the problem would just return , 4- Inspection Completed
11072423	Q39 NWAC 11/12/18	at the pedestrian crossing outside Our Lady of Victories National School	"To ask the Manager to provide details of the status of promised work (Details supplied)  Details: The long promised drainage work at the pedestrian crossing outside Our Lady of Victories National School "	30/11/2018 11:33	Enquiry Resolved
11072422	Q29 NWAC 11/12/18	beside the tree at 2 Plunkett Drive	To ask the Manager to arrange for the trip hazard on the footpath beside the tree at 2 Plunkett Drive to be repaired immediately. This request has been put in several times over last few years.	01/04/2019 15:18	Job 41090196 - Job Closed, Job has been allocated to Work Crew Enquiry Resolved
11072421	Q28 NWAC 11/12/18	Mellows Road between the Fire Station and entrance to Mellows Park (village side).	To ask the Manager to arrange for an inspection of the footpath on Mellows Road between the Fire Station and entrance to Mellows Park (village side). There is a trip hazard of approx. 2 inches due to concrete slab sinking. Can the Manager arrange this to be repaired asap.	10/12/2018 08:20	this section of footpath has previously been inspected and all known defects have been added to works list and will be done in due course Enquiry Resolved
11072420	Q2 NWAC 11/12/18	outside the Shops in Shangan	To ask the Manager to prioritise the footpaths outside the Shops in Shangan as they are in very poor condition and a lot of elderly use them as they need access to the chemist.	30/11/2018 11:13	This is a matter for Road Design Enquiry Resolved
11071594	Q45 NWAC 20/11/18	21-31 Dunsink Road	To ask the Manager when paving works at a location (details supplied) will be completed in line with surrounding roads.	12/11/2018 15:39	Enquiry Resolved
11071593	Q34 NWAC 20/11/18	57 Ashington Gardens	To ask the Manager to confirm who carried out the path repair works at (details supplied) a number of months ago. (See attached photo) I am interested to find out if the reason for repair was subsidence, as the boundary wall at (details supplied) was removed by the Dangerous Buildings Section due to its precarious state.	12/11/2018 10:36	Enquiry Resolved
11071592	Q28 NWAC 20/11/18	Clonmel Road	To ask the Manager to repair the recently repaired footpaths on (details supplied) which has not been done adequately.	13/11/2018 15:15	all known footway defects have been added to works list and will be done in due course, Job 41088809 - 05-Job Scheduled, Job has been allocated to Work Crew Enquiry Resolved
11071591	Q20 NWAC 20/11/18	at junction of Barnamore Grove/Crescent	To ask the Manager to repair the pothole at junction of Barnamore Grove/Crescent	13/11/2018 15:09	7-Job Passed to Crew Enquiry Resolved
11071590	Q19 NWAC 20/11/18	74 Rathvilly Drive	To ask the Manager to arrange for a footpath repair at 74 Rathvilly Drive where the footpath is damaged.	13/11/2018 11:10	Enquiry Resolved
11071589	Q3 NWAC 20/11/18	o/s 124 Broombridge Road	To ask the Manager to repair the damaged footpaths on (details supplied) especially outside number 124.	13/11/2018 11:10	Enquiry Resolved

11071588	Q63 NWAC 20/11/18	outside 11 Glasnevin Drive	To ask the Manager will the Council ensure the footpath outside 11 Glasnevin Drive is properly reinstated. A water leak was fixed four months ago with a temporary tarmac patch.	22/11/2018 11:50	Referred to Utility/other Dept
11070533	Q64 NWAC 16/10/18	Pedestrian crossing at Our Lady of Victories National School, Ballymun Road, D9, both inbound and outbound.	To ask the Manager if the provision of additional drains at a location (details supplied) in Dublin 9 can be expedited	10/10/2018 12:21	Enquiry Resolved
11070381	Q52 NWAC 16/10/18	outside (8-10) St Pappin's Road	To ask the Manager to provide an update on path repairs required outside (8-10) St Pappin's Road. This footpath is raised very significantly by tree roots and roads and parks must find a way to resolve the situation. It is on a frequently used stretch of path leading to the local shops where there is a high ratio of senior citizens in the area. What level of priority has been given to this footpath and what is the expected timeframe for the priority level given.	10/10/2018 15:19	Enquiry Resolved
11070374	Q46 NWAC 16/10/18	St Canice's Road, (FOLD housing, Ballygall	To ask the Manager to arrange to footpath to be repaired at (details supplied) outside the senior citizen's complex. One of the senior citizens recently had a fall there.	10/10/2018 15:14	Enquiry Resolved
11070373	Q32 NWAC 16/10/18	67 Old Cabra Road	To ask the Manager can Road Maintenance organise the repair of the damaged road at (details supplied). Are these works covered by a contractual guarantee as the road was only resurfaced within the last couple of years.	15/02/2019 08:46	7-Job Passed to Crew
11070372	Q24 NWAC 16/10/18	outside Beneavin College	To ask the Manager to arrange for the footpaths outside Beneavin College to be re-instated properly. This request was put in years ago and has not been completed as of yet.	16/10/2018 09:47	6-Job Raised
11070370	Q23 NWAC 16/10/18	outside 222 Cappagh Road	To ask the Manager to arrange for the pothole outside 222 Cappagh Road to be repaired please. The hole itself is not huge but several people have tripped over it when walking from cars visiting people in neighbouring houses.	16/10/2018 08:44	Enquiry Resolved
11070369	Q21 NWAC 16/10/18	at the entrance of Woodbank Road off Ratoath Road	To ask the Manager to arrange for the ramp at the entrance of Woodbank Road off Ratoath Road to be upgraded as it is one of the old red brick ramps and is badly deteriorated and still breaking up and leaving debris across the road	09/10/2018 11:14	Enquiry Resolved
11070366	Q12 NWAC 16/10/18	71 Dingle Road	To ask the Manager to repair the damaged roadway outside (details supplied) where the gully has sunk leaving a gap where residents have reported a number of people falling.	09/10/2018 11:17	Enquiry Resolved
11070365	Q7 NWAC 16/10/18	the Courts Poppintree	To ask the Manager to provide a schedule of works when and what is taking place in (details supplied). A number of courts have had all the slabs repaired and they look great. Residents in the remaining courts are wondering when their courts will be completed.	08/10/2018 12:56	Enquiry Resolved
11070361	Q6 NWAC 16/10/18	Fitzmaurice Road outside the shops	To ask the Manager to repair the footpaths outside the shops on (details supplied) as they are in a very poor condition.	19/10/2018 09:57	6-Job Raised
11070348	Q69 NWAC 16/10/18	Shanowen Road between numbers 204-188	To ask the Manager to repair the pavements on (details supplied) between numbers 204-188. This stretch is in particularly bad condition	16/10/2018 09:25	6-Job Raised
11070344	Q67 NWAC 16/10/18	the green in Barry Park	To ask the Manager arrange for repair of the tarmac surface of the pathway around (details supplied). It is currently in an awful state of repair and the top layer of tarmac is crumbling away.	08/10/2018 11:36	Enquiry Resolved
11070342	Q58 NWAC 16/10/18	Paths on St. Canice's Road, Dublin 11, at entrance to Fold and Clarehaven	To ask the Manager if he will have the footpaths repaired at a location (detailed supplied) in Dublin 11, as the paths are a trip hazard for elderly residents.	10/10/2018 15:17	Enquiry Resolved

11070341	Q57 NWAC 16/10/18	Section of pathway along Griffith Avenue, Dublin 9, starting at Walnut Rise and going westwards along Griffith Avenue as far as The Rise	To ask the Manager if he will have the footpath repaired at a location (detailed supplied) in Dublin 9, as the path is in a poor condition and dangerous To ask the Manager to arrange for the tree at (details supplied) to be inspected and put on list for pruning. Can the Manager arrange for the footpath to also be inspected and repaired as it is in a poor condition due to tree roots	23/10/2018 15:08	Job 41087838 - 01-Job Raised, Defect Job created via Connector Footpath raised on both sides previously scabbled on a works list will be done in due course,	6-Job Raised
11069620	Q18 NWAC 18/9/18	57 Plunkett Crescent	To ask the Manager to report on the trees lifting on the footpath at (details supplied) Local resident contacted me. Had a look and there's severe tree lift on path.	20/09/2018 15:02	41085792	6-Job Raised
11069437	Q32 NWAC 18/9/18	St Canice's Road		14/09/2018 09:01	Jobs raised	Enquiry Resolved
11069432	Q81 NCAC 17/9/18	Griffith Avenue, with specific reference to the south side of the Avenue between Malahide Road and Philipsburgh Terrace	""Can the Manager: 1.Confirm and acknowledge receipt of correspondence (attached) dated 06/06/18 from (details supplied) 2.Provide an update on potential measures that can be piloted to address the issues raised and give a commitment to organise an onsite meeting to discuss further." "	18/09/2018 12:38		Referred to Utility/other Dept
11069187	Q72 NWAC 18/9/18	remainder of Casement Road, Finglas	To ask the Manager if he will give consideration to including the remainder of a location (details supplied), in the 2019 in major works programme for footpath and carriageway repair, to complete the portion of work carried out under the current 2018 programme?	12/09/2018 16:15		Enquiry Resolved
11069186	Q71 NWAC 18/9/18	between 27 and 29 Shanliss Road	To ask the Manager dish the footpath between 27 and 29 Shanliss Road. One side of this junction has been dished, but not the other site. See photo	24/10/2018 15:20	Job 41081567 - Job Closed, Job has been allocated to Work Crew	Enquiry Resolved
11069185	Q69 NWAC 18/9/18	at the crossing from Shanvarna Road to Shanrath Road	To ask the Manager provide dishing of the footpath where the new footpath has been laid, at the crossing from Shanvarna Road to Shanrath Road.	18/09/2018 14:28	Job 41085684 - 01-Job Raised, Defect Job created via Connector	6-Job Raised
11069184	Q67 NWAC 18/9/18	Clune Road	To ask the Manager to outline if (details supplied), particularly the even numbers side, is due to receive resurfacing work.	13/09/2018 11:07		Enquiry Resolved
11069183	Q66 NWAC 18/9/18	in Ballygall Parade, particularly those around the maisonettes	"To ask the Manager can the remaining lanes in (details supplied) which are made of tarmac and are breaking up be resurfaced." "	13/09/2018 14:46		Enquiry Resolved
11069181	Q27 NWAC 18/9/18	Darling Estate and the Paddocks	To ask the Manager to fix the paths in (details supplied). To ask the Manager to extend the new pathways to the rest of (details supplied) as only half the Road was done earlier in the year.	24/10/2018 15:18	Job 41085146 - Job Closed, Job has been allocated to Work Crew	Enquiry Resolved
11069180	Q25 NWAC 18/9/18	Bannow Road		13/09/2018 11:06		Enquiry Resolved
11069179	Q21 NWAC 18/9/18	112 Faussagh Road	To ask the Manager to arrange to have the pathway fixed at (details supplied)	20/09/2018 15:07	Treetrip repair needed, 41085797	6-Job Raised
11069178	Q15 NWAC 18/9/18	North Road and Brookville Estate	To ask the Manager to arrange for the necessary funding to be provided to re-instate the roads and footpaths on the (details supplied).This was promised years ago and has not been followed through on.	25/09/2018 09:54	All known defects have been added to works list and will be done in due course,	Enquiry Resolved
11069176	Q11 NWAC 18/9/18	Dunsink Gardens	To ask the Manager to arrange for the footpaths at (details supplied) to be repaired/reinstated. There have been several accidents on this road due to the uneven surface.	25/09/2018 10:27	All potholes in tar margins have now been filled in ,	Enquiry Resolved
11069175	Q78 NWAC 18/9/18	outside 55 North Road, Finglas	To ask the Manager to arrange to have a footpath at a location repaired (details supplied) as it has become a serious trip hazard for elderly residents	14/09/2018 09:06	Job raised	Enquiry Resolved

11069116	Q28 NCAC 17/9/18	footpath between Church Ave & entrance to All Hallows (Soccer matches days in Tolka Park)	<p>""Can the Manager please examine situation of new estate as (details supplied) and say d.say if the wide footpath at details C is a private landing as buses etc park there particularly on soccer match days</p>	18/09/2018 12:57 reply sent	Enquiry Resolved
11068761	Q107 NWCM 3/9/18	at the entrance to the first cul-de-sac on Shangan Green: "Nos. 1-18 Shangan Green".	<p>To ask the Chief Executive will the council install a street sign at the entrance to the first cul-de-sac on Shangan Green: "Nos. 1-18 Shangan Green". Since the DCU in the Community building and the apartments were built, this little cul-de-sac has been cut off from the rest of Shangan Green, and Emergency Services in particular have problems finding the homes, when needed.</p>	24/10/2018 08:05	Job 41087896 - 05-Job Scheduled, Job has been allocated to Work Crew 7-Job Passed to Crew
11068760	Q106 NWCM 3/9/18	adjacent to 15 Shangan Green	<p>To ask the Chief Executive to fix the footpath adjacent to 15 Shangan Green. It's badly broken up and there are at least two wheelchair users in this cul-de-sac that find it difficult to get across this section of footpath.</p>	09/01/2019 08:14	Job 41084229 - 05-Job Scheduled, Job has been allocated to Work Crew 7-Job Passed to Crew
11068345	Q20 NWCM 3/9/18	outside Manhattan Peanuts Ltd. on St. Margarets Road	<p>To ask the Chief Executive if he will arrange for the bollards outside Manhattan Peanuts Ltd. on St. Margarets Road to be inspected and repairs carried out where needed and for all bollards to be painted.</p>	07/09/2018 09:42	All ballards have now been painted , Resolved - No Further Action
11067135	Q74 NCAC 16/7/18	"Griffith Avenue (from junction with Malahide Road and Drumcondra Road) Dublin 9.	<p>"Can the Manager please refer to my question 17 at the May 2018 Area committee meeting and explain why a more appropriate/sensitive material was not used such as that which was used on Fade Street (see picture attached) as opposed to the less attractive concrete and tarmac that was used."</p>	26/07/2018 11:54 Reply sent	Enquiry Resolved
11067115	Q21 NCAC 16/7/18	the lower end of Griffith Avenue	<p>"Regarding the lower end of Griffith Avenue and the wooden borders there Residents have requested their removal as they are unsightly and also a danger to school children and the elderly. Children have tripped over them and in some cases have cut themselves on the wood and steel that support these borders. Motorists are of the opinion that these wooden borders were put in to aid car parking. They feel the border provides their cars with protection. As a result cars are now parking on the grass verges more regularly and for longer periods. They have become damaged over the years with cars constantly driving into them. Griffith Avenue is a beautiful avenue and these wooden borders are giving it a dreadful look. It might be an idea to raise the path at the edge of the grass verges to prevent cars driving from the road onto these same grass areas. This has been done in the I.F.S.C. to great effect. This type of solution would be cost effective in the long term and also more aesthetically acceptable.</p>	26/07/2018 11:55	Not road maintenance issue Job 41084467 - Job Closed, 7x1, 4x1.5, pothole 1 completed Referred to Utility/other Dept
11067082	Q63 NWAC 17/7/18	6 Rathvilly Park	<p>To ask the Manager to arrange for the pothole and broken paths to be repaired outside (details supplied).</p>	11/09/2018 08:27	Enquiry Resolved
11067081	Q62 NWAC 17/7/18	10 Hazelcroft Green	<p>To ask the Manager to arrange for the paths outside of (details supplied) to be repaired as they are in very poor condition.</p>	20/09/2018 14:51	according to our records Hazelcroft Green is not in charge of Dublin City Council Enquiry Resolved
11067080	Q80 NWAC 17/7/18	Carton Way outside Ballymun Industrial Estate	<p>To fix the potholes at Carton Way outside Ballymun Industrial Estate</p>	13/07/2018 09:47	Enquiry Resolved

11067079	Q76 NWAC 17/7/18	Ballymun Road, adjacent to the Rise	To ask the Manager to fix the manhole cover on the Ballymun Road, adjacent to the Rise. The cover has been sprayed for attention, but no work done. The cover is causing a lot of noise every time a car goes over it, and it is keeping the local residents awake.	13/07/2018 09:47	Enquiry Resolved
11067078	Q73 NWAC 17/7/18	4 Casement Park	To ask the Manager about the badly damaged pathway due to tree roots at (details supplied)	19/07/2018 10:26	Previously completed , All known defects have been added to works list and will be done in due course, Resolved - No Further Action
11067077	Q72 NWAC 17/7/18	Cappagh Avenue	To ask the Manager about the badly damaged pathway at Cappagh Avenue	19/07/2018 10:19	Enquiry Resolved
11067076	Q46 NWAC 17/7/18	Shanard Avenue outside 86, left hand side as you turn off Collins Avenue	To ask the Manager to review a raised path on Shanard Avenue outside 86, left hand side as you turn off Collins Avenue. A significant shoulder has appeared due to root lift.	11/12/2018 08:37	Job 41084471 - Job Closed, Job has been allocated to Work Crew Enquiry Resolved
11067074	Q7 NWAC 17/7/18	Coultry Road between the Centra Shop and Coultry Lawn	to cut the scrubs on Coultry Road between the Centra Shop and Coultry Lawn as it obstructing traffic and to repair the ramp on Coultry Road outside Coultry Grove as it is in very poor condition.	18/09/2018 09:41	Ramp has been added to works list and will be done in due course shrubs is a parks issue , 6-Job Raised
11067073	Q3 NWAC 17/7/18	outside Shan Cara on St. Canices Road	to repair the footpath when the remaining footpaths in Finglas Place and Ballygall Avenue will be repaired. They are in a very poor condition. Can you also please examine the junction of Finglas Place and Ballygall Avenue as tarmac has been badly laid even on a temporary basis.	06/09/2018 12:40	Multiple defects exist for this location Enquiry Resolved
11067072	Q1 NWAC 17/7/18	Finglas Place and Ballygall Avenue		10/09/2018 15:04	Survay done footpaths in reasonable condition at present as per photo,s attached, Enquiry Resolved
11066702	Q77 NWAC 2/7/18	31 Violet Hill Road	To ask the Chief Executive to arrange for the reinstatement of the path across from (details supplied) The resident there has recently had surgery and is worried about using this path to get around because it is in a bad state.	27/06/2018 12:23	Job 41080773 - 01-Job Raised 6-Job Raised
11066692	Q89 NWCM 2/7/18	"at the LUAS Broombridge stop around the junction of Bannow/Broombridge Rds"	To ask the Chief Executive, if there can be public domain improvements at the LUAS Broombridge stop around the junction of Bannow/Broombridge Rds	26/06/2018 09:51	Enquiry Resolved
11066635	Q88 NWCM 2/7/18	the corner of Broombridge/Bannow Rds (at the LUAS station)	To ask the Chief Executive, if work can be done to improve the accessibility of the footpath at the corner of Broombridge/Bannow Rds (at the LUAS station). There is a raised drain here that takes up a large section of the footpath, it is difficult for those with prams & wheelchairs to move along this section of the footpath.	26/06/2018 09:44	The matter has been referred to Drainage Enquiry Resolved
11066634	Q110 NWCM 2/7/18	at the corner of Court at Nos. 14-16 Claremont Court	To request that the large section of footpath at the corner of Court at Nos. 14-16 Claremont Court, that was dug up in the past few weeks, be properly repaired by the City Council. A really poor temporary resurfacing was placed there- which is entirely unsuitable to the purpose intended.	26/06/2018 09:50	his is not a matter for Road Maintenance to reinstate. It should be referred to IW. Enquiry Resolved
11066633	Q109 NWCM 2/7/18	between numbers 153 and 157 Claremont Court	To ask the Chief Executive to have fixed the pavement between numbers 153 and 157 Claremont Court. The pavement is lifting and is a trip hazard at this point	27/06/2018 15:17	Job 41080771 - 01-Job Raised, Defect Job created via Connector 6-Job Raised
11066632	Q108 NWCM 2/7/18	between numbers 51 and 61 Claremont Crescent	To ask the Chief Executive to have fixed, the pavement between numbers 51 and 61 Claremont Crescent. This damaged footpath has been a trip hazard for residents for quite some time.	27/06/2018 15:17	Job 41080770 - 01-Job Raised, Defect Job created via Connector 6-Job Raised
11066631	Q107 NWCM 2/7/18	at the entrance to Claremont Estate, Glasnevin, outside of Number 4 Claremont	To ask the Chief Executive to have fixed, the hole at the entrance to Claremont Estate, Glasnevin, outside of Number 4 Claremont. It was damaged during the snow storms, and has been a source of considerable frustration to residents ever since.	27/06/2018 15:17	Job 41080769 - 01-Job Raised, Defect Job created via Connector 6-Job Raised

11066508	Q37 NWCM 2/7/18	Nephin Road	To ask the Chief Executive to repair the damaged road surface on Nephin Road?	04/07/2018 16:23	Job 41071592 - 01-Job Raised	6-Job Raised
11065975	Q75 NWAC 19/6/18	outside 10 Glendun Road	to arrange for the path repairs outside 10 Glendun Road to confirm when the path at 57 and 69 Clonmel Road will be repaired. This has been requested numerous times and most recently, I made this request on 4th September 2017 in my Questions to the Chief Executive.	13/06/2018 12:01		Enquiry Resolved
11065974	Q70 NWAC 19/6/18	57 and 69 Clonmel Road		04/02/2019 16:07	Job 41082295 - Job Closed, Job has been allocated to Work Crew	Enquiry Resolved
11065972	Q69 NWAC 19/6/18	21 St Pappin's Road	to arrange for path repair at 21 St Pappin's Road where the tree has uprooted the path and is a tripping hazard. Can it also be confirmed what level of priority will be given and the estimated timeframe for the works to be completed	11/12/2018 08:45	Job 41080715 - Job Closed, Job has been allocated to Work Crew	Enquiry Resolved
11065971	Q68 NWAC 19/6/18	no 8-10 St Pappin's Road	to confirm what level of priority the path at no 8-10 St Pappin's Road (previously reported months ago) has been given and when the works are expected to be completed. Will a tree removal and replacement be necessary	26/06/2018 10:46	No 8 is private landing, defect exists for no 10	Enquiry Resolved
11065970	Q59 NWAC 19/6/18	outside 112 Kinvara Park.	to arrange to have the damaged roadway repaired outside 112 Kinvara Park.	28/07/2018 08:13	Job 41082559 - 05-Job Scheduled, Job has been allocated to Work Crew	7-Job Passed to Crew
11065969	Q58 NWAC 19/6/18	Connaught Street	to arrange to have all potholes repaired on Connaught Street	28/08/2018 12:52	Road fully resurfaced,	Resolved - No Further Action
11065968	Q54 NWAC 19/6/18	Hazelcroft Road	To ask the Manager to arrange for an inspection of the potholes on Hazelcroft Road with a view to resurfacing the entire road as it is in very bad shape. The paths on one side of Immal Road were restored a number of years ago but the other side remains to be repaired. Can the Manager submit this repair to next year's Roads department budget? As one of the primary routes to Christ the King church the dilapidated state of the unrepaired paths reflect on the overall environment of the immediate area.	18/09/2018 09:00	Job 41084736 - Job Closed, 12x1, 8x0.5, 8x1, 6x1, 5x1.5, 3x0.2, 1.5x1.5, 5x0.5, 2x1, potholes 6 completed on 13/9/18	Enquiry Resolved
11065967	Q44 NWAC 19/6/18	Immal Road	To ask the Manager to address uneven paths around Bon Secours hospital, on Glasnevin Hill, to make it safer for patients particularly in wheelchairs	13/06/2018 11:53		Enquiry Resolved
11065964	Q22 NWAC 19/6/18	around Bon Secours hospital, on Glasnevin Hill		13/06/2018 12:11	All known defects have been added to works list and will be done in due course,	Enquiry Resolved
11065962	Q4 NWAC 19/6/18	Clonmel Road	when the footpaths on Clonmel Road will be repaired	22/07/2018 11:28		Enquiry Resolved
11065793	Q105 NWCM 11/6/18	on St Margaret's Rd at the Lidl roundabout	To ask the Chief Executive for the potholes on St Margaret's Rd at the Lidl roundabout can be repaired.	06/06/2018 09:48		2-Passed to Engineer
11065776	Q62 NWCM 11/6/18	Coultrey Gardens	To ask the Chief Executive to resurface the roads within Coultrey Gardens. The surface is in a very bad state with many large potholes	28/06/2018 10:48	All potholes have been previously filled ,	Enquiry Resolved

11065212	Q17 NCAC 21/5/18	Griffith Avenue (from junction with Malahide Road and Drumcondra Road) Dublin 9.	<p>""Can the Manager please refer to tarmac/concreted area at (details supplied) and</p> <p>1.Confirm that the residents outside whose houses the works were carried out were consulted in the matter</p> <p>2.Explain the reasoning behind the works and as my constituent feels the paving looked better (i.e. the original concrete path) the way it was.</p> <p>3.Say if he is aware of the contrast between the east and west ends of details attached - with the west end looking pretty shabby and say what can be done to improve the general appearance and upkeep of same."</p> <p>"</p>	29/06/2018 09:55 reply sent	Enquiry Resolved
11064955	Q74 NWAC 15/5/18	at the roundabout at Lidl on St Margaret's Road	If the potholes at the roundabout at Lidl on St Margaret's Road can be repaired	28/03/2019 08:06	Resolved - No Further Action
11064954	Q62 NWAC 15/5/18	outside 58 Clune Road	Repair the pavement outside 58 Clune Road	19/06/2018 14:33	Enquiry Resolved
11064953	Q61 NWAC 15/5/18	outside 156 Ballygall Parade at St Canices School	To ask the Manager to investigate the pothole outside 156 Ballygall Parade at St Canices School has reopened and is causing a danger to school children who have been hit with some of the loose chippings from passing cars.	04/09/2018 14:10	Enquiry Resolved
11064952	Q60 NWAC 15/5/18	Dean Swift Road on the odd house numbers side	Repair the footpath	20/07/2018 12:50	Enquiry Resolved
11064951	Q58 NWAC 15/5/18	"1.Intersection of Ratoath Road and Tolka Valley Road			
		2.Exit gate from Cardiffbridge Park at intersection of River Road with Ratoath Road and across road to the gate of housing at Royal Canal Park			
		3.River road paths leading up to the shops and canal	Install ramps/dishing for wheelchair users at the following locations	09/05/2018 10:50	Enquiry Resolved
11064950	Q55 NWAC 15/5/18	outside no.4 Casement Park	Arrange to fix the badly damaged pathway outside no.4 Casement Park due to tree roots. A number of people have already tripped at this location such is the severity of the damage. See below photos	10/08/2018 12:35	Enquiry Resolved
11064949	Q54 NWAC 15/5/18	outside no.30 Cappagh Avenue	arrange to fix the badly damaged pathway outside no.30 Cappagh Avenue. This was first requested over a year with the pathway rapidly deteriorating. We have had numerous reports of falls from residents due to this section of the pathway.	15/05/2018 13:02	Enquiry Resolved
11064945	Q31 NWAC 15/5/18	St Attracta Road	to repair the damaged roadway	19/07/2018 11:59	Enquiry Resolved
11064944	Q25 NWAC 15/5/18	Darling Estate	repair the damaged footpaths	23/05/2018 11:15	Enquiry Resolved
		"To ask the Manager to arrange for the pavements at a location (Details supplied) that were excavated to repair burst water mains earlier in the year to be restored to their original condition as the temporary surface poses trip hazards.			
11064943	Q19 NWAC 15/5/18	Gortbeg Park	"	09/05/2018 10:18	Enquiry Resolved

11064942	Q12 NWAC 15/5/18	at the Swords Road end of Shanowen Road, turning right onto Swords Road to the flyover	To ask the Manager (details supplied) in light of the planned building work in the area, if he will arrange for potholes at a location to be repaired before the anticipated arrival of heavy machinery causes the road to deteriorate further for an update when the footpaths in Larkhill are going to be repaired	29/08/2018 16:09	This area has been dressed by hotbox some weeks ago	Enquiry Resolved
11064940	Q6 NWAC 15/5/18	Larkhill	to arrange for an inspection of the road/drainage at the bus stop outside Avila Park and bus stop near 260 Cappagh Road. Large pools of water remain at both stops after any rain.	09/05/2018 10:11		Enquiry Resolved
11064375	Q55 NWAC 17/4/18	at the bus stop outside Avila Park	can a site inspection and action plan for road resurface to bus lane on Mobhi Road be reported to me?	02/05/2018 11:42	Road Maintenance has passed on the matter to Drainage for assessment of works required.	Enquiry Resolved
11064156	Q69 NWAC 17/4/18	bus lane on Mobhi Road		16/04/2018 10:07		Enquiry Resolved
11064154	Q68 NWAC 17/4/18	from Bantry Road to Mobhi Road.	can the road be resurfaced in damaged spots	28/07/2018 08:15	Job 41079978 - 05-Job Scheduled, Job has been allocated to Work Crew	7-Job Passed to Crew
11064153	Q62 NWAC 17/4/18	17 Wellmount Court	to arrange for repair to path outside of 17 Wellmount Court this is very dangerous.	25/07/2018 12:46	This has been previously added to works list and will be done in due course,	Enquiry Resolved
11064152	Q60 NWAC 17/4/18	between 2 Mellows Road and the roundabout	to say when works are to be carried out on the footpath between 2 Mellows Road and the roundabout. This part of the path is in a particularly bad condition and needs urgent attention.	27/04/2018 08:36	Job 41077687 - 01-Job Raised	6-Job Raised
11064151	Q56 NWAC 17/4/18	Clune Road	when he can envisage the footpaths on Clune Road to be re-instated?	19/07/2018 09:58	All known defects have been added to works list previously and will be done in due course,	Enquiry Resolved
11064150	Q47 NWAC 17/4/18	New Cabra Road	if the Road Maintenance department can comment on the pothole damage to the recently completed road resurfacing on the New Cabra Road?	16/04/2018 10:04		Enquiry Resolved
11064148	Q36 NWAC 17/4/18	at the Bogies Roundabout on Ratoath Road	If the pothole at the Bogies Roundabout on Ratoath Road can be repaired	05/09/2018 11:06	Roundabout getting resurfaced on inspection	Enquiry Resolved
11064145	Q26 NWAC 17/4/18	Kildonan Road, Finglas just before the right turn onto Barry Road.	To ask the Manager if he will have the ramps at a location (Details supplied) examined, as the ramp on the left hand side is reportedly higher than the rest and is damaging cars which drive over it?	10/05/2018 08:45		Enquiry Resolved
11064144	Q25 NWAC 17/4/18	Collins Avenue, from the traffic lights at St. Aidan's CBS as far as the junction with the Swords Road	To ask the Manager if he will have the section of a road (details supplied) repaired?	04/05/2018 08:10	this has been previously done ,	Enquiry Resolved
			"To ask the Manager if he will have road repairs carried on the section of a road (Details Supplied) where the road was previously dug up by contractors and never properly re-instated despite temporary repairs having been carried out on a number of occasions?			
11064143	Q24 NWAC 17/4/18	McKee Avenue, Finglas just up from the SuperValu Car Park.	"	16/04/2018 09:58		Enquiry Resolved
11064141	Q22 NWAC 17/4/18	Wellmount Park, Finglas, in particular the paths facing the health centre	To ask the Manager if he will have repairs carried out to the footpaths at a location (Details Supplied) as many older residents are finding it difficult to walk on them?	31/10/2018 09:48	All major defects have been made safe this area has been put forward to be considered in the 2019 works programme,	Enquiry Resolved
11064139	Q11 NWAC 17/4/18	outside 70 and 99 Ventry Park	to have the damaged roadway replaced outside 99 Ventry Park and the pathway fixed outside number 70 on the same road	02/10/2018 15:19		Resolved - No Further Action
11064137	Q78 NWAC 17/4/18	at the entrance to DCU sports ground at Glasnevin lawn tennis club.	Can the manager repair the pothole	03/09/2018 14:54	No pothole at this location on inspection, tar in place at entrance as per picture,but this is private landing	Enquiry Resolved

11064076	Q34 NWAC 20/3/18	Kinvara and Ashington Avenues	to have the grass verges on Kinvara and Ashington Avenues restored where they are damaged.	16/04/2018 13:49	All grass margins are in good condition at these locations, Job 41067294 - 01-Job Raised, Defect Job created via Connector	Resolved - No Further Action
11064066	Q13 NCAC 16/4/18	1) The top of Griffith Ave, at the Malahide Rd junction 2) The Howth Rd at the junction of All Saints Rd	The street name signage is no longer visible at, Can the same be replaced	26/04/2018 10:18		6-Job Raised
11064026	Q128 NWCM 9/4/18	Barry Park & Barry Drive	To ask the Chief Executive to replace the speed ramps in Barry Park and Barry Drive in Dublin 11.	01/10/2018 08:50		Resolved - No Further Action
11063401	Q78 NWAC 20/3/18	outside 208 - 210 Glasanaon Road	can the council please arrange to repair the pothole outside 208 - 210 Glasanaon Road , this gentlemen's new tyre burst when he drove over it this week	18/09/2018 08:58	Job 41084735 - Job Closed, 2x1, 1.5x1.5, 2x0.5, 2x0.5, potholes 4 completed on 12/9/18	Enquiry Resolved
11063400	Q75 NWAC 20/3/18	outside 24 Shanliss Road, Dublin 9	Footpath outside 24 Shanliss Road Dublin 9 that is in need of repair "To ask the Manager what the delay is repairing (details supplied)	18/06/2018 10:45	No obvious damage at this location,	Enquiry Resolved
11063399	Q74 NWAC 20/3/18	outside 22 Finglas Park	Details: the large hole in the pavement outside 22 Finglas Park "	09/03/2018 10:02		Enquiry Resolved
11063397	Q62 NWAC 20/3/18	at the Bus Stop at the WFTRA Hall on Mellows Road	To ask the Manager to arrange for the road and footpath at the Bus Stop at the WFTRA Hall on Mellows Road to be re-surfaced. This area has been continuously spot fixed for years and continuously breaks up so a proper re-instatement is needed.	20/04/2018 09:51	Previously done,	Enquiry Resolved
11063396	Q60 NWAC 20/3/18	outside of 22 Hazelcroft Road, Finglas South	if he intends to concrete the green area outside of 22 Hazelcroft Road, Finglas South. The resident here has requested this be done to prevent motorbikes from spraying muck and stones onto her home. if the path repairs in general where a tree has raised the path to a dangerous level are being prioritised for repair? Can the manager comment specifically on a number of locations which have been reported on St Pappin's Road, Clonmel Road and the Wadelai estate in general where some parts are very bad. It was indicated that this area was being considered for the schedule of works for 2018 but it does not appear on the list that was provided at last month's area committee	12/03/2018 09:10		Enquiry Resolved
11063392	Q54 NWAC 20/3/18	St Pappin's Road, Clonmel Road and the Wadelai estate	to arrange for the path outside 25 and 26 Hollywell to be replaced as there are huge cracks in it. Pyrite was discovered in houses nearby and there is a possibility pyrite may be the cause.	20/04/2018 09:10	All major defects recorded have been added to works list and will be done in due course,	Enquiry Resolved
11063391	Q53 NWAC 20/3/18	outside 25 and 26 Hollywell	replace the bollards at the waste ground just past the junction of Burren Court and Carrig Road to prevent cars from driving up on it.	18/09/2018 09:31	Job raised 41085536	6-Job Raised
11063390	Q46 NWAC 20/3/18	just past the junction of Burren Court and Carrig Road	to repair damaged speed ramps on Dingle Road and to address urgently the widening gap between the path and the road across from number 65	12/03/2018 08:36		Enquiry Resolved
11063389	Q43 NWAC 20/3/18	Dingle Road & across from number 65		23/11/2018 09:53	This is on a works list and will be done in due course,	6-Job Raised
11063388	Q12 NWAC 20/3/18	Shanliss Road	To ask the Manager if he will arrange for a cross-departmental plan to be put in place to ensure that the grass verges at a location (Details Supplied)are maintained and the parking that causes their deterioration is minimised.	24/10/2018 15:21	Job 41085358 - Job Closed, Job has been allocated to Work Crew	Enquiry Resolved

11063387	Q11 NWAC 20/3/18	Shanard Avenue	To ask the Manager if he will arrange for the footpaths at a location (Details Supplied) to be re-instated, as they are in a poor state, and particularly difficult for older people to walk on.	30/08/2018 09:51	Multiple areas on this street marked for contract works	Enquiry Resolved
11063386	Q9 NWAC 20/3/18	Ard na Meala on Balbutcher lane	to repair the huge pothole at Ar na Meala on Balbutcher lane which is extremely dangerous it is so big and to give a date when this will be done?	10/08/2018 12:42	Job 41081976 - Job Closed, Job has been allocated to Work Crew	Enquiry Resolved
11063385	Q5 NWAC 20/3/18	on the green space in front of the houses on Balbutcher Drive.	to repair the damage done by lorries and trucks on the green space in front of the houses on Balbutcher Drive.	31/07/2018 13:52	Council Question also sent to CRA.	Enquiry Resolved
11063384	Q82 NWAC 20/3/18	Griffith Avenue outside Beresford Estate	to repair the pothole that has reopened on Griffith Avenue outside Beresford Estate as a result of the snow	12/05/2018 15:08	Job 41077030 - Job Closed, Job has been allocated to Work Crew	Enquiry Resolved
11063306	Q91 NCAC 12/3/18	Griffith Avenue	Can the Manager confirm when the cycle path facilities on Griffith Avenue were last upgraded? Has there even been a "pedestrians and cyclists first" approach taken to an upgrade of this nature? Which section within DCC would be responsible for advancing a project of this nature?	26/03/2018 15:22		Enquiry Resolved
11063279	Q104 NCCM 5/3/18	No's 11 to 13 Griffith Avenue, Dublin 3	"•Comprehensive reinstatement of the tar macadam area between the footpath and the boundary walls of No. 12 and no 13 •Repair of the timber-based verge protection outside No. 12 and installation of similar verge protection outside No. 11 "	29/06/2018 14:20		Enquiry Resolved
11063245	Q48 NWCM 5/3/18	Silloge, Ballymun	for a timescale and details of the all the works taking place in Silloge Ballymun in relation to Drainage works and footpath replacement.	05/03/2018 09:21		Enquiry Resolved
11062887	Q25 NWAC 20/2/18	Cappagh Road between Cardiffsbridge Road and Finglaswood Road	To have the damage on the surface of Cappagh Road between Cardiffsbridge Road and Finglaswood Road repaired. Also could the ramps be repainted and repaired.	27/03/2018 08:15	Job 41076062 - 05-Job Scheduled, Job has been allocated to Work Crew	7-Job Passed to Crew
11062715	Q1 NWCM 5/3/18	the entrance to Willows FC in Dublin 11.	To ask the Chief Executive to install dishing at the entrance to Willows FC in Dublin 11. There is a high path to be crossed to gain access for cars turning in off the road which is causing people to accelerate on approach, potentially endangering young children and coaching staff (details supplied)	15/02/2018 09:51		Enquiry Resolved
11062675	Q67 NWAC 20/2/18	Drumcondra Road opposite St Pats school, from Tesco to Insomnia	ask the Area Manager if he will as a matter of safety agree to communicate with landlords of the strip of shops at Drumcondra Road opposite St Pats school, from Tesco to Insomnia to reinstate the footpaths immediately. There have been very nasty falls here over the years the pavement is a hazard and not fit for purpose never mind the high volumes of footfall using this retail area.	15/02/2018 09:46		Enquiry Resolved
11062673	Q48 NWAC 20/2/18	Glasanaon Road	To ask the Manager to arrange for a full inspection of Glasanaon Road. There are damaged ramps along the road and potholes also. Can the Manager say when this road was last re-surfaced?	28/03/2018 10:24	Most ramps have already been resurfaced and remaining ramps have been added to list of works for hotbox and will be done in due course,	Enquiry Resolved
11062672	Q32 NWAC 20/2/18	Liscannor Road	to fix the damaged speed ramps on Liscannor Road	16/02/2018 08:05	this is on works list attached to previous enquiry,	Enquiry Resolved
11062671	Q27 NWAC 20/2/18	River Road	if there are any plans to upgrade River Road	15/02/2018 09:46		Enquiry Resolved
11062669	Q81 NWAC 20/2/18	Griffith Road, towards Griffith Close	Are the remaining pavements on Griffith Road, towards Griffith Close, due to be repaired this year under the programme of works?	13/06/2018 09:14	All defects have been added to works list and will be done in due course,	Enquiry Resolved
11062608	ITEM 4D NWAC 20/2/18	Grove Park Drive, Crescent and Avenue	3. Effective Speed Ramps to be erected on Drive, Crescent and Avenue	08/02/2018 11:31	The installation of speed ramps is not a matter for Road Maintenance	Enquiry Resolved

ITEM10J NWAC 11062607 20/2/18	Wadeli Road, Wadeli Green and Clonmel Road	That the manager puts together a schedule for the repair of footpaths in Wadeli Road, Wadeli Green and Clonmel Road and has a look at some of the trees to access their suitability for the area. This will be done in conjunction with residents if any decisions are made.	23/04/2018 15:19	Enquiry Resolved
11062224 Q134 NCCM 5/2/18	to the front of the retail strip from Tesco to Insomnia on the main Drumcondra road opposite Saint Pats School and DCU	conduct a site visit and audit on the condition of all pavements to the front of the retail strip from Tesco to Insomnia on the main Drumcondra road opposite Saint Pats School and DCU. Apparently the first 1.8 m is not DCC responsibility can this be clarified. Can those responsible for the very dangerous condition of pavements outside their premises be communicated with by DCC. Can the survey / audit be presented to all responsible with recommendations and actions to be taken. "2 The Grass area needs to be reinstated 3 The kerbing around the grass area to be reinstated"	30/01/2019 09:00	Works to be completed as part of 2019 works program Enquiry Resolved
11061485 Q62 NWAC 16/1/18	at the rear of 12 Ard Na Mealia	"	11/01/2018 10:42	Enquiry Resolved
11061484 Q60 NWAC 16/1/18	outside 3, 5 and 7 Deanstown Road	to repair the pavement outside 3, 5 and 7 Deanstown Road	16/01/2018 16:21	Job 41071593 - 01-Job Raised 6-Job Raised
11061483 Q56 NWAC 16/1/18	at the entrance to Burnside at Magenta Crescent	To ask the Manager to fix the broken footpath at the entrance to Burnside at Magenta Crescent "To ask the Manager to repair the footpath at the corner of Hollybank Road and Iona Road. I've had a report from an elderly resident who tripped on the path at this location"	22/01/2018 09:58	Job 41071657 - 16-Work Completed - Site Clear, Job has been allocated to Work Crew 8-Job Completed
11061480 Q53 NWAC 16/1/18	at the corner of Hollybank Road and Iona Road	"	24/01/2018 11:37	Need exact address as there is no obvious defect at this location, Enquiry Resolved
11061479 Q47 NWAC 16/1/18	at the post-box on Shanowen Avenue	To ask the Manager to fix the footpath at the post-box on Shanowen Avenue. I've had a report from an elderly resident who tripped on the path at this location	26/01/2018 08:20	Job 41072263 - 01-Job Raised 6-Job Raised
11061478 Q42 NWAC 16/1/18	Wellmount Crescent and Green	To ask the Manager if it is possible to include the Wellmount Crescent and Green in the works programme for 2018.	11/01/2018 10:12	Enquiry Resolved
11061477 Q40 NWAC 16/1/18	outside number 44 Dunsink Drive	for the hole on the green area outside number 44 Dunsink Drive be looked at immediately as there has been a number of accidents here recently. To ask the Manager to arrange for an inspection of the footpaths at Dunsink Drive which are in a poor condition for many years and have been reported on numerous occasions over the years.	01/10/2018 08:55	Resolved - No Further Action
11061476 Q39 NWAC 16/1/18	Dunsink Drive		19/01/2018 04:52	Enquiry Resolved
11061475 Q33 NWAC 16/1/18	Kinvara Ave/Ashington Avenue	To have the roads of Kinvara Ave/Ashington Avenue inspected and any repairs to potholes carried out.	16/01/2018 10:02	All pothole on these roads have been previously added to works list and will be done in due course, Enquiry Resolved
11061474 Q16 NWAC 16/1/18	Poppintree Courts	the plans for replacing slabs in the Poppintree Courts in 2018	11/01/2018 10:02	Enquiry Resolved
11061473 Q10 NWAC 16/1/18	at the entrance to Broombridge train station.	to repair the damaged footpaths at the entrance to Broombridge train station.	16/01/2018 09:41	Footpath has been renewed upto entrance at broombridge trainstation, Resolved - No Further Action
11061472 Q6 NWAC 16/1/18	Blackhorse Avenue.	what is the timescale for the completion of Road works on Blackhorse Avenue.	11/01/2018 09:58	Enquiry Resolved
11061471 Q3 NWAC 16/1/18	o/s 87 Nephin Road	to repair the damaged road surface on Nephin Road outside number 87.	16/01/2018 16:20	Job 41071592 - 01-Job Raised 6-Job Raised

