

**North West Area Committee - Council Questions 9th July 2019**  
**Road Maintenance Services**

Number	Reference	Address	Description	Logged Date	Text	Status
11082223	Q26 NWAC 16/07/19	68 Beneavin Road	To ask the Manager to arrange to repair the pathway outside (details supplied). It has been on a repair list for over a year	04/07/2019 15:51		2-Passed to Engineer
11082222	Q25 NWAC 16/07/19	Plunkett Road	To ask the Manager to arrange to repair/repave the tarmac surface in the cul de sac at (details supplied)	04/07/2019 15:48		2-Passed to Engineer
11082221	Q23 NWAC 16/07/19	31 Cappagh Avenue	To ask the Manager to arrange to repair the pathway outside (details supplied) it has been on a repair list for over 2 years. "To ask the Manager arrange to repair the pathway outside (details supplied). It has been on a repair list for over a year.	04/07/2019 15:38		2-Passed to Engineer
11082220	Q21 NWAC 16/07/19	11 Wellmount Road	"	04/07/2019 15:28		2-Passed to Engineer
11082218	Q20 NWAC 16/07/19	44 Plunkett Avenue	To ask the Manager to arrange to repair the pathway outside (details supplied) it has been on a repair list for over 2 years.	04/07/2019 15:21		2-Passed to Engineer
11082217	Q14 NWAC 16/07/19	Cairn Court	To ask the Manager to repair the footpaths leading into (details supplied) at the back.	04/07/2019 15:09		2-Passed to Engineer
11082215		Outside St Canice's GNS on Seamus Ennis Road	To ask the Manager if a broken bollard outside a school (details supplied) can be repaired as a matter of urgency as it is very dangerous and could cause serious harm. Photos supplied.	04/07/2019 14:48		2-Passed to Engineer
11082213	Q5NWAC16/07/19	Plunkett Drive, Finglas Dublin 11	Plunkett Drive footpath upgrade contract, Finglas, D11 – will the entire length of the footpaths on both sides be fully repaired and re-instated	04/07/2019 14:41		2-Passed to Engineer
11082212	Q8NWAC16/07/19	18 – 24 Deanstown Green, Finglas, Dublin 11	footpath at 18 – 24 Deanstown Green, Finglas, D11, the paths are broken up and one elderly lady has fallen twice on the broken path.	04/07/2019 14:34		2-Passed to Engineer
11082210	Q2 NWAC 16/07/19	Beneavin park	To ask the Manager if steps can be taken to address the poor conditions of the carriageway and footpaths at a location (details supplied) in Dublin 11, which is particularly affecting the number of older people living here. To ask the Manager if steps can be taken to address the poor conditions of the footpath at a location (details supplied) in Dublin 11.	04/07/2019 14:20		2-Passed to Engineer
11082203	Q1 NWAC 16/07/19	Ferndale Avenue	Details: Ferndale Avenue, Ballygall, poor condition of the paths	04/07/2019 11:51		2-Passed to Engineer
11081533	Q35 NWA 01/07/19	Outside the Sacred Heart, St. Canices Road, Dublin 11.	To ask the Chief Executive arrange for the pathway to be repaired at (details supplied) "To ask the Chief Executive arrange for the pathway to be repaired at (details supplied).	26/06/2019 11:00		2-Passed to Inspector
11081532	Q32 NWA 01/07/19	169 Glasnevin Avenue	Details: Outside 169 Glasnevin Avenue. "	26/06/2019 10:55		Enquiry Resolved
11081502	Q33 NWA 01/07/19	Ferndale Avenue	Various locations on Ferndale Avenue but outside 93 Ferndale Avenue for example.	26/06/2019 10:55		Enquiry Resolved

**North West Area Committee - Council Questions 9th July 2019  
Road Maintenance Services**

11081392 Q15 NWA 01/07/19	Cardiffsbridge Road at bus stop 1587	To ask the Chief Executive to arrange for an inspection to the road at the bus stop 1587 on Cardiffsbridge Road and for a re-instatement to be carried out. The road looks like it wasn't allowed settle before vehicles drove on it creating indentations. A lot of people cross here to either catch the bus or when getting off the bus. There has been a number of elderly people who have tripped because of this.	26/06/2019 10:55	2-Passed to Inspector
11081381 Q16 NWA 01/07/19		To ask the Chief Executive to arrange for the footpaths at (details supplied) to be re-instated as they are in a bad state of disrepair.	26/06/2019 10:53	2-Passed to Inspector
11080819 Q26 NWAC 180619	"37 RATHVILLY DRIVE DUBLIN11"	To ask the Manager to arrange for the road at 37/38 Rathvilly Drive to be resurfaced as it is in a poor condition.	05/06/2019 17:29	2-Passed to Inspector
11080817 Q13 NWAC 180619	St George's Road on McKee Avenue	To ask the Manager to arrange to repave the roadway at (details supplied)	05/06/2019 16:36	2-Passed to Engineer
11080816 Q20 NWAC 180619	The green around Barry Park	To ask the Manager provide an update on plans to repair the pathway around (details supplied)	05/06/2019 16:23	2-Passed to Engineer
11080815 Q12 NWAC 180619	Barry Park	To ask the Manager to arrange to repair the wall around (details supplied) it is damaged in a number of locations.	06/06/2019 15:20	Enquiry Resolved
11080783 Q5 NWAC 18/06/19	Cardiffsbridge Road	To ask the Manager to look at the footpaths on (details supplied) with a view to repairing.	05/06/2019 13:00	2-Passed to Engineer
		"To ask the Manager to provide signage indicating the location of numbers (details supplied). Local residents have reported visitors not being able to find the location.		
11079584 Q85MAY16TH	1-7 Griffith Heights	"	14/05/2019 12:20	2-Passed to Inspector
		"To ask the Manager to provide dishing into the drive at (details supplied)		
11079583 Q64MAY16TH	182 Hillcrest Park	"	15/05/2019 08:44	Enquiry Resolved
		"To ask the Manager if there are plans to improve the pavements in (details supplied) as there are uneven surfaces and the roots of trees are moving the pavements.		
11079577 Q77MAY14TH	Hillcrest Park, Finglas, Dublin 11	"	19/06/2019 08:48	Enquiry Resolved
			Defects created on other enquiries	
11079576 Q73MAY14TH	Tolka Cottages, Dublin 11	To ask the Manager if he will give consideration to resurfacing the road (details supplied) where the road is in poor condition with the surfaces uneven, cracked and has numerous potholes.	23/05/2019 11:08	Enquiry Resolved
			This has been previously added to works list for pothole repairs to be carried out in due course and is being concidered for 2020 works program ,	
			All known defects have been completed on st,pappins road also st ,canices road is to be repaired in due course after parks come up with solution for trees ,	
11079573 Q65MAY14TH	St. Pappin's Road and St. Canice's Road	To ask the Manager to upgrade the surface on (details supplied)	27/06/2019 08:51	Enquiry Resolved
		To ask the Manager to give details of plans to improve the road and pavements at (details supplied) as older people living on the road, some with mobility issues, find the uneven surfaces a trip hazard.		
11079569 Q75MAY14TH	: Clune Road, Finglas East		21/05/2019 14:26	Enquiry Resolved
			All known defects have been added to works list and will be done in due course,	

**North West Area Committee - Council Questions 9th July 2019  
Road Maintenance Services**

"To ask the Manager to arrange for an inspection of the footpaths in Farnham Crescent with a view to re-instating fully. Can particular attention be paid to the area between numbers 2 and 8 where the footpaths are particularly bad and repairs carried out asap.

11079566 Q32MAY14TH	Farnham Crescent "(a)79 Casement Park (b)35 Casement Park (c)29 Casement Park (d)18 Casement Park	"	21/05/2019 14:20	Will be done in due course,	6-Job Raised
11079565 Q29MAY14TH	"	To ask the Manager to arrange for the footpaths on Casement Park to be fully inspected and repairs to be carried out on all trip hazards including the following but not exclusively	21/05/2019 14:06	All known defects added to works list will be done in due course,	6-Job Raised
11079564 Q26MAY14TH	off Cappagh Road	"	27/06/2019 16:10	Job 41098977 - 05-Job Scheduled, Job has been allocated to Work Crew	7-Job Passed to Crew
11079562 Q15MAY14TH	Cranogue Road	To ask the Manager to fix all the potholes on (details supplied). "To ask the Manager to arrange for the area directly outside (details supplied) to be repaved / repaired as there are a number of potholes.	22/05/2019 09:40	All potholes previously done at this location ,	Enquiry Resolved
11079561 Q4MAY14	Outside the Village Inn, Church Street Finglas	"	22/05/2019 11:51	Will be done in due course,	6-Job Raised
11079560 Q2MAY14	"121 Mellowes Avenue	"	30/05/2019 08:41	Job 41098903 - 05-Job Scheduled, Job has been allocated to Work Crew	7-Job Passed to Crew
11079201 Q107MAY	"Details 1: 7 Pinewood Drive Details 2: 1 Pinewood Drive	"	20/06/2019 15:41	Job 41090193 - 05-Job Scheduled, Job has been allocated to Work Crew	7-Job Passed to Crew
11078485 Q34 NWA	23 Wellmount Road	To ask the Chief Executive to arrange for the landing at (details supplied) to be re-surfaced. It looks like the tree roots have caused the concrete to be broken up badly. To ask the Chief Executive to arrange for the footpath at (details supplied)	03/05/2019 09:36	23 has been previously added to works list and will be done in due course,	Enquiry Resolved
11078482 Q33 NWA	"86/88 Mellows Road.	to be re-instated. The path has raised over the years, it is a serious trip hazard at present. To ask the Manager, I previously logged this request on behalf of another constituent but her neighbour would also like to emphasise the need to reinstall the bollards that were previously outside (details supplied) but were removed to allow for road maintenance.	25/04/2019 09:55	Job 41097451 - 01-Job Raised.	6-Job Raised
11077778 Q77 NWAC 16/04/19	107 Jamestown Road	To ask the Manager to arrange for an assessment of the pathways at	24/04/2019 08:11	Job 41097075 - Job Closed, Job has been allocated to Work Crew	Enquiry Resolved
11077777 Q75 NWAC 16/04/19	Cappagh Avenue	To ask the Manager to provide an update on plans to replace/round harsh square ramps on (details supplied)	12/04/2019 12:23		Enquiry Resolved
11077776 Q74 NWAC 16/04/19	Barry Avenue, Cappagh Avenue and Kildonan Road		12/04/2019 12:23		Enquiry Resolved

**North West Area Committee - Council Questions 9th July 2019  
Road Maintenance Services**

11077775	Q73 NWAC 16/04/19	16 Mellows Avenue	To ask the Manager to arrange for the repair of the pathway outside (details supplied) it has been on a repair list for over 3 years.	16/04/2019 10:49	Tar margin worn away after kerb has been removed to allow vehicular access has been added to works list to be put back as original footpath will be done in due course,	6-Job Raised
11077774	Q72 NWAC 16/04/19	3 Glenties Park	To ask the Manager to arrange to repair the potholes outside	07/05/2019 16:06	Job 41097682 - Job Closed, 12x3x0.05, completed on 1/5/19	Enquiry Resolved
11077773	Q70 NWAC 16/04/19	31 Cappagh Avenue	To ask the Manager to arrange for the repair of the pathway outside (details supplied) it has been on a repair list for over 3 years.	16/04/2019 10:37	This has already added to works list previously and will be done in due course,	Enquiry Resolved
11077772	Q68 NWAC 16/04/19	4 Grove Park Crescent	To ask the Manager to arrange for the repair of the pathway outside (details supplied) it has been on a repair list for over 3 years.	16/04/2019 09:31	Previously added will be done in course,	Enquiry Resolved
11077771	Q67 NWAC 16/04/19	32 Glenties Park	To ask the Manager to investigate the pathway pulling away from the roadway outside (details supplied) and adjoining houses.	12/04/2019 12:25		Enquiry Resolved
11077764	Q65 NWAC 16/04/19	Cappagh Road between 166 and Cardiffsbridge Grove	To ask the Manager to arrange for the pothole on Cappagh Road between 166 and Cardiffsbridge Grove be repaired asap. Can the Manager arrange for an inspection of this entire stretch of road (from Church to Ratoath Road junction) where it looks like many small potholes are appearing.	16/04/2019 10:43	Previously done ,	Enquiry Resolved
11077763	Q79 NWAC 16/04/19	Belclare Park	To ask the Manager to review the street signage for (details supplied) as this street name is split over several roads.	12/04/2019 12:26		Enquiry Resolved
11077762	Q61 NWAC 16/04/19	Mellows Park	To ask the Manager to arrange for an inspection of the footpaths on Mellows Park and to arrange repairs as quickly as possible. There are some really bad trip hazards along the path due to paths lifting or sinking.	12/04/2019 12:27		Enquiry Resolved
11077761	Q60 NWAC 16/04/19	Dunsink Avenue	To ask the Manager further to my question on Dunsink Estate, the Manager concerned gave me reply which I was not happy with, could the Manager update me on whether there is a review of the condition of all the ramps within the Dunsink Estate. For example, Dunsink Avenue ramps in bad repair, repairs done very shoddy, ramps are unsightly and falling apart. Dunsink Drive continuous illegal bike activity even on Sunday. Wellmount Road traffic calming in need of review.	12/04/2019 12:28		Enquiry Resolved
11077759	Q49 NWAC 16/04/19	Beneavin Road from the Glasnevin Avenue junction	To ask the Manager to arrange for the paths on (details supplied) down to the school on both sides to be reinstated or redesigned. The tarmac is completely destroyed from parking on the paths. A new road has been laid there recently which only makes the paths look in worse condition now that the road looks new.	16/04/2019 09:15	All known defects have been added to works list and will be done in due course,	Enquiry Resolved
11077757	Q44 NWAC 16/04/19	161 Ballymun Road	To ask the Manager to arrange for path repairs at (details supplied) where the tree roots have lifted the path making it a tripping hazard.	24/04/2019 08:24	Job 41097211 - 05-Job Scheduled, Job has been allocated to Work Crew	7-Job Passed to Crew
11077756	Q32 NWAC 16/04/19	Wadelai	To ask the Manager when will the footpaths be repaired in (details supplied) they are in very poor condition	12/04/2019 12:23		Enquiry Resolved
11077755	Q31 NWAC 16/04/19	Balbutcher Drive	To ask the Manager to repair the potholes at the entrance	16/04/2019 08:53	Previously done on another enquiry ,	Enquiry Resolved

**North West Area Committee - Council Questions 9th July 2019**

**Road Maintenance Services**

Question ID	Date	Location	Details	Date/Time	Status
11077754	Q29 NWAC 16/04/19	Northway Estate	To ask the Manager for details of the ramps renewal in (details supplied) and when these works are expected to take place following previous delays.	12/04/2019 12:29	Enquiry Resolved
11077749	Q2 NWAC 16/04/19	Plunkett Drive	To ask the Manager if he will have the speed ramps on Plunkett Drive, Finglas, reinstated as the ramps has become worn down; in particular, as it will help combat the speeding problem on the road, due to motorists and people on quad bikes/ scramblers driving way over the speed limit. To ask the Manager to say which section of (details supplied) is proposed for works in the 2019 Road Works Programme.	10/04/2019 12:52	Enquiry Resolved
11076922	Q58 NWAC 19/03/19	Mellowes Road	To ask the Manager to arrange for cast iron signs on Rathvilly Road (adjacent Patrician Collage) to indicate entrances to Rathvilly Estate and Eastwood Estate	15/03/2019 10:03	Enquiry Resolved
11076544	Q56 NWAC 19/3/19	Rathvilly Road (adjacent Patrician Collage) to indicate entrances to Rathvilly Estate and Eastwood Estate	Rathvilly Road (adjacent Patrician Collage) to indicate entrances to Rathvilly Estate and Eastwood Estate "To ask the Manager to arrange for the tarmac to be resurfaced at 15-41 Plunkett Green.	12/03/2019 15:45	Enquiry Resolved
11076543	Q54 NWAC 19/3/19	15-41 Plunkett Green.	"	11/03/2019 16:22	Enquiry Resolved
11076542	Q35 NWAC 19/3/19	139 Cappagh Avenue	To ask the Manager to arrange to repair a number of potholes on the roadway at (details supplied). To ask the Manager to provide an update on plans to repave or repair the badly damaged pathway around the green at (details supplied).	11/03/2019 16:23	Enquiry Resolved
11076539	Q34 NWAC 19/3/19	Barry Park	To ask the Manager to arrange to fix the badly damaged pathway outside (details supplied). There have been a number of falls at this location.	11/03/2019 16:24	Enquiry Resolved
11076523	Q32 NWAC 19/3/19	11 Wellmount Road		11/03/2019 16:12	6-Job Raised
11075987	Q85 NWCM 4/3/19	at 3 Saint Pappin's Road	To ask the Chief Executive will the council repair the cracked pavement at 3 Saint Pappin's Road. See photo To ask the Chief Executive will the council reinstate the bollards on the footpath outside 1-5 St. Pappin's Road to prevent delivery trucks mounting the footpath while carrying out their deliveries in the local shops?	04/03/2019 15:25	6-Job Raised
11075957	Q86 NWCM 4/3/19	outside 1-5 St. Pappin's Road		26/02/2019 08:36	Enquiry Resolved
11075291	Q41 NWAC 19/2/19	Glasilawn Road and Tolka Estate Signage both ends unclear and sign outside 58 Glasilawn Road	To ask the Manager to improve the street name signs at both ends of (details supplied), Dublin 11, as the street name signs are unclear and ambiguous at both ends of the road, as some are worn and often hidden by parked cars; and given the added complication that the road changes name partway down and residents regularly report deliveries being made to the wrong houses; coupled with the fact that google maps is also incorrect which does not help deliveries, increasing the importance of the clear road signs.  Details: Glasilawn Road and Tolka Estate Signage both ends unclear and sign outside 58 Glasilawn Road is worn and difficult to read.	12/02/2019 08:51	Enquiry Resolved
11075289	Q73 NWAC 19/2/19	Mellowes Crescent	To ask the Manager install a sign in (details supplied) to identify where the complex starts.	24/04/2019 08:23	7-Job Passed to Crew

Job 41095041 - 01-Job Raised,  
Defect Job created via  
Connector  
Job 41094146 - 01-Job Raised,  
Defect Job created via  
Connector

Job 41097284 - 05-Job  
Scheduled, Job has been  
allocated to Work Crew

**North West Area Committee - Council Questions 9th July 2019  
Road Maintenance Services**

		"To ask the Manager could the management report on plans on the renovation of Dunsink Estate. I have walked the estate with the local residents recently and was shocked by the state and condition of the roads and footpaths.		
		Ramps in poor condition and badly repaired and literally falling apart		
		Footpaths covered in moss which looks like grass but is in fact Tarmac		
11075287	Q54 NWAC 19/2/19	Dunsink Estate	11/02/2019 12:22	Enquiry Resolved
11075286	Q82 NWAC 19/2/19	outside 42 Northway Estate	18/02/2019 10:22	Enquiry Resolved
		To ask the Manager to arrange for the pothole on the footpath outside 42 Northway Estate to be re-instated please.		Previously added to works list see enquiry no,11075277,
11075285	Q81 NWAC 19/2/19	35 Barry Road	11/02/2019 12:03	Enquiry Resolved
11075278	Q62 NWAC 19/2/19	56-58 Wellmount Road	18/02/2019 10:37	6-Job Raised
		To ask the Manager to arrange to fix the very badly damaged pathway outside (details supplied). A temporary repair was carried out with tarmac a number of years ago which has now sunk. A number of elderly residents have slipped and fallen on the pathway especially since the pub reopened.		Will be done in due course on a priority basis ,
11075277	Q61 NWAC 19/2/19	38-42 Northway Estate	18/02/2019 10:21	6-Job Raised
		To ask the Manager to arrange a path repair/replacement at (details supplied) where the path is in very poor condition and a resident reported falling there		Will be done in due course basedon priority basis,
		To ask the Manager to provide details of the status of promised work (details supplied), and in particular if he can provide a time-frame for the works to commence.		
		Details: The long promised drainage work at the pedestrian crossing outside Our Lady of Victories National School, Ballymun Road, Ballygall, Dublin 9; at the December local area meeting I was told that road maintenance services is currently progressing a remedial works package in collaboration with the Drainage Services and an external contractor; I understand also that there were some intermediate works carried out over Christmas and during January, which has made some improvements, however I am told that the school side of the median requires similar tarmacking as water is still lodging there		
11075275	Q36 NWAC 19/2/19	at the pedestrian crossing outside Our Lady of Victories National School, Ballymun Road, Ballygall, Dublin 9	11/02/2019 12:26	Enquiry Resolved
11075274	Q30 NWAC 19/2/19	laneway which runs from Plunkett Grove to Plunkett Avenue	11/02/2019 11:40	Enquiry Resolved
		To ask the Manager to arrange for the laneway which runs from Plunkett Grove to Plunkett Avenue to be completed to the edge of the railings to enable cars to get out of their driveways. The railing was moved back to facilitate this a while back but the remaining work to remove the extra green was not completed.		All known defects have been raised and will be done in due course ,
11075272	Q10 NWAC 19/2/19	outside 395 Coultry Road	19/02/2019 09:09	6-Job Raised
		To ask the Manager will the council fix the cobble locking that lifting up at the tree outside 395 Coultry Road.		
11075271	Q9 NWAC 19/2/19	Coultry Crescent, at the corner with Coultry Road	21/02/2019 12:16	Enquiry Resolved
		To ask the Manager will the council ask the utility providers to fix their shore at the same location – on Coultry Crescent, at the corner with Coultry Road. Children have been lifting up the lid and getting their fingers caught. See photo		Reply Attached

**North West Area Committee - Council Questions 9th July 2019**  
**Road Maintenance Services**

11075270 Q8 NWAC 19/2/19	Coultry Crescent, at the corner with Coultry Road (outside 379 Coultry Road)	To ask the Manager will the council fix the cracked pavement on Coultry Crescent, at the corner with Coultry Road (outside 379 Coultry Road). People are regularly tripping here. See photo	15/02/2019 09:26 Job raised ,	6-Job Raised
11075262 Q40 NWAC 19/2/19	All of Claremont Drive and on part of Johnstown Park	To ask the Manager if he will outline the plans and timescale to replace the temporary tarmac at (details supplied) Dublin 11, as there has been reports of elderly residents falling on the uneven tarmac which residents also find particular unsightly	08/02/2019 11:58	Area Office was advsied to refer this to Waterworks Enquiry Resolved
11074484 Q54 NWA 04/02/19	Knowth Court	To ask the Chief Executive to arrange for appropriate dishing on footpaths at the entrances to Knowth Court. There is a lady who uses a wheelchair in (details supplied) who has difficulty in the local area with the lack of dishing on footpaths. Can a survey be done in the entire area to see if more dishing's are required to enable easier movement for people with mobility issues?	06/02/2019 13:52	Job 41092752 - 01-Job Raised, Defect Job created via Connector 6-Job Raised
11074481 Q89 NWA 04/02/19	Wadelai Road	To ask the Chief Executive will the City Council resurface the footpaths on Wadelai Road. Please send me the 2019 programme for footpath upgrades in Dublin North West..	08/03/2019 13:05	Job 41092756 - Job Closed, Job has been allocated to Work Crew Enquiry Resolved
11074480 Q50 NWA 04/02/19	St Pappins Road	To ask the Chief Executive will the council replace the footpaths on St. Pappin's Road. In particular, on the north side of the road, where a previous surface treatment is worn away resulting in a very uneven surface.	29/01/2019 11:48	Enquiry Resolved
11074090 Q16 NWCM 4/2/19	outside 6 Dean Swift Road	To ask the Chief Executive, the council recently upgraded the footpaths on Dean Swift Road, Dublin 11. They marked the footpath outside 6 Dean Swift Road to be done, but because cars were parked on the footpath, this section of the footpath was skipped. Can a notice be put on the cars to ask them to park elsewhere and allow the footpath to be resurfaced?	23/01/2019 08:56	3 jobs/defects were created between 1/6 at this location last week, Notices have been left previously. I have been told that cars belong to students from DCU and did not heed the notices. Enquiry Resolved
11073639 Q15 NWAC 15/1/19	Northway Estate	To ask the Manager for an update when the ramps in (details supplied) will be repaired	11/01/2019 11:59	Enquiry Resolved
11073638 Q3 NWAC 15/1/19	outside house numbers 94, 96, 108, 109, 116 and 120	To ask the Manager what steps, if any, are being taken to address unsafe footpaths at a location (details supplied).  Details: On Willow Park Avenue, the pavement has shifted due to tree roots creating many trip hazards along the road. Examples can be seen outside house numbers 94, 96, 108, 109, 116 and 120 where the pavement has risen creating a 2-3-inch trip hazard. An elderly resident has already had a serious fall in this area due to this hazard.	09/05/2019 10:52	Job 41091330 - Job Closed, Was reinstated by Work Crew Enquiry Resolved
11073633 Q41 NWAC 15/1/19	Kildonan Drive particularly the tarmac section.	To ask the Manager follow up on the request to repave Kildonan Drive particularly the tarmac section	14/01/2019 15:19	Area Inspector has created jobs on this road segment and will be done in due course, Tarmac section has been dressed by hotbox recently Enquiry Resolved
ITEM 1A NWAC 11073632 15/1/19	Tolka Valley Road	That the Manager priorities road repairs on Tolka Valley Road, there is a series of deep potholes which is causing a lot of damage to cars.	07/02/2019 08:38	Job 41091404 - Job Closed, 5x1.5x0.05, 3x1, 7x1.5, completed on 4/2/19 Enquiry Resolved
11072640 Q45 NWAC 11/12/18	at the bus stop at Avila Park, Cappagh Road, stop number 4793 in Dublin 11	To ask the Manager if a drainage issue at the bus stop at Avila Park, Cappagh Road, stop number 4793 in Dublin 11 can be addressed, there is a need for better road drainage as when it rains there is a lot of water pooling here leading to people waiting being soaked when cars go by.	06/12/2018 14:19	Enquiry Resolved

**North West Area Committee - Council Questions 9th July 2019  
Road Maintenance Services**

11072424	Q50 NWAC 11/12/18	from No 9 to No 53, in particular the section between Nos. 33 and 53	To ask the Manager to replace the footpaths on (details supplied) from No 9 to No 53, in particular the section between Nos. 33 and 53 where the trees are surrounded by large raised beds which has been covered in tarmacadam. This tarmacadam is now in a sad state of repair as the tree roots are breaking through it.	11/12/2018 09:28	Footpath in reasonably good condition from no,09 to 55 however all other known defects have been added to works list and are being done at present , The raised beds in need of repair would not be a high priority as they are not presently used as part of the walk way also parks would need to have tree roots removed otherwise the problem would just return ,	4-Inspection Completed
11072423	Q39 NWAC 11/12/18	at the pedestrian crossing outside Our Lady of Victories National School	"To ask the Manager to provide details of the status of promised work (Details supplied)  Details: The long promised drainage work at the pedestrian crossing outside Our Lady of Victories National School "	30/11/2018 11:33		Enquiry Resolved
11072422	Q29 NWAC 11/12/18	beside the tree at 2 Plunkett Drive	To ask the Manager to arrange for the trip hazard on the footpath beside the tree at 2 Plunkett Drive to be repaired immediately. This request has been put in several times over last few years.	01/04/2019 15:18	Job 41090196 - Job Closed, Job has been allocated to Work Crew	Enquiry Resolved
11072421	Q28 NWAC 11/12/18	Mellows Road between the Fire Station and entrance to Mellows Park (village side).	To ask the Manager to arrange for an inspection of the footpath on Mellows Road between the Fire Station and entrance to Mellows Park (village side). There is a trip hazard of approx. 2 inches due to concrete slab sinking. Can the Manager arrange this to be repaired asap.	10/12/2018 08:20	this section of footpath has previously been inspected and all known defects have been added to works list and will be done in due course	Enquiry Resolved
11072420	Q2 NWAC 11/12/18	outside the Shops in Shangan	To ask the Manager to prioritise the footpaths outside the Shops in Shangan as they are in very poor condition and a lot of elderly use them as they need access to the chemist.	30/11/2018 11:13	This is a matter for Road Design	Enquiry Resolved
11071594	Q45 NWAC 20/11/18	21-31 Dunsink Road	To ask the Manager when paving works at a location (details supplied) will be completed in line with surrounding roads.	12/11/2018 15:39		Enquiry Resolved
11071592	Q28 NWAC 20/11/18	Clonmel Road	To ask the Manager to repair the recently repaired footpaths on (details supplied) which has not been done adequately.	13/11/2018 15:15	all known footway defects have been added to works list and will be done in due course,	Enquiry Resolved
11071591	Q20 NWAC 20/11/18	at junction of Barnamore Grove/Crescent	To ask the Manager to repair the pothole at junction of Barnamore Grove/Crescent	13/11/2018 15:09	Job 41088809 - 05-Job Scheduled, Job has been allocated to Work Crew	7-Job Passed to Crew
11071590	Q19 NWAC 20/11/18	74 Rathvilly Drive	To ask the Manager to arrange for a footpath repair at 74 Rathvilly Drive where the footpath is damaged.	13/11/2018 11:10		Enquiry Resolved
11071588	Q63 NWAC 20/11/18	outside 11 Glasnevin Drive	To ask the Manager will the Council ensure the footpath outside 11 Glasnevin Drive is properly reinstated. A water leak was fixed four months ago with a temporary tarmac patch.	22/11/2018 11:50		Referred to Utility/other Dept
11070533	Q64 NWAC 16/10/18	Pedestrian crossing at Our Lady of Victories National School, Ballymun Road, D9, both inbound and outbound.	To ask the Manager if the provision of additional drains at a location (details supplied) in Dublin 9 can be expedited	10/10/2018 12:21		Enquiry Resolved

**North West Area Committee - Council Questions 9th July 2019**

**Road Maintenance Services**

11070381	Q52 NWAC 16/10/18	outside (8-10) St Pappin's Road	To ask the Manager to provide an update on path repairs required outside (8-10) St Pappin's Road. This footpath is raised very significantly by tree roots and roads and parks must find a way to resolve the situation. It is on a frequently used stretch of path leading to the local shops where there is a high ratio of senior citizens in the area. What level of priority has been given to this footpath and what is the expected timeframe for the priority level given.	10/10/2018 15:19	All known defects have been added to works list and will be done in due course,	Enquiry Resolved
11070374	Q46 NWAC 16/10/18	St Canice's Road, (FOLD housing, Ballygall	To ask the Manager to arrange to footpath to be repaired at (details supplied) outside the senior citizen's complex. One of the senior citizens recently had a fall there.	10/10/2018 15:14	All known defects have been added to works list and will be done in due course,	Enquiry Resolved
11070372	Q24 NWAC 16/10/18	outside Beneavin College	To ask the Manager to arrange for the footpaths outside Beneavin College to be re-instated properly. This request was put in years ago and has not been completed as of yet.	06/06/2019 07:53	Job 41087419 - 05-Job Scheduled, Job has been allocated to Work Crew	7-Job Passed to Crew
11070370	Q23 NWAC 16/10/18	outside 222 Cappagh Road	To ask the Manager to arrange for the pothole outside 222 Cappagh Road to be repaired please. The hole itself is not huge but several people have tripped over it when walking from cars visiting people in neighbouring houses.	16/10/2018 08:44	Job 41087036 - Job Closed, Job has been allocated to Work Crew	Enquiry Resolved
11070369	Q21 NWAC 16/10/18	at the entrance of Woodbank Road off Ratoath Road	To ask the Manager to arrange for the ramp at the entrance of Woodbank Road off Ratoath Road to be upgraded as it is one of the old red brick ramps and is badly deteriorated and still breaking up and leaving debris across the road	09/10/2018 11:14		Enquiry Resolved
11070365	Q7 NWAC 16/10/18	the Courts Poppintree	To ask the Manager to provide a schedule of works when and what is taking place in (details supplied). A number of courts have had all the slabs repaired and they look great. Residents in the remaining courts are wondering when their courts will be completed.	08/10/2018 12:56	This matter was referred to Area Office for Housing Maintenance	Enquiry Resolved
11070361	Q6 NWAC 16/10/18	Fitzmaurice Road outside the shops	To ask the Manager to repair the footpaths outside the shops on (details supplied) as they are in a very poor condition.	19/10/2018 09:57	All known defects raised at this location will be done in due course,	6-Job Raised
11070344	Q67 NWAC 16/10/18	the green in Barry Park	To ask the Manager arrange for repair of the tarmac surface of the pathway around (details supplied). It is currently in an awful state of repair and the top layer of tarmac is crumbling away.	08/10/2018 11:36		Enquiry Resolved
11070342	Q58 NWAC 16/10/18	Paths on St. Canice's Road, Dublin 11, at entrance to Fold and Clarehaven	To ask the Manager if he will have the footpaths repaired at a location (detailed supplied) in Dublin 11, as the paths are a trip hazard for elderly residents.	10/10/2018 15:17	All defects have previously been added to works list and will be done in due course,	Enquiry Resolved
11069620	Q18 NWAC 18/9/18	57 Plunkett Crescent	To ask the Manager to arrange for the tree at (details supplied) to be inspected and put on list for pruning. Can the Manager arrange for the footpath to also be inspected and repaired as it is in a poor condition due to tree roots	20/09/2018 15:02	Footpath raised on both sides previously scabbled on a works list will be done in due course, 41085792	6-Job Raised
11069437	Q32 NWAC 18/9/18	St Canice's Road	To ask the Manager to report on the trees lifting on the footpath at (details supplied) Local resident contacted me. Had a look and there's severe tree lift on path.	14/09/2018 09:01	Jobs raised	Enquiry Resolved
11069187	Q72 NWAC 18/9/18	remainder of Casement Road, Finglas	To ask the Manager if he will give consideration to including the remainder of a location (details supplied), in the 2019 in major works programme for footpath and carriageway repair, to complete the portion of work carried out under the current 2018 programme?	12/09/2018 16:15		Enquiry Resolved
11069184	Q67 NWAC 18/9/18	Clune Road	To ask the Manager to outline if (details supplied), particularly the even numbers side, is due to receive resurfacing work.	13/09/2018 11:07		Enquiry Resolved

**North West Area Committee - Council Questions 9th July 2019  
Road Maintenance Services**

11069183	Q66 NWAC 18/9/18	in Ballygall Parade, particularly those around the maisonettes	"To ask the Manager can the remaining lanes in (details supplied) which are made of tarmac and are breaking up be resurfaced." "	13/09/2018 14:46		Enquiry Resolved
11069178	Q15 NWAC 18/9/18	North Road and Brookville Estate	To ask the Manager to arrange for the necessary funding to be provided to re-instate the roads and footpaths on the (details supplied). This was promised years ago and has not been followed through on.	25/09/2018 09:54	All known defects have been added to works list and will be done in due course,	Enquiry Resolved
11069176	Q11 NWAC 18/9/18	Dunsink Gardens	To ask the Manager to arrange for the footpaths at (details supplied) to be repaired/reinstated. There have been several accidents on this road due to the uneven surface.	25/09/2018 10:27	All potholes in tar margins have now been filled in ,	Enquiry Resolved
11069175	Q78 NWAC 18/9/18	outside 55 North Road, Finglas	To ask the Manager to arrange to have a footpath at a location repaired (details supplied) as it has become a serious trip hazard for elderly residents	14/09/2018 09:06	Job raised	Enquiry Resolved
11068761	Q107 NWCM 3/9/18	at the entrance to the first cul-de-sac on Shangan Green: "Nos. 1-18 Shangan Green".	To ask the Chief Executive will the council install a street sign at the entrance to the first cul-de-sac on Shangan Green: "Nos. 1-18 Shangan Green". Since the DCU in the Community building and the apartments were built, this little cul-de-sac has been cut off from the rest of Shangan Green, and Emergency Services in particular have problems finding the homes, when needed.	24/10/2018 08:05	Job 41087896 - 05-Job Scheduled, Job has been allocated to Work Crew	7-Job Passed to Crew
11068760	Q106 NWCM 3/9/18	adjacent to 15 Shangan Green	To ask the Chief Executive to fix the footpath adjacent to 15 Shangan Green. It's badly broken up and there are at least two wheelchair users in this cul-de-sac that find it difficult to get across this section of footpath.	04/06/2019 08:16	Job 41084229 - Job Closed, Job has been allocated to Work Crew	Enquiry Resolved
11068345	Q20 NWCM 3/9/18	outside Manhattan Peanuts Ltd. on St. Margarets Road	To ask the Chief Executive if he will arrange for the bollards outside Manhattan Peanuts Ltd. on St. Margarets Road to be inspected and repairs carried out where needed and for all bollards to be painted.	07/09/2018 09:42	All ballards have now been painted , Job 41084467 - Job Closed, 7x1, 4x1.5, pothole 1 completed on 30/8/18	Resolved - No Further Action
11067082	Q63 NWAC 17/7/18	6 Rathvilly Park	To ask the Manager to arrange for the pothole and broken paths to be repaired outside (details supplied).	11/09/2018 08:27	according to our records Hazelcroft Green is not in charge of Dublin City Council	Enquiry Resolved
11067081	Q62 NWAC 17/7/18	10 Hazelcroft Green	To ask the Manager to arrange for the paths outside of (details supplied) to be repaired as they are in very poor condition.	20/09/2018 14:51		Enquiry Resolved
11067080	Q80 NWAC 17/7/18	Carton Way outside Ballymun Industrial Estate	To fix the potholes at Carton Way outside Ballymun Industrial Estate	13/07/2018 09:47		Enquiry Resolved
11067079	Q76 NWAC 17/7/18	Ballymun Road, adjacent to the Rise	To ask the Manager to fix the manhole cover on the Ballymun Road, adjacent to the Rise. The cover has been sprayed for attention, but no work done. The cover is causing a lot of noise every time a car goes over it, and it is keeping the local residents awake.	13/07/2018 09:47		Enquiry Resolved
11067078	Q73 NWAC 17/7/18	4 Casement Park	To ask the Manager about the badly damaged pathway due to tree roots at (details supplied)	19/07/2018 10:26	Previously completed ,	Resolved - No Further Action
11067077	Q72 NWAC 17/7/18	Cappagh Avenue	To ask the Manager about the badly damaged pathway at Cappagh Avenue	19/07/2018 10:19	All known defects have been added to works list and will be done in due course, Ramp has been added to works list and will be done in due course shrubs is a parks issue ,	Enquiry Resolved
11067074	Q7 NWAC 17/7/18	Coultry Road between the Centra Shop and Coultry Lawn	to cut the scrubs on Coultry Road between the Centra Shop and Coultry Lawn as it obstructing traffic and to repair the ramp on Coultry Road outside Coultry Grove as it is in very poor condition.	18/09/2018 09:41	41082685	6-Job Raised
11067073	Q3 NWAC 17/7/18	outside Shan Cara on St. Canices Road	to repair the footpath	06/09/2018 12:40	Multiple defects exist for this location	Enquiry Resolved

**North West Area Committee - Council Questions 9th July 2019  
Road Maintenance Services**

11067072 Q1 NWAC 17/7/18	Finglas Place and Ballygall Avenue	when the remaining footpaths in Finglas Place and Ballygall Avenue will be repaired. They are in a very poor condition. Can you also please examine the junction of Finglas Place and Ballygall Avenue as tarmac has been badly laid even on a temporary basis.	10/09/2018 15:04	Survey done footpaths in reasonable condition at present as per photo,s attached,	Enquiry Resolved
11065974 Q70 NWAC 19/6/18	57 and 69 Clonmel Road	to confirm when the path at 57 and 69 Clonmel Road will be repaired. This has been requested numerous times and most recently, I made this request on 4th September 2017 in my Questions to the Chief Executive.	04/02/2019 16:07	Job 41082295 - Job Closed, Job has been allocated to Work Crew	Enquiry Resolved
11065972 Q69 NWAC 19/6/18	21 St Pappin's Road	to arrange for path repair at 21 St Pappin's Road where the tree has uprooted the path and is a tripping hazard. Can it also be confirmed what level of priority will be given and the estimated timeframe for the works to be completed	11/12/2018 08:45	Job 41080715 - Job Closed, Job has been allocated to Work Crew	Enquiry Resolved
11065971 Q68 NWAC 19/6/18	no 8-10 St Pappin's Road	to confirm what level of priority the path at no 8-10 St Pappin's Road (previously reported months ago) has been given and when the works are expected to be completed. Will a tree removal and replacement be necessary	26/06/2018 10:46	No 8 is private landing,defect exists for no 10	Enquiry Resolved
11065968 Q54 NWAC 19/6/18	Hazelcroft Road	To ask the Manager to arrange for an inspection of the potholes on Hazelcroft Road with a view to resurfacing the entire road as it is in very bad shape.	18/09/2018 09:00	Job 41084736 - Job Closed, 12x1, 8x0.5, 8x1, 6x1, 5x1.5, 3x0.2, 1.5x1.5, 5x0.5, 2x1, potholes 6 completed on 13/9/18	Enquiry Resolved
11065962 Q4 NWAC 19/6/18	Clonmel Road	when the footpaths on Clonmel Road will be repaired	22/07/2018 11:28	All known defects have been added to works list and will be done in due course,	Enquiry Resolved
11065793 Q105 NWCM 11/6/18	on St Margaret's Rd at the Lidl roundabout	To ask the Chief Executive for the potholes on St Margaret's Rd at the Lidl roundabout can be repaired.	06/06/2018 09:48		2-Passed to Engineer
11065776 Q62 NWCM 11/6/18	Coultry Gardens	To ask the Chief Executive to resurface the roads within Coultry Gardens. The surface is in a very bad state with many large potholes ""Can the Manager please refer to tarmac/concreted area at (details supplied) and 1.Confirm that the residents outside whose houses the works were carried out were consulted in the matter 2.Explain the reasoning behind the works and as my constituent feels the paving looked better (i.e. the original concrete path) the way it was. 3.Say if he is aware of the contrast between the east and west ends of details attached - with the west end looking pretty shabby and say what can be done to improve the general appearance and upkeep of same."	28/06/2018 10:48	All potholes have been previously filled ,	Enquiry Resolved
11065212 Q17 NCAC 21/5/18	Griffith Avenue (from junction with Malahide Road and Drumcondra Road) Dublin 9.	"	29/06/2018 09:55	reply sent	Enquiry Resolved
11064955 Q74 NWAC 15/5/18	at the roundabout at Lidl on St Margaret's Road	If the potholes at the roundabout at Lidl on St Margaret's Road can be repaired	28/03/2019 08:06		Resolved - No Further Action
11064954 Q62 NWAC 15/5/18	outside 58 Clune Road	Repair the pavement outside 58 Clune Road	19/06/2018 14:33	This is on a works list and will be done in due course,	Enquiry Resolved
11064953 Q61 NWAC 15/5/18	outside 156 Ballygall Parade at St Canices School	To ask the Manager to investigate the pothole outside 156 Ballygall Parade at St Canices School has reopened and is causing a danger to school children who have been hit with some of the loose chippings from passing cars.	04/09/2018 14:10	Pothole filled previously , All known defects have been added to works list and will be	Enquiry Resolved
11064952 Q60 NWAC 15/5/18	Dean Swift Road on the odd house numbers side	Repair the footpath	20/07/2018 12:50	done in due course,	Enquiry Resolved

**North West Area Committee - Council Questions 9th July 2019  
Road Maintenance Services**

	"1.Intersection of Ratoath Road and Tolka Valley Road			
	2.Exit gate from Cardiffbridge Park at intersection of River Road with Ratoath Road and across road to the gate of housing at Royal Canal Park			
11064951 Q58 NWAC 15/5/18	3.River road paths leading up to the shops and canal "	Install ramps/dishing for wheelchair users at the following locations	09/05/2018 10:50	This matter has been referred to Traffic. Enquiry Resolved
11064950 Q55 NWAC 15/5/18	outside no.4 Casement Park	Arrange to fix the badly damaged pathway outside no.4 Casement Park due to tree roots. A number of people have already tripped at this location such is the severity of the damage. See below photos	10/08/2018 12:35	Job 41079979 - Job Closed, Job has been allocated to Work Crew Enquiry Resolved
11064949 Q54 NWAC 15/5/18	outside no.30 Cappagh Avenue	arrange to fix the badly damaged pathway outside no.30 Cappagh Avenue. This was first requested over a year with the pathway rapidly deteriorating. We have had numerous reports of falls from residents due to this section of the pathway. "To ask the Manager to arrange for the pavements at a location (Details supplied) that were excavated to repair burst water mains earlier in the year to be restored to their original condition as the temporary surface poses trip hazards.	15/05/2018 13:02	This has been previously added to works list and will be done in due course, Enquiry Resolved
11064943 Q19 NWAC 15/5/18	Gortbeg Park	"	09/05/2018 10:18	Enquiry Resolved
11064375 Q55 NWAC 17/4/18	at the bus stop outside Avila Park	to arrange for an inspection of the road/drainage at the bus stop outside Avila Park and bus stop near 260 Cappagh Road. Large pools of water remain at both stops after any rain.	02/05/2018 11:42	Road Maintenance has passed on the matter to Drainage for assessment of works required. Enquiry Resolved
11064153 Q62 NWAC 17/4/18	17 Wellmount Court	to arrange for repair to path outside of 17 Wellmount Court this is very dangerous.	25/07/2018 12:46	This has been previously added to works list and will be done in due course, Enquiry Resolved
11064152 Q60 NWAC 17/4/18	between 2 Mellows Road and the roundabout	to say when works are to be carried out on the footpath between 2 Mellows Road and the roundabout. This part of the path is in a particularly bad condition and needs urgent attention.	27/04/2018 08:36	Job 41077687 - 01-Job Raised 6-Job Raised
11064151 Q56 NWAC 17/4/18	Clune Road	when he can envisage the footpaths on Clune Road to be re-instated? To ask the Manager if he will have the ramps at a location (Details supplied) examined, as the ramp on the left hand side is reportedly higher than the rest and is damaging cars which drive over it?	19/07/2018 09:58	All known defects have been added to works list previously and will be done in due course, Enquiry Resolved
11064145 Q26 NWAC 17/4/18	Kildonan Road, Finglas just before the right turn onto Barry Road.	"To ask the Manager if he will have road repairs carried on the section of a road (Details Supplied) where the road was previously dug up by contractors and never properly re-instated despite temporary repairs having been carried out on a number of occasions?	10/05/2018 08:45	Enquiry Resolved
11064143 Q24 NWAC 17/4/18	McKee Avenue, Finglas just up from the SuperValu Car Park.	"	16/04/2018 09:58	Enquiry Resolved
11064141 Q22 NWAC 17/4/18	Wellmount Park, Finglas, in particular the paths facing the health centre	To ask the Manager if he will have repairs carried out to the footpaths at a location (Details Supplied) as many older residents are finding it difficult to walk on them?	31/10/2018 09:48	All major defects have been made safe this area has been put forward to be considered in the 2019 works programme, Enquiry Resolved

**North West Area Committee - Council Questions 9th July 2019  
Road Maintenance Services**

11064137	Q78 NWAC 17/4/18	at the entrance to DCU sports ground at Glasnevin lawn tennis club.	Can the manager repair the pothole	03/09/2018 14:54	No pothole at this location on inspection, tar in place at entrance as per picture, but this is private landing	Enquiry Resolved
11064026	Q128 NWCM 9/4/18	Barry Park & Barry Drive	To ask the Chief Executive to replace the speed ramps in Barry Park and Barry Drive in Dublin 11.	01/10/2018 08:50		Resolved - No Further Action
11063401	Q78 NWAC 20/3/18	outside 208 - 210 Glasanaon Road	can the council please arrange to repair the pothole outside 208 - 210 Glasanaon Road , this gentlemen's new tyre burst when he drove over it this week "To ask the Manager what the delay is repairing (details supplied)	18/09/2018 08:58	Job 41084735 - Job Closed, 2x1, 1.5x1.5, 2x0.5, 2x0.5, potholes 4 completed on 12/9/18	Enquiry Resolved
11063399	Q74 NWAC 20/3/18	outside 22 Finglas Park	Details: the large hole in the pavement outside 22 Finglas Park "	09/03/2018 10:02		Enquiry Resolved
11063397	Q62 NWAC 20/3/18	at the Bus Stop at the WFTRA Hall on Mellows Road	To ask the Manager to arrange for the road and footpath at the Bus Stop at the WFTRA Hall on Mellows Road to be re-surfaced. This area has been continuously spot fixed for years and continuously breaks up so a proper re-instatement is needed.	20/04/2018 09:51	Previously done,	Enquiry Resolved
11063396	Q60 NWAC 20/3/18	outside of 22 Hazelcroft Road, Finglas South	if he intends to concrete the green area outside of 22 Hazelcroft Road, Finglas South. The resident here has requested this be done to prevent motorbikes from spraying muck and stones onto her home.	12/03/2018 09:10		Enquiry Resolved
11063392	Q54 NWAC 20/3/18	St Pappin's Road, Clonmel Road and the Wadelai estate	if the path repairs in general where a tree has raised the path to a dangerous level are being prioritised for repair? Can the manager comment specifically on a number of locations which have been reported on St Pappin's Road, Clonmel Road and the Wadelai estate in general where some parts are very bad. It was indicated that this area was being considered for the schedule of works for 2018 but it does not appear on the list that was provided at last month's area committee	20/04/2018 09:10	All major defects recorded have been added to works list and will be done in due course,	Enquiry Resolved
11063391	Q53 NWAC 20/3/18	outside 25 and 26 Hollywell	to arrange for the path outside 25 and 26 Hollywell to be replaced as there are huge cracks in it. Pyrite was discovered in houses nearby and there is a possibility pyrite may be the cause.	18/09/2018 09:31	Job raised 41085536	6-Job Raised
11063390	Q46 NWAC 20/3/18	just past the junction of Burren Court and Carrig Road	replace the bollards at the waste ground just past the junction of Burren Court and Carrig Road to prevent cars from driving up on it.	12/03/2018 08:36		Enquiry Resolved
11063386	Q9 NWAC 20/3/18	Ard na Meala on Balbutcher lane	to repair the huge pothole at Ar na Meala on Balbutcher lane which is extremely dangerous it is so big and to give a date when this will be done?	10/08/2018 12:42	Job 41081976 - Job Closed, Job has been allocated to Work Crew	Enquiry Resolved
11063385	Q5 NWAC 20/3/18	on the green space in front of the houses on Balbutcher Drive.	to repair the damage done by lorries and trucks on the green space in front of the houses on Balbutcher Drive.	31/07/2018 13:52	Council Question also sent to CRA.	Enquiry Resolved
11063245	Q48 NWCM 5/3/18	Silloge, Ballymun	for a timescale and details of the all the works taking place in Silloge Ballymun in relation to Drainage works and footpath replacement.	05/03/2018 09:21		Enquiry Resolved
11062887	Q25 NWAC 20/2/18	Cappagh Road between Cardiffsbridge Road and Finglaswood Road	To have the damage on the surface of Cappagh Road between Cardiffsbridge Road and Finglaswood Road repaired. Also could the ramps be repainted and repaired.	27/03/2018 08:15	Job 41076062 - 05-Job Scheduled, Job has been allocated to Work Crew	7-Job Passed to Crew

**North West Area Committee - Council Questions 9th July 2019**

**Road Maintenance Services**

To ask the Chief Executive to install dishing at the entrance to Willows FC in Dublin 11. There is a high path to be crossed to gain access for cars turning in off the road which is causing people to accelerate on approach, potentially endangering young children and coaching staff (details supplied)

11062715 Q1 NWCM 5/3/18 the entrance to Willows FC in Dublin 11.

15/02/2018 09:51

Enquiry Resolved

To ask the Manager to arrange for a full inspection of Glasanaon Road. There are damaged ramps along the road and potholes also. Can the Manager say when this road was last re-surfaced?

11062673 Q48 NWAC 20/2/18 Glasanaon Road

28/03/2018 10:24

Enquiry Resolved

Are the remaining pavements on Griffith Road, towards Griffith Close, due to be repaired this year under the programme of works?

11062669 Q81 NWAC 20/2/18 Griffith Road, towards Griffith Close

13/06/2018 09:14

Enquiry Resolved

ITEM 4D NWAC

11062608 20/2/18 Grove Park Drive, Crescent and Avenue

3. Effective Speed Ramps to be erected on Drive, Crescent and Avenue

08/02/2018 11:31

Enquiry Resolved

That the manager puts together a schedule for the repair of footpaths in Wadeli Road, Wadeli Green and Clonmel Road and has a look at some of the trees to access their suitability for the area. This will be done in conjunction with residents if any decisions are made.

ITEM10J NWAC  
11062607 20/2/18 Wadeli Road, Wadeli Green and Clonmel Road

23/04/2018 15:19

Enquiry Resolved

"2 The Grass area needs to be reinstated

11061485 Q62 NWAC 16/1/18 at the rear of 12 Ard Na Mealia

11/01/2018 10:42

Enquiry Resolved

3 The kerbing around the grass area to be reinstated

11061484 Q60 NWAC 16/1/18 outside 3, 5 and 7 Deanstown Road

16/01/2018 16:21 Job 41071593 - 01-Job Raised

6-Job Raised

"

To ask the Manager if it is possible to include the Wellmount Crescent and Green in the works programme for 2018.

11061478 Q42 NWAC 16/1/18 Wellmount Crescent and Green

11/01/2018 10:12

Enquiry Resolved

for the hole on the green area outside number 44 Dunsink Drive be looked at immediately as there has been a number of accidents here recently.

11061477 Q40 NWAC 16/1/18 outside number 44 Dunsink Drive

01/10/2018 08:55

Resolved - No Further Action

To ask the Manager to arrange for an inspection of the footpaths at Dunsink Drive which are in a poor condition for many years and have been reported on numerous occasions over the years.

11061476 Q39 NWAC 16/1/18 Dunsink Drive

19/01/2018 04:52

Enquiry Resolved

the plans for replacing slabs in the Poppintree Courts in 2018

11061474 Q16 NWAC 16/1/18 Poppintree Courts

11/01/2018 10:02

Enquiry Resolved