

	A	B	C	D	E	F	G
1	<b>NORTH WEST AREA COMMITTEE - COUNCIL QUESTIONS</b>						
2	<b>ROAD MAINTENANCE SERVICES</b>						
3	Number	Reference	Address	Description	Logged Date	Text	Status
4	11100243	Q108 NWC 05/10/20	31 Grove Park Avenue	<p>To ask the Chief Executive to repair the footpath at (details supplied), as this has been on a repair list for several years.</p> <p>Details: 31 Grove Park Avenue, Dublin 11                      "To ask the Chief Executive to arrange for the replacement of red brick ramp adjacent (details supplied) Sandyhill Gardens. The ramp is in a very poor state.</p>	02/10/2020 10:38		2-Passed to Inspector
5	11100162	Q13 NWC 05/10/20	95 Sandyhill Gardens	<p>Details: 95                      "</p> <p>issues in Glasnevin Village and to please provide an update on the followi) Following requests from residents to DCC for Welcome to Glasnevin Village signage to be placed at both ends of the village, could this please be provided by DCC and is there a timeline as to when the signs may be installed?</p> <p>B) Could Glasnevin Village please be prioritised for the weeds to be removed from the road network throughout the whole village and is there a date as to when this may be carried out?</p> <p>C) Seven street light poles near the National Botanic Garden entrance were painted by DCC in September. All light poles in Glasnevin Village need painting, could this please be prioritised?</p> <p>D) Could the ongoing issue of illegally parked vehicles in cycle lanes and on footpaths at Glasnevin Village please be addressed, it is particularly a problem outside the National Botanic Gardens. The loading bay outside McMahons Café in the village is also continually used for parking. The village is being used as a 'park and ride' facility. Could DCC also engage with the Bon Secours hospital to ensure that hospital staff are parking in designated parking areas provided to them.</p> <p>E) Could the black steel bollards which are placed outside the Botanic Gardens be extended to the bridge at Glasnevin Hill, which would also help against the ongoing issue of illegal parking and to ensure a safer environment for cyclists and pedestrians.</p>	01/10/2020 15:41	Please arrange for repairs.	2-Passed to Inspector
6	11099975	Q87 NWAC 5/10/20	Glasnevin Village	<p>To ask the Chief Executive when the footpaths will be repaired on Shangan Road beside the Shops.</p>	01/10/2020 15:44		Enquiry Resolved
7	11099938	Q22 NWC 05/10/20	Shangan Road	<p>To ask the Chief Executive to do a full review of the service provision in Valeview Finglas. The grass is only partially being cut, weeds are widespread, the footpaths are broken, street lighting is badly rusted. Can we put together a programme of works to include weeding, painting, planting, and adequate grass cutting.</p>	01/10/2020 15:45		Enquiry Resolved
8	11099928	Q21 NWAM 5/10/20	Valeview		22/09/2020 16:12		3-Inspection Required

	A	B	C	D	E	F	G
9	11099877	Q14 NWC 05/10/20	Caoppagh Road	To ask the Chief Executive to arrange for the footpath along Cappagh Road (in particular the one opposite Colaiste Eoin) to be resurfaced as it is in a bad state and creates many trip hazards. This stretch is used by lots of people to access church, schools and Finglas Village.	22/09/2020 08:49		Enquiry Resolved
10	11098973	Q2 NWAC 15/09/20	411 Coultry Road	To ask the Manager to arrange for the ramp at 411 Coultry Road to be re-instated as it has fallen into a bad state of disrepair.	29/09/2020 14:45	Job 41122659 - 05-Job Scheduled, Job has been allocated to Work Crew	7-Job Passed to Crew
11	11098972	Q23 NWAC 15/09/20	Coultry Road	To ask the Manager to repair or replace the speed ramp at (details supplied) as it is in very poor condition, is no longer fit for purpose and is not safe for cars.	14/09/2020 15:24	Duplicate job. Job was already passed to the inspector with photo attached.	Enquiry Resolved
12	11098968	Q28 NWAC 15/09/20	44 Glasilawn Road	To ask the Manager to repair the badly damaged pathway outside (details supplied).	29/09/2020 14:45	Job 41122423 - 01-Job Raised, Defect Job created via Connector	6-Job Raised
13	11098966	Q37 NWAC 15/09/20	Northway Estate	To ask the Manager for a list in tabular form of planned repairs of pathways at (details supplied).	14/09/2020 08:46		2-Passed to Inspector
14	11098653	Q79 CM 07/09/20	79 Willow Park Road	To ask the Chief Executive to arrange for repair of the pavement at (details supplied) which has been on the list for repair for over 5 years.	01/09/2020 15:11	Job 41121547 - 01-Job Raised, Defect Job created via Connector	6-Job Raised
15	11097750	Q13 NWCM 070920	30A Kildonan Road and 44 Kildonan Road.	To ask the Chief Executive to arrange for the footpath between (details supplied) Kildonan Road to be resurfaced. This section of road is well used by pedestrians as part of a busy thoroughfare taking people to and from local shops, schools and church etc.	11/08/2020 11:02		Enquiry Resolved
16	11096443	Q41 NWACM 210720	Sycamore Road leading into Sycamore Park	"To ask the Manager to arrange for the inspection of the pathways with a view to repair on (details supplied)  Details: Sycamore Road leading into Sycamore Park"	08/07/2020 14:25		2-Passed to Engineer
17	11096442	Q38 NWACM 210720	"39 NORTHWAY ESTATE DUBLIN11"	Details: 39 Northway Estate "	08/07/2020 14:22		2-Passed to Engineer
18	11096441	Q36 NWACM 210720	"11 PLUNKETT CRESCENT DUBLIN11"	"To ask the Manager to arrange for the permanent repair of the footpath outside (details supplied). A temporary repair was carried out some time ago which is insufficient.  Details: 11 Plunkett Crescent "	08/07/2020 14:20		2-Passed to Engineer
19	11096440	Q35 NWACM 210720	"13 BENEAVIN DRIVE DUBLIN11"	To ask the Manager arrange for the repair of the pathways at (details supplied)  Details: Beneavin Drive , particularly outside no.13	08/07/2020 14:17		2-Passed to Engineer

	A	B	C	D	E	F	G
20	11099978	Q110 NWAC 5/10/20	"61 Main Street Finglas Village outside the Down Syndrome shop	"To ask the Chief Executive to review and repair the uneven pavement levels at (details supplied) as the pavement dips due to the chicane and poses a trip hazard for vulnerable pedestrians.  Details: 61 Main Street Finglas Village outside the Down Syndrome shop "	05/10/2020 10:25	This is a matter for Traffic as Inspector informed Senior Executive Engineer.	Enquiry Resolved
21	11096439	Q29 NWACM 210720	"1 SYCAMORE PARK DUBLIN11"	"To ask the Manager to repair the trench which has been dug to the middle of the road outside (details supplied)  Details: 1 Sycamore Park Dublin 11. "	08/07/2020 14:15		2-Passed to Engineer
22	11096438	Q20 NWACM 210720	31 Dunsink Road and across the road at the gate entrance to Farnham Park	To ask the Manager to install footpath dishing at 31 Dunsink Road and across the road at the gate entrance to Farnham Park to enable people with disabilities easier access to the Park. To ask the Manager for an update on the St. Margaret's Road (Lidl) roundabout upgrade. Can the Manager also report as to works required on the footpaths/grass verges along this stretch of St. Margaret's Road (roundabout to McKelvey ) which has been continuously raised for several years.	08/07/2020 14:11		2-Passed to Engineer
23	11096437	Q15 NWACM 210720	St. Margaret's Road (Lidl) roundabout		08/07/2020 14:08		2-Passed to Engineer
24	11096436	Q12 NWACM 210720	junction of Dunsink Road (near no.19) and Casement Road	To ask the Manager to arrange for footpath dipping for disability access on Dunsink Road at junction of Dunsink Road (near no.19) and Casement Road, alongside the park.	20/07/2020 11:32		2-Passed to Engineer
25	11096435	Q11 NWACM 210720	FAIRLAWN ROAD	To ask the Manager to arrange for the resurfacing of Fairlawn Road which is in a poor condition.	08/07/2020 14:02		2-Passed to Engineer
26	11096434	Q8 NWACM 210720	Poppintree	To ask the Manager while the slabbing is taking place in the courts in Poppintree if we can look at getting the pavements repaired going into the courts.	08/07/2020 13:59		2-Passed to Engineer
27	11096187	Q52 06/07/20	Barry Road	"To ask the Chief Executive to arrange a resurfacing of the car park at (details supplied).  Details: The shopping area on Barry Road. "	03/07/2020 16:07		2-Passed to Engineer
28	11095818	Q53 CM 06/07/20	St Kevins School, Barry Avenue and Plunkett Green	"To ask the Chief Executive to arrange a clean-up including the removal of the weeds at the walkway between (details supplied).  Details: St Kevin's School Barry Avenue and Plunkett Green "	26/06/2020 13:15		Enquiry Resolved
29	11095815	Q53 NWAC 06/07/20	St Kevin's School Barry Avenue and Plunkett Green.	"To ask the Chief Executive to arrange a clean-up including the removal of the weeds at the walkway between (details supplied).  Details: St Kevin's School Barry Avenue and Plunkett Green. "	06/07/2020 08:21	Duplicate Defect added under previous enquiry will be done in due course,	Enquiry Resolved
30	11094843	Q49 NWAC	105 Northway Estate.	To ask the Manager can paths be repaired at 105 Northway Estate.	08/07/2020 09:40		Enquiry Resolved

	A	B	C	D	E	F	G
31	11094826	Q38 NWAC 160620	Ballygall Parade and Crescent	"To ask the Manager to get the nettles cut around the railings at the green between (details supplied) where flowers have been planted but you cannot see due to nettles.  Details: Ballygall Parade and Crescent and the steps leading down to the church "	16/06/2020 11:56	Referred to Parks	Enquiry Resolved
32	11094824	Q26 NWAC 160620	SEAMUS ENNIS ROAD	To ask the Manager to arrange for the repaving/replacement of the black tarmacadam on Seamus Ennis Road. It looks appalling for a main entrance into our village as it has disintegrated. It is a trip also a trip hazard. To ask the Chief Executive to cut the bushes at the side of 84 Cairn Court across from St Joseph's school which looks very untidy.	16/06/2020 11:55		Enquiry Resolved
33	11094742	Q29 CM 080620	the side of 84 Cairn Court across from St Joseph's school	To ask the Chief Executive to cut the bushes at the side of 84 Cairn Court across from St Joseph's school which looks very untidy.	16/06/2020 11:55	Cairn Court belongs to Housing	Enquiry Resolved
34	11094643	Q29 NWAC 08/06/20	84 Cairn Court across from St Joseph's school	To ask the Chief Executive to arrange for the pathway to be repaired outside. Details: 105 Northway Estate "	06/08/2020 08:54	First notice delivered by letterbox	4-Inspection Completed
35	11094458	Q62 NWAC 08/06/20	105 Northway Estate		08/06/2020 06:54	Job 41118135 - 01-Job Raised, Defect Job created via Connector	6-Job Raised
36	11093970	Q6 CM 080620	Entrance to Griffith Heights coming from Griffith Avenue.	To ask the Chief Executive to review the entrance to Griffith Heights coming from Griffith Avenue. The sign for 1 to 8 is on the wall and is not clearly visible when driving. Can a ramp also be placed after the junction as cars speed into the street not realising there is a cul de sac here. To ask the Manager when the works at the Poppintree roundabout might be completed given the current restrictions.	20/05/2020 08:25	Please arrange to install subject to procurement as per attached email.	2-Passed to Inspector
37	11093708	Q31 NWAC 190520	Poppintree roundabout	To ask the Manager what is the plan to remedy a hole in the footpath where a tree has been removed and see can a new tree be planted where the hole is. "To ask the Manager to arrange for the repair of the pathway outside (details supplied)	11/05/2020 09:15		Enquiry Resolved
38	11093707	Q15 NWAC 190520	Outside 22 Oakwood Road, Finglas East, Dublin 11		11/05/2020 09:14	This is a matter for Parks to respond/assess/replace the tree.	Enquiry Resolved
39	11093706	Q5 NWAC 190520	"36 DUNSINK PARK DUBLIN11"	Details: 36 Dunsink Park "	26/05/2020 15:29	Job 41117794 - 01-Job Raised, Defect Job created via Connector	6-Job Raised
40	11093448	Q22 NWAC 110520	50/52 Kildonan Road. "189 JAMESTOWN ROAD DUBLIN11"	To ask the Chief Executive arrange for the pathway to be repaired outside (details supplied)	03/06/2020 15:07	this has been allocated to crew from previous enquiry	Enquiry Resolved
41	11093447	Q21 NWAC 110520	"12 BARRY AVENUE DUBLIN11"	To ask the Chief Executive arrange for the dip in the roadway outside (details supplied) to be repaired.	25/06/2020 08:15		Enquiry Resolved
42	11093446	Q20 NWAC 110520	"12 BARRY AVENUE DUBLIN11"	To ask the Chief Executive to arrange for the pathway to be repaired outside (details supplied).	04/06/2020 15:40	Job 41118113 - 01-Job Raised, Defect Job created via Connector	6-Job Raised
43	11093159	Q2 NWAC 210420	"12 CAPPAGH DRIVE DUBLIN11"	To ask the Manager to send details to (details supplied) in relation to a proposed application for a drive in/path dishing. The lady is disabled and requires the afore mentioned works for ease of access to the home.	16/06/2020 09:49	Spoke to the lady owner at this address and she explained it was the tree she wants removed referred her to parks department	Enquiry Resolved
44	11093158	Q1 NWACM 210420	Ballygall Place/Ballygall Parade	To ask the Manager to resurface the road at Ballygall Place/Ballygall Parade at the roundabouts. The road is in poor condition at these 2 places.	07/09/2020 15:35	Job 41117815 - Job Closed, All pothole done	Enquiry Resolved

	A	B	C	D	E	F	G
45	11092592	Q26 NWCM 060420	Ratoath Road (between Westwood Road and Ratoath Avenue/Dunsoghly)	<p>To ask the Chief Executive to provide an update for the upgrading of Ratoath Road (between Westwood Road and Ratoath Avenue/Dunsoghly). At present there are no footpath facilities on this stretch and we had previously allocated funding to have railings removed but this won't be done until upgrade is complete.</p> <p>To ask the Manager if attention can be given to pedestrian safety matters in Dublin 11 and the necessary works carried out. There is a need for measures to be taken to address dangerous parking along the stretch of (details supplied) where cars are parking dangerously on the corners, and where kerbs and footpaths have been broken up, and now need repair, especially the corner leading into the lane on the left hand side, and also the need for trees to be planted along the left hand side, where they had been previously removed, see photo attached, dangerous parking in red, broken corners in blue, and trees needed along green line</p>	20/03/2020 11:16	This is a matter for Road Design and Construction	Enquiry Resolved
46	11092575	Q41 NWAC 240320	Sycamore Park from Sycamore Road up into the cul-de-sac	<p>Details: Sycamore Park from Sycamore Road up into the cul-de-sac</p> <p>"To ask the Manager to arrange for the full replacement of the tarmac in the cul de sac at (details supplied). A resident living there has a terminally ill child who is unable to use his walker as the tarmac is so uneven.</p>	08/09/2020 16:27		3-Inspection Required
47	11092574	Q34 NWAC 240320	PLUNKETT GREEN (NW)	<p>Details: Plunkett Green</p> <p>"</p> <p>"To ask the Manager to arrange for a full review of the poor standard of work carried out on pathway repairs at (details supplied).</p>	20/03/2020 11:10		Enquiry Resolved
48	11092573	Q30 NWAC 240320	KILDONAN DRIVE (NW)	<p>Details: Kildonan Drive</p> <p>"</p> <p>To ask the Manager to arrange for the resurfacing of the laneway at Dunsink Green adjacent to 14A where the pathway has subsided.</p>	20/03/2020 11:09	Job 41117796 - 01-Job Raised,	Enquiry Resolved
49	11092571	Q29 NWAC 240320	Dunsink Green adjacent to 14A	<p>To ask the Manager to arrange for resurfacing of the laneway at 2-16A Griffith Parade. The laneway has deteriorated badly recently.</p>	26/05/2020 15:28	Connector	6-Job Raised
50	11092570	Q28 NWAC 240320	2-16A Griffith Parade	<p>"To ask the Manager to look at the shores outside (details supplied). A new path was put in outside 13 but since then every time it rains it runs in no. 14.</p>	04/06/2020 08:03	Job 41118074 - 01-Job Raised	6-Job Raised
51	11092558	Q6 NWAC 240320	13 &14 Sillogue Gardens	<p>Details: 13 &amp;14 Sillogue Gardens</p> <p>"</p> <p>"To ask the Manager to clear the shrubs around the bus stops on (details supplied) and to check if all lights are in order as it is very dark.</p>	20/03/2020 11:08	This is a matter for Road Design and Construction	Enquiry Resolved
52	11092557	Q4 NWAC 240320	Finglas Road across from the Tesco	<p>Details: Finglas Road across from the Tesco</p> <p>"</p>	20/03/2020 11:16		Enquiry Resolved

	A	B	C	D	E	F	G
53	11090786	Q55 NWAC 180220	"57 HILLCREST PARK DUBLIN11"	"To ask the Manager to repair the path outside (details supplied). The resident claims the path has been in disrepair for a number of years.  Details: 57 Hillcrest Park "	25/02/2020 15:21	Job 41114380 - 01-Job Raised, Defect Job created via Connector	6-Job Raised
54	11090785	Q53 NWAC 180220	MELLOWES AVENUE (NW)	"To ask the Manager to inspect the conditions of the paths on (details supplied). Residents have reported poor path conditions and claim that they are becoming a hazard.  Details: Mellows Avenue "	06/07/2020 09:35	Multiple defects have been previously created at this location and will be done in due course,	Enquiry Resolved
55	11090784	Q52 NWAC 180220	MELLOWES ROAD (NW)	"To ask the Manager to inspect the conditions of the paths on (details supplied). Residents have reported poor path conditions and claim that they are becoming a hazard.  Details: Mellows Road "	20/03/2020 12:49	multiple defects created in NOV'19 and will be done in due course	Enquiry Resolved
56	11090783	Q48 NWAC 180220	16 Mellows Avenue.	To ask the Manager can the council repair the badly damaged pathway/ramp outside (details supplied). A resident first reported this three years ago. It has been on the list of works for three years, but has not been repaired.  Details: 16 Mellows Avenue.	20/03/2020 13:06	Duplicate	Enquiry Resolved
57	11090780	Q40 NWAC 190220	28 Cappagh Avenue	"To ask the Manager to arrange for the entrance pathway into (details supplied) be repaired. The tenant was promised this some time back and its condition has gotten worse  Details: 28 Cappagh Avenue "	13/02/2020 09:17		Enquiry Resolved
58	11090779	Q37 NWAC 180220	178 Cappagh Road,	To ask the Manager to arrange for the footpath at (details supplied) which was worked on recently and left with a temporary surface, to be re-instated to its original state. Details: 178 Cappagh Road,	13/02/2020 09:10		Enquiry Resolved
59	11090775	Q35 NWAC 180220	46/48 Mellows Avenue.	To ask the Manager to arrange for the repair of the broken kerb at 46/48 Mellows Avenue.	23/03/2020 14:58	Job 41115667 - 01-Job Raised, Defect Job created via Connector	6-Job Raised
60	11090766	Q28 NWAC 180220	7 Oakwood Road, Finglas East	To ask the Manager if he will have the footpath outside (details supplied) repaired. Residents have raised the need for footpath repair outside the roots of a tree have caused it to crack, creating a dangerous step. One resident has fallen and injured themselves, and it is particularly hazardous for elderly pedestrians. Maintenance work has been scheduled for some time but no repair has taken place.  Details: 7 Oakwood Road, Finglas East	13/02/2020 09:15		Enquiry Resolved

	A	B	C	D	E	F	G
61	11090765	Q25 NWAC 180220	outside Spar and the Post Office, 276A Glasnevin Avenue, Dublin 11	To ask the Manager if the footpath outside Spar and the Post Office, 276A Glasnevin Avenue, Dublin 11, can be repaired.	13/02/2020 09:15		Enquiry Resolved
62	11090764	Q23 NWAC 180220	"31 GROVE PARK AVENUE DUBLIN11"	To ask the Manager if he will have the footpath at 31 Grove Park Avenue, Dublin 11, repaired To ask the Manager to provide an update on the rounding of the harsh ramps at (details supplied)	25/02/2020 08:20	Duplicate	Enquiry Resolved
63	11090763	Q20 NWAC 180220	Kildonan Road, Cappagh Avenue, Barry Avenue	Details Kildonan Road, Cappagh Avenue, Barry Avenue. "To ask the Manager to arrange for a repair of the pathway outside (details supplied)	13/02/2020 09:12		Enquiry Resolved
64	11090762	Q16 NWAC 180220	311 CASEMENT ROAD Finglas, Dublin 11 DUBLIN11	Details: 311 Casement Road " "To ask the Manager to arrange for the permanent repair of the pathway outside (details supplied)	03/07/2020 09:13	Job 41114383 - 05-Job Scheduled, Job has been allocated to Work Crew	7-Job Passed to Crew
65	11090761	Q13 NWAC 180220	19/121 Mellows Avenue	Details : 119/121 Mellows Avenue "	23/03/2020 14:58	Job 41115666 - 01-Job Raised, Defect Job created via Connector	6-Job Raised
66	11090760	Q12 NWAC 180220	"16 MELLOWES AVENUE DUBLIN11"	To ask the Manager arrange for the repair of the footpath and inspection of the tree damaging the wall at (details supplied) To ask the Chief Executive to repair the path at (details supplied). This path has been reported twice for very poor conditions however, there has been no update on the matter from the council. A resident has reported that the hole in the path is still there and has become a serious hazard for pedestrians and cyclists.	23/03/2020 14:58	Job 41115665 - 01-Job Raised, Defect Job created via Connector	6-Job Raised
67	11090320	Q25 NWAC 030220	"9 OAKWOOD CLOSE DUBLIN11"	To ask the Chief Executive to call for an inspection of (details supplied). There are a number of path and road defects in the area along with significant damage to public fencing.	30/01/2020 14:46		Enquiry Resolved
68	11089776	Q24 NWAC 030220	Termon/ Druid Court in Poppintree	To ask the Chief Executive to repair (details supplied). Residents reported the need for repair on this road two years ago. I understand that it has been put on the list of works, however, it has been a tripping hazard and is in urgent need of repair.	29/01/2020 14:39		Enquiry Resolved
69	11089733	Q23 NWAC 030220	Richard O'Carroll Room, City Hall, Dublin 2		29/01/2020 14:50		Enquiry Resolved
70	11089306	Q45 NWAC 210120	Mellows Road (top end no. 77 upwards)	To ask the Manager to arrange for the footpaths on Mellows Road (top end no. 77 upwards), Mellows Avenue and Mellows Park to be placed on the 2020 works programme. These roads have been reported for works for many years and are in very poor state with many trip hazards. To ask the Manager to arrange for the footpath at (details supplied) to be dipped properly.	17/01/2020 11:04		Enquiry Resolved
71	11089304	Q44 NWAC 210120	18 Coultry Avenue, close to gap between Coultry Road and Aldi.	Details: 18 Coultry Avenue, close to gap between Coultry Road and Aldi. "To ask the Manager to repair the path (details supplied)	17/01/2020 11:03		Enquiry Resolved
72	11089303	Q31 NWAC 210120	Along the shops on Ballygall Road West	Details: Along the shops on Ballygall Road West. "	31/01/2020 15:46		Enquiry Resolved

	A	B	C	D	E	F	G
73	11089302	Q30 NWAC 210120	Outside the Sacred Heart Boys National School on St. Canice's Road	<p>To ask the Manager to repair the path outside (details supplied) It has been reported that the path is in desperate need of repair as it could be a tripping hazard. This was reported twice, the first report being 8 months ago. Unfortunately, they have yet to be repaired.</p> <p>Details: Outside the Sacred Heart Boys National School on St. Canice's Road.</p> <p>To ask the Manager further to Question 8, July 2019 area meeting, when paths at a location in Dublin 11 (details supplied) can repaired, as it is urgently required</p>	22/01/2020 08:33	multiple defects created at above location before xmas and crew has been disbatched to st canices for start on 27 jan	Enquiry Resolved
74	11089299	Q21 NWAC 210120	outside 22 and 24 Deanstown Green, Finglas, D11	<p>Details: footpath repairs required outside 22 and 24 Deanstown Green, Finglas, D11, the paths are broken up and one elderly lady has fallen twice on the broken path; reply from July stated that "Road Maintenance Services will endeavour to complete this repair as early as possible"; the resident of number 22 is on crutches due to a hip replacement and cannot safely walk along this section of path outside her home; other patches of footpath on the same road have been repaired recently but not this requested section</p> <p>"To ask the Manager to consider repaving pathways at (details supplied) for the programme of works in 2020.</p>	05/02/2020 12:15	This is already on a works list and wilk be done in due course,	Enquiry Resolved
75	11089298	Q19 NWAC 210120	Wellmount Road	<p>Details: Wellmount Road.</p> <p>"</p> <p>To ask the Manager could a street name plate please be placed on (details supplied). There is no name plate on the houses outside the gates and delivery drivers constantly get confused.</p>	17/01/2020 11:01		Enquiry Resolved
76	11089292	Q11 NWAC 210120	Heath Square, McKee Avenue	<p>Details : Heath Square, McKee Avenue</p> <p>"Can the Area Manager engage with DCU in relation to the overgrown greens in Albert College and the moss that is growing over on the paths and is preventing a wheelchair user using the path?"</p>	17/01/2020 11:00	Street plate will be ordered on receipt of translation	Enquiry Resolved
77	11088189	Q9 NWAC 101219	Albert College, DCU, Ballymun road	<p>To ask the Manager to fix the paths on Drapier Road - see pictures below. They are uneven and dangerous to anyone unsteady on their feet or using any type of walking aid due to the dips and cracks in the pavement.</p>	05/12/2019 10:03	This is a matter for Parks and Area Office.	Enquiry Resolved
78	11088170	Q27 NWAC 101219	Drapier Road	<p>To ask the Manager if he will have the pavement surface at a location (details supplied) in Dublin 11 repaired on urgent health and safety grounds.</p>	05/12/2019 10:01		Enquiry Resolved
79	11088166	Q22 NWAC 101219	Bus Stop 4542, Finglas Road/Ballygall Road, Dublin 11	<p>Details: Pavement surface at Bus Stop 4542, Finglas Road/Ballygall Road, Dublin 11 needs repairing, as it is quite uneven and a trip hazard for bus users.</p>	05/12/2019 09:59		Enquiry Resolved
80	11088165	Q13 NWAC 101219	133 Ballygall Parade	<p>To ask the Manager to arrange for the path in front of (details supplied) to be repaired. There is a large chunk missing from the dishing that causes damage to the resident's tires.</p>	05/12/2019 09:33		Enquiry Resolved
81	11088163	Q8 NWAC 101219	Cappagh Road particularly outside St Fergal's school	<p>To ask the Manager to arrange for a review of the pathways on (detailed supplied) with a view to repair.</p>	05/12/2019 10:04		Enquiry Resolved

	A	B	C	D	E	F	G
82	11088156	Q1 NWAC 101219	Ratoath Road Junction /Scribblestown Lane Eircode D11KP40	To ask the Manager to arrange for the repair of the pothole at (details supplied).	13/12/2019 15:14		Referred to Utility/other Dept
83	11087880	Q57 NWCM 021219	42 Northway Estate, Finglas	To ask the Chief Executive to arrange to repair the badly damaged pathway outside (details supplied). To ask the Manager can the laneway facing (details supplied) be inspected. Residents were informed a number of years ago that the pathway would be repaired but as of yet, no work has been carried out.	26/11/2019 15:58	defect and job created last week and will be done when crew in area	Enquiry Resolved
84	11087456	Q53 NWAC 191119	57 Ballygall Parade	To ask the Manager to arrange for an inspection of the pathways on (details supplied). Part of this road was done earlier this year and residents were wondering if the rest is planned in the next few months.	23/03/2020 14:56	Job 41109649 - 01-Job Raised, Job has been allocated to Work Crew	6-Job Raised
85	11087452	Q46 NWACM 191119	Mellowes Road (between 80 and 200).	To ask the Manager to arrange for an inspection of the pathways on (details supplied). Residents were told on a number of occasions in recent years that the pathways would be repaired but as of yet no works have been carried out.	27/11/2019 15:43	Job 41110176 - 01-Job Raised, Defect Job created via Connector	6-Job Raised
86	11087451	Q45 NWACM 181119	North Road, Finglas, Dublin 11. Particularly between 33 and 53.	To ask the Manager to outline the proposals to repair the footpaths at (details supplied), the areas which will be repaired, and the timescale for carrying out this work.	14/11/2019 14:45		Enquiry Resolved
87	11087450	Q41 NWAC 191119	St. Canice's Road	To ask the Manager to arrange an inspection of the pathway at (details supplied). I have been contacted by a number of residents regarding the condition of the paths.	13/12/2019 09:19	Multiple defects created on multiple enquiries	Enquiry Resolved
88	11087448	Q55 NWAC 191119	St Pappin's Road, Finglas.	To ask the Manager to inspect and repair the badly damaged pathway outside (details supplied).	14/11/2019 14:40		Enquiry Resolved
89	11087447	Q27 NWAC 191119	91 Willow Park Grove	To ask the Manager to investigate the possibility of installing dished ramps to allow wheelchair users/buggy's get up on the pathway at (details supplied).	26/11/2019 11:26	Defect and job created in October, will be done in due course	Enquiry Resolved
90	11087446	Q24 NWAC 191119	Glasanaon Road/Griffith Road and Ferndale Avenue	To ask the Manager to arrange for the permanent repair of the badly damaged pathway at (details supplied). A temporary tarmac repair that was put in place is insufficient.	14/11/2019 14:46		Enquiry Resolved
91	11087444	Q20 NWAC 191119	119 Mellowes Avenue	To ask the Manager to arrange for an inspection of the tree and footpath at (details supplied) The resident here has reported the footpath to be cracked due to tree roots and is worried that the ESB sub box on garden wall might be affected.	27/11/2019 15:42	Job 41110174 - 01-Job Raised, Defect Job created via Connector	6-Job Raised
92	11087256	Q3 NWACM 191119	7 Berryfield Crescent, Finglas, Dublin 11	To ask the Manager to arrange for the remainder of the Dunsink Estate to be added to the Footpath re-instatement programme. The Avenue and Gardens have been completed but other streets in the Estate are in as bad if not worse a state than the afore mentioned streets. Dunsink Park is in Particularly bad condition	19/02/2020 16:08	Job 41110055 - 05-Job Scheduled, Job has been allocated to Work Crew	7-Job Passed to Crew
93	11087255	Q2 NWACM 191119		To ask the Manager to arrange for the footpath outside (details supplied) to be re-surfaced. There is an elderly lady at this address who struggles with mobility issues and the footpath is very uneven.	14/11/2019 14:44		Enquiry Resolved
94	11087253	Q1 NWACM 191119	17 Rathvilly Park, Finglas West, Dublin 11	To ask the Chief Executive to arrange for an inspection of the pathways at (details supplied) with a view to adding them to the works programme for 2020.	26/11/2019 15:52	Job 41110056 - 01-Job Raised, Defect Job created via Connector	6-Job Raised
95	11087012	Q119 NCCM 041119	Kildonan Avenue		24/01/2020 13:16	Job 41109182 - Job Closed, Job has been allocated to Work Crew	Enquiry Resolved

	A	B	C	D	E	F	G
96	11086988	Q95 NWCM 041119	Carton Terrace, Ballymun	To ask the Chief Executive to call for an inspection at (details supplied)? Residents reported that heavy duty trucks use this road as a shortcut causing serious traffic build ups and significant damage to the road surface. They also report that this road is used as a rat run and there have been serious incidents of dangerous driving in recent months. "	06/10/2020 16:03	Job 41109169 - Job Closed, Job has been allocated to Work Crew	Enquiry Resolved
97	11086241	Q39 NWAC 151019	SuperValu Finglas	To ask the Manager arrange for an inspection of the brick pathway at (details supplied below) there are a number of trip hazards . "	22/10/2019 15:01	Trip is under canopy and in charge to super value, no other defects located as per picture Job 41108284 - Job Closed, Job has been allocated to Work	Enquiry Resolved
98	11086236	Q46 NWAC 151019	Cappagh Road Upper (Cardiffsbridge to Ratoath Road)	To ask the Manager to arrange for Cappagh Road Upper (Cardiffsbridge to Ratoath Road) to be resurface as many spots along this stretch are in need of repair. To ask the Manager when Cappagh Road Upper and Glasanaon Road were last resurfaced and what guarantee is given for the works carried out?	10/08/2020 15:22	Crew	Enquiry Resolved
99	11086235	Q45 NWAC 151019	Cappagh Road Upper and Glasanaon Road	To ask the Manager to arrange for an inspection of the pathways on (details supplied) with a view to repair.	21/10/2019 11:15		Enquiry Resolved
100	11086234	Q38 NWAC 151019	Kildonan Road	To ask the Manager to give an update on the repair of the pavement at (details supplied) as it is a trip hazard.	23/10/2019 15:06	Job 41108326 - 01-Job Raised, Defect Job created via Connector	6-Job Raised
101	11086230	Q27 NWAC 151019	Both sides of the road at the junction of Oakwood Road and Oakwood Park	To ask the Manager to inspect the footpaths and consider upgrading the footpath at a location (details supplied) as they are in very bad condition and to review the work done on the path previously as residents report the quality of previous work done in the 1-2 years is very poor. To ask the Manager to do a review of the trees and footpaths in McKelvey Estate, there was some repairs made but the trees causing the issues have remained meaning the footpaths issues are occurring again.	21/10/2019 11:12		Enquiry Resolved
102	11086229	Q25 NWAC 151019	St Pappin's Road (from Ballymun Road to Stormanstown Road)	To ask the Manager when will the footpaths at Fitzmaurice Road be getting repaired. There are a lot elderly people who use that area and it is in very poor condition To ask the Manager to request an inspection of the pathways on (details supplied). A number of residents have contacted me in recent weeks to raise concerns about the condition of the paths.	21/10/2019 11:47		Enquiry Resolved
103	11086223	Q16 NWAC 151019	McKelvey Estate	To ask the Manager to arrange for an inspection of the paths at (details supplied). To ask the Manager to arrange for an inspection of the paths at (details supplied). This location has been on the works list for approximately 3 years. "To ask the Manager to arrange to repair the pathway outside (details supplied).	22/10/2019 15:09	Job 41108282 - 01-Job Raised, Defect Job created via Connector Job 41108345 - 01-Job Raised, Defect Job created via Connector	6-Job Raised
104	11086222	Q14 NWAC 151019	Fitzmaurice Road		23/10/2019 15:08		6-Job Raised
105	11086218	Q8 NWAC 151019	Cardiffsbridge Avenue, Finglas, Dublin 11		22/10/2019 08:07	defects created 14/10/19 on previous enquiry	Enquiry Resolved
106	11086217	Q3 NWAC 151019	Wellmount Green, Dublin 11		22/10/2019 08:06	defects created 14/10/19 on previous enquiry	Enquiry Resolved
107	11086215	Q15 NWAC 151019	Kildonan Drive, Dublin 11		13/02/2020 15:05	Job 41108346 - Job Closed, Done by after hrs	Enquiry Resolved
108	11086207	Q31 NWAC 15/10/19	5 Kildonan Drive				
109	11086201	Q30 NWAC 15/10/19	Barry Road	To ask the Manager to repair the pothole on (details supplied below) it has been on a repair list for over 2 years.			

	A	B	C	D	E	F	G
110	11089822 Q4 NWAC 210120	McKelvey Road and Avenue		<p>"To ask the Manager to inspect all the trees and footpaths in (details supplied). The trees are unsuitable and consistently causing damage to the footpaths. A long term plan in conjunction with residents is needed for this area.</p> <p>Details: McKelvey Road and Avenue "</p>		<p>All known defects were completed last summer in this area one new defect added to be done in due course,</p>	6-Job Raised

	H
1	
2	
3	
4	
5	
6	
7	
8	