

The Chairman and Members of  
North West Area Committee.  
Meeting: 15th June 2021  
Item No: 15

North West Area Committee - Council Questions June 2021  
Road Maintenance Services

Number	Reference	Address	Description
			To ask the Manager following on from the Area Committee question asked in February 2021 to ask the manager to provide an update on the ramp being too high at (details supplied) and when will it be repaired.
			Details: Casement Road
			Reply
			Reply Question 33 February NWA Meeting
			Road Maintenance Services will arrange to reinstate the disabled dishing to a standard upstand.
			In addition, the Infrastructure Management Unit will investigate what utility has carried out the recent works (both recent concrete and macadam works) at the entrance to Mellows Park.
			"To ask the Manager to investigate the possibility of installing a ramp for wheelchair and buggy users at (details supplied)
			Details: Barry Avenue (at St Kevin's School to St Joseph's school/ Barry Road)
			"
11110499	Q52 NWACM 15/06/21	Casement Road	
11110433	Q50 NWACM 15/06/21	"Barry Avenue (at St Kevin's School to St Joseph's school/ Barry Road) "	

North West Area Committee - Council Questions June 2021  
Road Maintenance Services

Number	Reference	Address	Description
			issues raised in motion 4 at the January 2021 area committee meeting in relation to (details supplied).
			Details: 1) Additional signage be put up on a pole to clearly identify where Glasilawn Road begins. 2) The residents group be assisted in purchasing a cast iron sign for the entrance to the road. 3) The Tolka Estate signs are at both ends of the road with arrows yet these are absent for Glasilawn , can these be reviewed.
			Reply
			Contact: Tel: Email:
			Report Motion 4 January 2021
11110366	Q48 15/06/21 NWAC	"Glasilawn Road"	Road Maintenance Services Division is progressing with a review of signage in place on Glasilawn Road in the vicinity of Tolka Estate, but completion of this review has been delayed due to the Christmas break and annual leave arrangements for staff involved. However, it should be completed in a matter of weeks. A site inspection is an integral part of this process. Any additional or replacement "To ask the Manager for a list of pathways due to be repaired in (details supplied) and an expected timeline for repair.
11110365	Q45 15/06/21 NWAC	"Willow Park area"	Details: Willow Park area "

North West Area Committee - Council Questions June 2021  
Road Maintenance Services

Number	Reference	Address	Description
11110364	Q44 15/06/21 NWAC	" 85 Willow Park Grove "	"To ask the Manager to provide an update on the repair of the pathway outside (details supplied)  Details: 85 Willow Park Grove "  To ask the Manager to repair the road surface outside (details supplied) as there are two potholes.
11110363	Q32 15/06/21 NWAC	2 Drapier Green, Dublin 11	Details: 2 Drapier Green, Dublin 11 "To ask the Manager to provide an update on the repair of the public side of the footpath at the shops on (details supplied) which funding was provided for.
11110362	Q31 15/06/21 NWAC	" Glasnevin Avenue "	Details: Glasnevin Avenue "  To ask the Manager to repair the footpath at (details supplied)
11110361	Q27 15/06/21 NWAC	4 Maolbhuille Road, Dublin 11.	Details: 24 Maolbhuille Road, Dublin 11.  To ask the Manager to repair the footpaths on (details supplied) as they are in poor condition in several locations.
11110360	Q26 15/06/21 NWAC	Termon Court, Dublin 11	Details: Termon Court, Dublin 11 "To ask the Manager following on from the Area Committee question asked in February 2021 to ask the manager to provide an update on the ramp being too high at (details supplied) and when will it be repaired.
11110359	Q52 15/06/21 NWAC	"Casement Road "	Details: Casement Road "

North West Area Committee - Council Questions June 2021  
Road Maintenance Services

Number	Reference	Address	Description
11110358	Q15 15/06/21 NWAC	" (1) Cromlech Court between no 42 and 21. (2) Cromlech Court no 13-24 and 37-48. "	"To ask the Manager to arrange for the resurfacing of the (former) laneway area at (details supplied 1). Could the Manager also provide an updated timeframe for the new paving to be installed in (details supplied 2)  Details: (1) Cromlech Court between no 42 and 21. (2) Cromlech Court no 13-24 and 37-48. "
11110357	Q13 15/06/21 NWAC	"St Pappin's Road north side footpaths between Ballymun Road and Delville Road " "Belclare Drive across from Centra.	"To ask the Manager to confirm a timeframe for the path improvements to be scheduled at (details supplied)  Details: St Pappin's Road north side footpaths between Ballymun Road and Delville Road " "To ask the Manager to repair the first ramp entering Belclare Drive across from Centra.
11110356	Q4 15/06/21 NWAC	"	"
11110355	Q3 15/06/21 NWAC	Poppintree Parade, Balbutcher Lane "Balbutcher Drive.	To ask the Manager to repair the ramps at the traffic lights at Poppintree Parade, Balbutcher Lane "To ask the Manager to repair the potholes on Balbutcher Drive.
11110354	Q2 15/06/21 NWAC	"	" "To ask the Manager to remove the steel which is in the grass verge on (details supplied)
11110353	Q24 15/06/21 NWAC	Seamus Ennis Road	Details: Seamus Ennis Road in front of the Sorting Office and near the pedestrian crossing as residents have reported tripping on it. "
11109148	Q50 NWACM 18/05/21	junction of Virginia Park and Virginia Drive, Dublin 11	To ask the Manager to repair the broken road surface around the manhole cover at the junction of Virginia Park and Virginia Drive, Dublin 11

North West Area Committee - Council Questions June 2021  
Road Maintenance Services

Number	Reference	Address	Description
11109147	Q49 NWACM 18/05/21	"71 WILLOW PARK ROAD DUBLIN11"	To ask the Manager repair the footpath at (details supplied)  Details: 71 Willow Park Road, Dublin 11. To ask the Manager to repair the potholes in the tarmac surface on the pavement at (details supplied) as the resident is keen to do work on her driveway but cannot do so until the pavement is repaired.
11109146	Q45 NWACM 18/05/21	106 Ballygall Road West, Dublin 11	Details: 106 Ballygall Road West, Dublin 11 To ask the Manager can a dishing be put in place outside (details supplied).
11109145	Q34 NWACM 18/05/21	1 Dean Swift Road, Glasnevin, D11R263	Details: 1 Dean Swift Road, Glasnevin, D11R263) (ref: 2494910) "To ask the Manager for an update as to when the pathway will be repaired at (details supplied)
11109143	Q27 NWACM 18/05/21	100 Cardiffsbridge Road	Details: 100 Cardiffsbridge Road " To ask the Manager to carry out a full assessment of the pathways at (details supplied)
11109142	Q22 NWACM 18/05/21	Pinewood, Glasnevin	Details: Pinewood, Glasnevin. A number of pathways in this area are in a bad state of disrepair. Can a list of areas within Pinewood to be repaired please be provided. To ask the Manager to arrange for the footpath adjacent to Belclare Park which leads up to Poppintree Park to be edged properly.
11109141	Q10 NWACM 18/05/21	footpath adjacent to Belclare Park which leads up to Poppintree Park	To ask the Manager to repair the ramps on Belclare Crescent, both are in very poor condition. They are the old red ramps and are crumbling. To ask the Manager to replace the trees and footpaths on Coultry Avenue in consultation with residents. The trees are causing huge issues and going under people's homes as well as cracking all the footpaths.
11109140	Q7 NWACM 18/05/21	BELCLARE CRESCENT	
11109139	Q4 NWACM 18/05/21	Coultry Avenue	

North West Area Committee - Council Questions June 2021  
Road Maintenance Services

Number	Reference	Address	Description
11109138	Q2 NWACM 18/05/21	KIPPURE PARK	To ask the Manager to repair the footpaths in Kippure Park, there are holes in parts of them which will cause a serious accident.
11109137	Q1 NWACM 18/05/21	lane between Dunsink Avenue and Wellmount Road	To ask the Manager to resurface the lane between Dunsink Avenue and Wellmount Road
			"To ask the Chief Executive to arrange for an inspection of the surface of the car park at (details supplied) with a view to resurfacing and repair.
11109099	Q88 CM 10/05/21	The Car Park on Barry Road/Avenue at the shops	<p>Details: The Car Park on Barry Road/Avenue at the shops. A number of potholes are present which need repair.</p> <p>"</p> <p>"To ask the Chief Executive to arrange for the footpaths on Ballygall Avenue to be inspected and any repairs necessary to be carried out. The trees along this section of street are huge and are lifting the footpaths in places.</p>
11109098	Q16 CM 10/05/21	BALLYGALL AVENUE	To ask the Manager to review the issue of speeding on (details supplied) and improve the ramps as recent resurfacing work has left the ramps less effective than previously.
11109135	Q44 NWACM 18/05/21	Ballygall Parade, Dublin 11	<p>Details: Ballygall Parade, Dublin 11.</p> <p>"To ask the Chief Executive to repair the road surface at (details supplied) as there is a large pothole which is impeding the resident's access to their driveway.</p>
11108945	Q120 CM 10/05/21	"14 BALLYGALL AVENUE DUBLIN11"	<p>Details: 14 Ballygall Avenue Dublin 11</p> <p>"</p>

North West Area Committee - Council Questions June 2021  
Road Maintenance Services

Number	Reference	Address	Description
			"To ask the Chief Executive to arrange for an inspection of the surface of the car park at (details supplied) with a view to resurfacing and repair.
11108942	Q88 CM 10/05/21	The Car Park on Barry Road/Avenue at the shops	<p>Details: The Car Park on Barry Road/Avenue at the shops. A number of potholes are present which need repair.</p> <p>"</p> <p>"To ask the Chief Executive to arrange for the footpaths on Ballygall Avenue to be inspected and any repairs necessary to be carried out. The trees along this section of street are huge and are lifting the footpaths in places.</p> <p>"</p>
11108454	Q16 NWAC 10/05/21	Ballygall Avenue	
	Q61 NWACM		
11109134	18/05/21	GLASNEVIN AVENUE	<p>To ask the Manager to give an update on the proposed cycle lanes on Glasnevin Avenue and plans to ensure the cycle path is free of potholes and uneven surfaces.</p> <p>To ask the Manager to provide a report detailing the condition of the road surface on Glasnevin Avenue following the recent road openings by a utilities company and to indicate if the repairs to the road surface are to an acceptable level.</p>
	Q46 NWACM		
11107875	20/04/21	Glasnevin Avenue	<p>To ask the Manager to repair the drainage problems at (details supplied) when the pavement was resurfaced recently it caused pooling of water at the front gate as the water does not have anywhere to drain.</p>
11107932	Q34 NWAC 20/04/21	89 Sycamore Road	
	Q35 NWACM		
11107872	20/04/21	31 Grove Park Avenue	To ask the Manager to repair the footpath at (details supplied)
	Q33 NWACM		
11107871	20/04/21	95 McKee Road	To ask the Manager to repair the footpath at [details supplied] as it has come loose.
	Q32 NWACM		
11107870	20/04/21	junction of Cappagh Road and Patrickswell Plac	<p>To ask the Manager to repair the raised footpath at the junction of Cappagh Road and Patrickswell Place.</p> <p>"To ask the Manager to arrange a survey of the condition of the road at (details supplied)</p>
	Q23 NWACM		
11107869	20/04/21	Dean Swift Road	<p>Details: Dean Swift Road</p> <p>"</p>

North West Area Committee - Council Questions June 2021  
Road Maintenance Services

Number	Reference	Address	Description
11107868	Q17 NWACM 20/04/21	Willow Park Road and Beneavin Drive	To ask the Manager to repair the footpaths on Willow Park Road and Beneavin Drive, they are in a dire condition.  "To ask the Manager for a review of the signage at (details supplied); if a site visit can be arranged; and if the residents can be assisted with perhaps purchasing improved signage.
11106640	Q21 NWAC 16/03/21	Casement Road Lower	Details: Casement Road Lower " To ask the Manager to repair a pothole and other damage to the road at (details supplied).
11106479	Q48 NWAC 16/03/21	Grove Road	Details: Grove Road, about 5 meters from the junction with Sycamore Road. To ask the Manager to arrange for the potholes on Doon Court adjacent to the new O'Cualann build be repaired as they are causing damage to peoples cars locally.
11107867	Q11 NWACM 20/04/21	DOON COURT	To ask the Manager to arrange for the re-instatement of the paths from (details supplied). There are several uneven and dangerous paths, cracked paving, the edges have potholes in the tarmac "temporary surfaces" and the whole section needs to be considered for improvements.
11107864	Q8 NWACM 20/04/21	57-121 Griffith Road	Details: 57-121 Griffith Road. The paths on the rest of Griffith Road were resurfaced a couple of years ago but this section was not included.



North West Area Committee - Council Questions June 2021  
Road Maintenance Services

Number	Reference	Address	Description
11107863	Q5 NWACM 20/04/21	"Silloque Gardens "	<p>To ask the Manager to arrange for the paving and road surfaces to be reinstated at (details supplied ); will the Manager consider a complete resurfacing of the roads and reinstatement of paving areas where the grass has overgrown in between the paving stones; at the following locations specifically:a) The entrance to Sillogue Gardens between no's 6 and 24 the road is peppered with potholes and several uneven "temporary resurfacing", it is an eyesore.</p> <p>b) Pothole to the rear of no 8</p> <p>c) at the entrance between 28 and 38, road has various uneven repairs, cracks and potholes (not to be confused with the rear of said houses which are in good condition)</p> <p>d) rear of 83 and 84, large potholes and uneven surfaces</p> <p>e) rear of 93 and 110, numerous potholes and uneven surfaces</p> <p>f) rear of 102, long crack in the road</p> <p>g) paved area to the front of 106-107 in need of an upgrade, multiple uneven paving stones with grass growing through them</p> <p>h) to the side/rear of no 53, path is uneven, cracked, and bottom step is broken, the paving stones at the end are covered in grass and likely needing to be removed and replaced.</p> <p>"To ask the Manager to arrange for the footpath to be repaired at (details supplied). This has been reported several times after elderly residents locally tripping on said damage.</p>
11106478	Q39 NWAC 16/03/21	13 Crannogue Terrace	<p>Details: 13 Crannogue Terrace "</p>
11106477	Q37 NWAC 16/03/21	Dunsink Drive	<p>To ask the Manager to arrange for the resurfacing of the paths on Dunsink Drive which are in a very poor state in some parts, in particular the end close to Wellmount Road.</p>

North West Area Committee - Council Questions June 2021  
Road Maintenance Services

Number	Reference	Address	Description
11106476	Q32 NWAC 16/03/21	Willow Park and Pinewood areas.	To ask the Manager to urgently repair paths in the Willow Park and Pinewood areas. This area has a high number of people who are of risk of tripping/falling due to the different levels of the paths "To ask the Manager to reinstall the ramp at (details supplied) which wasn't put back in during recent re pavement works.
11106475	Q23 NWAC 16/03/21	Kildonan Road	Details: Kildonan Road "
11106474	Q9 NWAC 16/03/21	Old North Road Finglas	To ask the Manager to resurface the Old North Road Finglas and to examine the parking that is taking place, there is a lot of people parking here who don't live in the area.
11106472	Q2 NWAC 16/03/21	Ard Na Meala	To ask the Manager to repair the pothole at the entrance of Ard Na Meala, there is also a steel pole sticking up from the ground where the old bus stop was on Ballymun Road beside Ard na Meala "To ask the Manager to arrange for the inspection of the pathways on (details supplied) with a view to carrying out badly needed repairs.
11106471	Q22 NWAC 16/03/21	" McKee Road "	Details: McKee Road "
11105245	Q33 NWAC 16/02/21	At the entrance to Mellowes Park on Casement Road	To ask the Manager for an update on the realignment of the ramp at the entrance to Mellowes Park on Casement Road. Wheelchair users can no longer access the ramp due to its height. "To ask the Manager to arrange for the potholes on Wellmount Road adjacent to the FAST building to be repaired and for the road to be included on future works plans for re-instatement.
11105242	Q14 NWAC 16/02/21	Wellmount Road adjacent to the FAST building	"

North West Area Committee - Council Questions June 2021  
Road Maintenance Services

Number	Reference	Address	Description
11105241	Q45 NWAC 16/02/21	46-104 Kildonan Road, Finglas West	<p>To ask the Manager if steps can be taken to address the poor condition of the footpath (details supplied) in Dublin 11.</p> <p>Details: The condition of the footpath 46-104 Kildonan Road, Finglas West (beside Park), is in a deplorable condition and needs to be replaced immediately. Last year the council partially replaced the footpath beside the houses; why did the council not replace the footpaths entirely here when places e.g. like Sycamore Road in Finglas East have gave both sides of the road completely refurbished; e.g. the residents of 88 Kildonan Road are aged 86 and 92 and find it hard to walk to and from the house, and there are many others like them.</p>
11105237	Q7 NWAC 16/02/21	Belclare Drive	To ask the Manager to repair the footpaths on Belclare Drive, they are in a very poor condition.
11104253	Q7 NWAC 19/01/21	19 Barry Drive	To ask the Manager for an update on the pathways repairs at (details supplied).
11104186	Q26 NWAC 19/01/21	Seamus Ennis Road, outside the primary healthcare centre	To ask the Manager to replace the two missing bollards on the Seamus Ennis Road, outside the primary healthcare centre as there are holes in the pavement and cars are driving up on to the pavement making it hazardous for pedestrians and school children
11104180	Q1 NWAC 19/01/21	Wellmount Parade	To ask the Manager to inspect the pathway going through (details supplied) with a view to repair. It is pooling rain water and freezing, making it impossible to walk on.
11103511	Q36 NWAC 15/12/20	Beneavin Road and Glasnevin Avenue	To ask the Manager to arrange for works to be carried out on the footpath at Beneavin Road and Glasnevin Avenue southeast corner (near Advanced Pitstop) as the area is in a poor state.
11103442	Q44 NWACM 15/12/20	"85 DEAN SWIFT ROAD DUBLIN11"	To ask the Manager to arrange repairs to the kerb outside 85 Dean Swift Road and to resurface the verges which are tarmac but are overgrown with moss.

North West Area Committee - Council Questions June 2021  
Road Maintenance Services

Number	Reference	Address	Description
11103197	Q41 NWACM 15/10/20	in front of the Bus Stop at Wftra Hall on Mellows Road	To ask the Manager for the road in front of the Bus Stop at Wftra Hall on Mellows Road to be repaired properly. I have requested this numerous times over the last few years and the problem is only ever tarmacked over which doesn't resolve the issue properly.
11103180	Q31 NWAC 15/12/20	"51 GROVE PARK ROAD DUBLIN11"	To ask the Manager to repair the pavement surface at [details supplied] as the pavement slab has lifted and poses a trip hazard.  Details: 51 Grove Park Road, "To ask the Manager to expedite the repair of the pathway outside (details supplied) . There have been a number of falls at this location.
11103157	Q21 NWAC 15/12/20	1A Sycamore Park	Details: 1A Sycamore Park there have been a number of falls at this location "
11103156	Q20 NWAC 15/12/20	72-74 Plunkett Avenue	To ask the Manager to review the huge tree and pathways outside 72-74 Plunkett Avenue As you enter from one side of the road the road begins as Tolka Estate but halfway down becomes Glasilawn Road , this has caused major confusion for delivery drivers , emergency vehicles etc.
11102797	Q50 NWCC 07/12/20	"Glasilawn Road "	Can 1) Additional signage be put up on a pole to clearly identify where Glasilawn Road begins 2) The residents group be assisted in purchasing a cast iron sign for the entrance to the road 3) The Tolka Estate signs are at both ends of the road with arrows yet these are absent for Glasilawn , can these be reviewed. 4) Can a site visit be arranged to review signage.

North West Area Committee - Council Questions June 2021  
Road Maintenance Services

Number	Reference	Address	Description
11101749	Q35 NWACM 17/11/20	long School Road outside Mother of Divine Grace School.	" To ask the Manager to repair the ramps along School Road outside Mother of Divine Grace School. " "To ask the Manager to repair the broken pavement at [details supplied]
11101745	Q26 NWACM 17/11/20	14/16 Ballygall Avenue.	Details: 14/16 Ballygall Avenue. "
11101355	Q98 CM 021120	old Finglas Road	To ask the Chief Executive to prioritise the resurfacing of the cycleway on the old Finglas Road, it is in a bad state of repair, especially outside Glasnevin Cemetery "To ask the Chief Executive to arrange for the footpath at (details supplied) to be re-instated as it is in a poor state and is an accident waiting to happen via trip hazard.
11101171	Q30 CM 021120	"53 CRANOGUE CLOSE DUBLIN11"	Details: 53 Crannogue Close " "To ask the Chief Executive to arrange for the replacement of red brick ramp adjacent (details supplied) Sandyhill Gardens. The ramp is in a very poor state.
11100162	Q13 NWC 05/10/20	95 Sandyhill Gardens	Details: 95 " To ask the Chief Executive to do a full review of the service provision in Valeview Finglas. The grass is only partially being cut, weeds are widespread, the footpaths are broken, street lighting is badly rusted. Can we put together a programme of works to include weeding, painting, planting, and adequate grass cutting.
11099928	Q21 NWAM 5/10/20	Valeview	
11098968	Q28 NWAC 15/09/20	44 Glasilawn Road	To ask the Manager to repair the badly damaged pathway outside (details supplied). To ask the Chief Executive to arrange for repair of the pavement at (details supplied) which has been on the list for repair for over 5 years.
11098653	Q79 CM 07/09/20	79 Willow Park Road	

North West Area Committee - Council Questions June 2021  
Road Maintenance Services

Number	Reference	Address	Description
11096443	Q41 NWACM 210720	Sycamore Road leading into Sycamore Park	"To ask the Manager to arrange for the inspection of the pathways with a view to repair on (details supplied)  Details: Sycamore Road leading into Sycamore Park " "To ask the Manager to arrange for the repair of the pathway outside (details supplied)
11096442	Q38 NWACM 210720	"39 NORTHWAY ESTATE DUBLIN11"	Details: 39 Northway Estate "  "To ask the Manager to arrange for the permanent repair of the footpath outside (details supplied). A temporary repair was carried out some time ago which is insufficient.
11096441	Q36 NWACM 210720	"11 PLUNKETT CRESCENT DUBLIN11"	Details: 11 Plunkett Crescent " To ask the Manager arrange for the repair of the pathways at (details supplied)
11096440	Q35 NWACM 210720	"13 BENEAVIN DRIVE DUBLIN11"	Details: Beneavin Drive , particularly outside no.13 "To ask the Manager to repair the trench which has been dug to the middle of the road outside (details supplied)
11096439	Q29 NWACM 210720	"1 SYCAMORE PARK DUBLIN11"	Details: 1 Sycamore Park Dublin 11. "

North West Area Committee - Council Questions June 2021  
Road Maintenance Services

Number	Reference	Address	Description
11096438	Q20 NWACM 210720	31 Dunsink Road and across the road at the gate entrance to Farnham Park	To ask the Manager to install footpath dishing at 31 Dunsink Road and across the road at the gate entrance to Farnham Park to enable people with disabilities easier access to the Park.
11096437	Q15 NWACM 210720	St. Margaret's Road (Lidl) roundabout	To ask the Manager for an update on the St. Margaret's Road (Lidl) roundabout upgrade. Can the Manager also report as to works required on the footpaths/grass verges along this stretch of St. Margaret's Road (roundabout to McKelvey ) which has been continuously raised for several years.
11096436	Q12 NWACM 210720	junction of Dunsink Road (near no.19) and Casement Road	To ask the Manager to arrange for footpath dipping for disability access on Dunsink Road at junction of Dunsink Road (near no.19) and Casement Road, alongside the park.
11096435	Q11 NWACM 210720	FAIRLAWN ROAD	To ask the Manager to arrange for the resurfacing of Fairlawn Road which is in a poor condition.
11096434	Q8 NWACM 210720	Poppintree	To ask the Manager while the slabbing is taking place in the courts in Poppintree if we can look at getting the pavements repaired going into the courts. "To ask the Chief Executive to arrange a resurfacing of the car park at (details supplied).
11096187	Q52 06/07/20	Barry Road	Details: The shopping area on Barry Road. "
11100604	Q4 NWAC 20/10/20	Rathvilly Drive	To ask the Manager to arrange for the road surface at 38 Rathvilly Drive to be re-instated. This request has been put in previously and never acted upon.

Date

Text

Status

08/06/2021 11:02

2-Passed to  
Engineer

03/06/2021 17:01

2-Passed to  
Engineer



Date

Text

Status

03/06/2021 07:29

2-Passed to  
Engineer

03/06/2021 07:26

2-Passed to  
Engineer

Date	Text	Status
03/06/2021 07:23		2-Passed to Engineer
03/06/2021 07:20		2-Passed to Engineer
03/06/2021 07:17		2-Passed to Engineer
03/06/2021 07:14		2-Passed to Engineer
03/06/2021 07:10		2-Passed to Engineer
03/06/2021 07:08		2-Passed to Engineer

Date	Text	Status
03/06/2021 07:05		2-Passed to Engineer
03/06/2021 07:01		2-Passed to Engineer
03/06/2021 06:46		2-Passed to Engineer
03/06/2021 06:41		2-Passed to Engineer
03/06/2021 06:38		2-Passed to Engineer
03/06/2021 06:35		2-Passed to Engineer
10/05/2021 11:13		3-Inspection Required

Date	Text	Status
10/05/2021 11:12		3-Inspection Required
06/05/2021 07:01		2-Passed to Engineer
05/05/2021 16:04		2-Passed to Engineer
05/05/2021 15:30		2-Passed to Engineer
10/05/2021 11:26		3-Inspection Required
10/05/2021 11:12	Job 41130498 - 01-Job Raised, Defect Job created via	3-Inspection Required
10/05/2021 13:04	Connector	6-Job Raised
10/05/2021 11:26		3-Inspection Required

Date	Text	Status
10/05/2021 11:11		3-Inspection Required
06/05/2021 11:40		3-Inspection Required
04/05/2021 16:42		2-Passed to Engineer
10/05/2021 11:41		3-Inspection Required
10/05/2021 11:26		3-Inspection Required
29/04/2021 11:48		2-Passed to Engineer

Date	Text	Status
29/04/2021 11:40		2-Passed to Engineer
21/04/2021 09:50		2-Passed to Engineer
05/05/2021 14:58		2-Passed to Engineer
07/04/2021 15:25		2-Passed to Engineer
08/04/2021 16:32		2-Passed to Engineer
07/04/2021 15:15		2-Passed to Engineer
07/04/2021 15:13		2-Passed to Engineer
07/04/2021 15:12		2-Passed to Engineer
07/04/2021 15:10		2-Passed to Engineer

Date	Text	Status
12/04/2021 10:31		2-Passed to Engineer
08/03/2021 10:54		2-Passed to Engineer
04/03/2021 06:57		2-Passed to Engineer
06/05/2021 10:32		3-Inspection Required
07/04/2021 14:48		2-Passed to Engineer

Date

Text

Status

12/04/2021 10:33

2-Passed to  
Engineer

04/03/2021 06:54

2-Passed to  
Engineer

04/03/2021 06:50

2-Passed to  
Engineer



Date	Text	Status
04/03/2021 06:46		2-Passed to Engineer
04/03/2021 06:42		2-Passed to Engineer
04/03/2021 06:22		2-Passed to Engineer
04/03/2021 05:20		2-Passed to Engineer
04/03/2021 05:17		2-Passed to Engineer
27/04/2021 15:34	Job 41129906 - 01-Job Raised, Defect Job created via Connector	6-Job Raised
24/02/2021 10:09	Job 41127503 - 01-Job Raised, Defect Job created via Connector	6-Job Raised

Date	Text	Status
27/04/2021 15:46	Job 41129908 - 01-Job Raised, Defect Job created via Connector	6-Job Raised
25/03/2021 09:59	Job 41128557 - 01-Job Raised, Defect Job created via Connector	6-Job Raised 2-Passed to Engineer
07/01/2021 10:29		
22/03/2021 10:59	Job 41128473 - 01-Job Raised, Defect Job created via Connector	6-Job Raised
16/03/2021 10:11	Steep banks on either side preventing drainage,path sheltered from early morning sun	4-Inspection Completed
15/12/2020 09:26	As per email attached.	2-Passed to Engineer
23/12/2020 08:46		3-Inspection Required

Date	Text	Status
22/12/2020 14:30	Job 41125716 - 01-Job Raised, Defect Job created via Connector	6-Job Raised
22/12/2020 14:31	Job 41125715 - 01-Job Raised, Defect Job created via Connector	6-Job Raised
15/03/2021 10:12	Job 41128114 - 01-Job Raised, Defect Job created via Connector	6-Job Raised
22/12/2020 14:30	Job 41125723 - 01-Job Raised, Defect Job created via Connector	6-Job Raised
10/12/2020 11:44	Erection of signs is subject to Stores' procurement.	2-Passed to Inspector

Date	Text	Status
09/03/2021 11:02	Job 41128070 - 01-Job Raised, Defect Job created via Connector	6-Job Raised
02/03/2021 08:56	Job 41127674 - 01-Job Raised, Defect Job created via Connector	6-Job Raised
25/03/2021 08:59	this should be Finglas Road ( not old Finglas Road). Will you please amend. Thanks	2-Passed to Engineer
18/11/2020 09:44	Will be done in due course ,	6-Job Raised
18/11/2020 09:54	Will be done in due course,	7-Job Passed to Crew
09/02/2021 09:02	Job 41127048 - 01-Job Raised, Defect Job created via Connector	6-Job Raised
29/09/2020 14:45	Job 41122423 - 01-Job Raised, Defect Job created via Connector	6-Job Raised
01/09/2020 15:11	Job 41121547 - 01-Job Raised, Defect Job created via Connector	6-Job Raised

Date	Text	Status
08/07/2020 14:25		2-Passed to Engineer
08/07/2020 14:22		2-Passed to Engineer
08/07/2020 14:20		2-Passed to Engineer
08/07/2020 14:17		2-Passed to Engineer
08/07/2020 14:15		2-Passed to Engineer

Date	Text	Status
08/07/2020 14:11		2-Passed to Engineer
08/07/2020 14:08		2-Passed to Engineer
20/07/2020 11:32		2-Passed to Engineer
08/07/2020 14:02		2-Passed to Engineer
08/07/2020 13:59		2-Passed to Engineer
03/07/2020 16:07	Job 41125717 - 16-Work Completed - Site Clear, 21 may	2-Passed to Engineer
26/05/2021 09:01	21 finished	8-Job Completed