

Council Questions October 2021
Road Maintenance Services

Number	Reference	Address	Description	Date	Text	Status
11115257	Q12 NWACM 19/10/21	MELLOWES PARK (NW)	"To ask the Manager to carry out weeding inside and outside (details supplied); it is very overgrown. Details: Kildonan Park "	14/10/2021 13:07		3-Inspection Required
11114971	Q15 NWAC 19.10.21	CEDARWOOD GROVE (NW)	To ask the Manager to carry out an assessment on the pathways at (details supplied), with a view to repair and for them to be considered in the 2022 works programme. Details: Cedarwood Grove	06/10/2021 15:24		2-Passed to Engineer
11114970	Q14 NWAC 19.10.21	CAPPAGH AVENUE (NW)	Details: Cappagh Avenue	06/10/2021 15:21		2-Passed to Engineer
11114992	Q11 NWACM 19/10/21	DOLMEN COURT (NW)	To ask the Manager to cut all of the bushes around Dolmen Court.	06/10/2021 17:14		3-Inspection Required
11114317	Q8 NWACM 21/09/21	POPPINTREE TERRACE (NW)	To ask the Manager to look at replacing the slabs entering the Poppintree Courts. Great progress has been made inside the Courts but outside also needs to be replaced.	16/09/2021 12:26		2-Passed to Engineer
11114057	Q4 NWACM 21/09/21	SHANGAN ROAD (NW)	To ask the Manager to paint the traffic ramps at the Virgin Mary School as they are totally faded and are blended into the road.	08/09/2021 17:51		2-Passed to Engineer
11114023	Q7 NWACM 21/09/21	BALLYGALL ROAD WEST (NW)	To ask the Manager to repair the footpath at St Canice's Girls School where the Blue School Warden sign is on the path, as there are two big holes which people are tripping over.	10/11/2021 15:16	Inspected, Holes due to bollards being broken and removed. New bollard install to close.	4-Inspection Completed
11114021	Q6 NWACM 21/09/21	PLUNKETT ROAD (NW)	To ask the Manager to repair the footpaths on Plunkett Road, several requests have gone over the years and no improvements have taken place.	08/09/2021 13:31		2-Passed to Engineer
11114019	Q3 NWACM 21/09/21	SHANLISS AVENUE (NW)	To ask the Manager for an update on footpath repair works in Shanliss and Oldtown. "To ask the Manager to arrange for an inspection and repair of the pathway outside (details supplied)	08/09/2021 13:31		2-Passed to Engineer
11114037	Q54 NWACM 21/09/21	OAKWOOD PARK (NW)	Details: 26 Oakwood Park "	08/09/2021 13:53		2-Passed to Engineer
11111812	Q51 NWACM 20/07/21	SYCAMORE PARK (NW)	To ask the Manager to investigate the pathways at (details supplied) with a view to repair.	10/11/2021 15:25		4-Inspection Completed
11111805	Q18 NWACM 20/07/21	BALLYMUN ROAD (NW)	To ask the Manager to repair the footpaths on Ballymun Road particularly around Our Lady of Victories.	03/09/2021 16:15		3-Inspection Required
11111804	Q17 NWACM 20/07/21	POPPINTREE PARK LANE WEST (NW)	To ask the Manager to repair the footpaths on Poppintree Park Lane West.	10/11/2021 15:26		4-Inspection Completed
11114974	Q54 NWAC 19.10.21	WELLMOUNT ROAD (NW)	To ask the Manager for the pothole at 19/21 Wellmount Road to be repaired. Can the Manager say when this road was resurfaced last and if this defect is covered under warranty.	06/10/2021 15:36		2-Passed to Engineer
11114032	Q16 NWACM 21/09/21	RATOATH ROAD (NW)	To ask the Manager to arrange for the footpath to be re-instated on Ratoath Road between the junction of Ratoath Avenue and Cappagh Road. The surface here is very uneven and there are a lot of elderly residents in the locality who use the footpath here.	08/09/2021 13:43		2-Passed to Engineer

**Council Questions October 2021
Road Maintenance Services**

Number	Reference	Address	Description	Date	Text	Status
11114030	Q15 NWACM 21/09/21	BARRACK LANE (NW)	To ask the Manager to arrange for the footpath at Barrack Lane (junction of N2 Finglas Road) to be re-instated as it is in poor condition following works recently leaving a temporary tarmac surface.	10/11/2021 15:05	A site investigation was carried out at this location. There is a temporary patch present where a utility provider had carried out works. There is a patch on the lane way which is in good condition, with another at the footpath on the Finglas road. The second patch has settled locally. RMS will follow up with utility provider to address	4-Inspection Completed
11111797	Q3 NWACM 20/07/21	WESTWOOD ROAD (NW)	To ask the Manager to arrange for an inspection of the ramps on (details supplied). The ones there are in poor condition and local residents have reported the scourge of scramblers and would like to see extra ramps installed to try and deal with this issue.	10/11/2021 15:59	Ramps provisionally included in major works list for 2022	4-Inspection Completed
11111796	Q1 NWACM 20/07/21	ABBOTSTOWN AVENUE (NW)	To ask the Manager to arrange for the ramps on (details supplied) to be upgraded as they are seriously degraded from usage. Can the Manager give a timeframe for completion of works if they are already on a schedule.	10/11/2021 15:58	Ramps provisionally included in major works list for 2022	4-Inspection Completed
11111208	Q46 CM 05/07/21	GLASNEVIN PARK (NW)	To ask the Chief Executive to arrange for a full assessment and repair of the roadway at (details supplied) Details: Glasnevin Park , Dublin 11 "To ask the Manager to investigate the possibility of installing a ramp for wheelchair and buggy users at (details supplied)	10/11/2021 15:02	A site inspection was carried out at this location to review the issues raised. The roads in Glasnevin Park were found to be in generally good to fair condition. However, there are a number of localised defects that do require attention. These have been logged onto Confirm, Road Maintenance Asset Management Database	4-Inspection Completed
11110433	Q50 NWACM 15/06/21	BARRY AVENUE (NW)	Details: Barry Avenue (at St Kevin's School to St Joseph's school/ Barry Road) "	10/11/2021 15:22	Assessment of location suitability underway.	4-Inspection Completed

**Council Questions October 2021
Road Maintenance Services**

Number	Reference	Address	Description	Date	Text	Status
			issues raised in motion 4 at the January 2021 area committee meeting in relation to (details supplied).			
			Details: 1) Additional signage be put up on a pole to clearly identify where Glasilawn Road begins. 2) The residents group be assisted in purchasing a cast iron sign for the entrance to the road. 3) The Tolka Estate signs are at both ends of the road with arrows yet these are absent for Glasilawn , can these be reviewed.			
			Reply			
			Contact: Tel: Email:			
			Report Motion 4 January 2021			
			Road Maintenance Services Division is progressing with a review of signage in place on Glasilawn Road in the vicinity of Tolka Estate, but completion of this review has been delayed due to the Christmas break and annual leave arrangements for staff involved. However, it should be completed in a matter of weeks. A site inspection is an integral part of this process. Any additional or replacement To ask the Manager to arrange for repair of the three potholes at the top of (details supplied)			
11110366	Q48 15/06/21 NWAC	GLASILAWN ROAD (NW)		03/09/2021 12:12	Name plate delivered, to be installed.	Nameplate Ordered
11114996	Q39 NWACM 19/10/21	DRAPIER GREEN (NW)	Details: Drapier Green, near no. 2/3 Drapier Green. To ask the Manager to repair the road surface at the junction of Virginia Park and Drive as the surrounding tarmac has ravelled to a severe extent.	06/10/2021 17:19		3-Inspection Required
11114994	Q38 NWACM 19/10/21	VIRGINIA PARK (NW)	To ask the Manager can the pavements on Oakwood Avenue be inspected with a view to next year's works programme.	06/10/2021 17:18		3-Inspection Required
11114993	Q31 NWACM 19/10/21	OAKWOOD AVENUE (NW)		06/10/2021 17:16		3-Inspection Required
11114972	Q30 NWAC 19.10.21	WELLMOUNT DRIVE (NW)	To ask the Manager can the pavements on Wellmount Drive be inspected with a view to next year's works programme To ask the Manager to inspect and repair the pavement at (details supplied) as the tarmac surface has ravelled and is uneven.	06/10/2021 15:28		2-Passed to Engineer
11114036	Q34 NWACM 21/09/21	GLASILAWN ROAD (NW)	Details: 1-4 Glasilawn Avenue, Dublin 11 To ask the Manager to repair the pothole in the road surface at (details supplied) as it is quite deep and a danger to vehicles and pedestrians.	08/09/2021 13:49		2-Passed to Engineer
11114035	Q33 NWACM 21/09/21	DRAPIER GREEN (NW)	Details: 3-4 Drapier Green, Dublin 11	10/11/2021 14:43	INspection Completed. Drapier Green added to provisional list for future major works. Localised defect logged.	4-Inspection Completed

**Council Questions October 2021
Road Maintenance Services**

Number	Reference	Address	Description	Date	Text	Status
11111810	Q34 NWACM 20/07/21	TOLKA ESTATE (NW)	To ask the Manager to replace the dip in the footpath at the southern edge of (details supplied) on the green. The footpaths were recently resurfaced but the dip is too high and local residents in wheelchairs and mobility units have difficulty accessing the green via the pavement.	09/11/2021 16:07	Contractor assigned to repair	7-Job Passed to Crew
11111794	Q29 NWACM 20/07/21	BENEAVIN PARK (NW)	To ask the Manager to repair the road surface in (details supplied), as it is very badly cracked and a cyclist recently came off their bike due to the poor condition.	25/08/2021 13:12		4-Inspection Completed
11110363	Q32 15/06/21 NWAC	DRAPIER GREEN (NW)	Details: 2 Drapier Green, Dublin 11 To ask the Manager to repair the footpaths on (details supplied) as they are in poor condition in several locations.	10/11/2021 14:37	Job Number 41090950 Completed	8-Job Completed
11110360	Q26 15/06/21 NWAC	TERMON COURT (NW)	Details: Termon Court, Dublin 11 "To ask the Chief Executive if he will make a comment on staffing levels in Roads Maintenance and backlog of issues (details supplied).	10/11/2021 14:19		4-Inspection Completed
11111296	Q82 CM 05/07/21	SAINT PAPPIN ROAD (NW)	Details: Footpath at 10 St. Pappins Road was reported on April 10th where an elderly man tripped and hurt his face. The query was raised again recently (June 17th) and we were told it has not been inspected yet. "	10/11/2021 15:36		4-Inspection Completed
11110358	Q15 15/06/21 NWAC	CROMLECH COURT (NW)	"To ask the Manager to arrange for the resurfacing of the (former) laneway area at (details supplied 1). Could the Manager also provide an updated timeframe for the new paving to be installed in (details supplied 2) Details: (1) Cromlech Court between no 42 and 21. (2) Cromlech Court no 13-24 and 37-48. "	10/11/2021 14:14	Inspection carried out. Minor repairs logged for attention. Road added for potential inclusion on major works program.	4-Inspection Completed
11110354	Q2 15/06/21 NWAC	BALBUTCHER DRIVE (NW)	"To ask the Manager to repair the potholes on Balbutcher Drive. "	09/11/2021 16:05	Balbutcher Drive included on provisional list form 2022 Program of works	4-Inspection Completed
11109147	Q49 NWACM 18/05/21	WILLOW PARK ROAD (NW)	To ask the Manager repair the footpath at (details supplied) Details: 71 Willow Park Road, Dublin 11.	25/08/2021 15:49		4-Inspection Completed
11115340	Q24 NWACM 19/10/21	BALBUTCHER LANE (NW)	To ask the Manager can a path be built across from the new Aspen accommodation on Balbutcher Lane. This was an old entrance into the shopping centre but now that the shopping centre car park is gone and grass in its place, this section has no pedestrian path and is therefore seen as a car park space and cars park here. This means pedestrians cannot get past and have to walk out onto oncoming traffic. Can a new path for this section be urgently put in place.	18/10/2021 12:42		3-Inspection Required
11113544	Q90 NWCM 06/09/21	FINGLAS ROAD (NW)	To ask the Chief Executive can the leaking pipe around the steps at the bottom of the Hill in Finglas please be urgently repaired and the steps made safe.	26/08/2021 10:40		3-Inspection Required

**Council Questions October 2021
Road Maintenance Services**

Number	Reference	Address	Description	Date	Text	Status
			To ask the Manager to carry out a full assessment of the pathways at (details supplied)			
11109142	Q22 NWACM 18/05/21	PINEWOOD AVENUE (NW)	Details: Pinewood, Glasnevin. A number of pathways in this area are in a bad state of disrepair. Can a list of areas within Pinewood to be repaired please be provided.	10/11/2021 15:51		7-Job Passed to Crew
11109141	Q10 NWACM 18/05/21	BELCLARE PARK (NW)	To ask the Manager to arrange for the footpath adjacent to Belclare Park which leads up to Poppintree Park to be edged properly.	10/11/2021 15:49	Defects added to confirm. PAtH to be added to provisional list of major works.	4-Inspection Completed
11109140	Q7 NWACM 18/05/21	BELCLARE CRESCENT (NW)	To ask the Manager to repair the ramps on Belclare Crescent, both are in very poor condition. They are the old red ramps and are crumbling.	10/05/2021 13:04	Job 41130498 - 01-Job Raised, Defect Job created via Connector	6-Job Raised
11109139	Q4 NWACM 18/05/21	COULTRY AVENUE (NW)	To ask the Manager to replace the trees and footpaths on Coultury Avenue in consultation with residents. The trees are causing huge issues and going under people's homes as well as cracking all the footpaths.	10/11/2021 16:01	INspection completed & items logged.	2-Passed to Inspector
11109138	Q2 NWACM 18/05/21	KIPPURE PARK (NW)	To ask the Manager to repair the footpaths in Kippure Park, there are holes in parts of them which will cause a serious accident.	10/11/2021 15:47		2-Passed to Inspector
			"To ask the Chief Executive to arrange for an inspection of the surface of the car park at (details supplied) with a view to resurfacing and repair.			
11109099	Q88 CM 10/05/21	BARRY ROAD (NW)	Details: The Car Park on Barry Road/Avenue at the shops. A number of potholes are present which need repair. "	03/09/2021 13:15		2-Passed to Inspector
			"To ask the Chief Executive to repair the road surface at (details supplied) as there is a large pothole which is impeding the resident's access to their driveway.			
11108945	Q120 CM 10/05/21	BALLYGALL AVENUE (NW)	Details: 14 Ballygall Avenue Dublin 11 "	03/09/2021 15:01	Defect number: 31062758	2-Passed to Inspector
			"To ask the Chief Executive to arrange for an inspection of the surface of the car park at (details supplied) with a view to resurfacing and repair.			
11108942	Q88 CM 10/05/21	BARRY ROAD (NW)	Details: The Car Park on Barry Road/Avenue at the shops. A number of potholes are present which need repair. "	03/09/2021 14:48		2-Passed to Inspector
11114038	Q24 NWACM 21/09/21	COULTRY AVENUE (NW)	To ask the Manager to improve the caretaking of the Coultury and Woodhazel areas in terms of clearing litter, cleaning paths of dog poo, clearing litter before grass cutting, fixing damage to footpaths caused by trees which are now trip hazards and pruning trees that are blocking light such as between 20-37 Coultury Avenue.	08/09/2021 13:59		2-Passed to Engineer
11107932	Q34 NWAC 20/04/21	SYCAMORE ROAD (NW)	To ask the Manager to repair the drainage problems at (details supplied) when the pavement was resurfaced recently it caused pooling of water at the front gate as the water does not have anywhere to drain.	10/11/2021 15:45	INspection carried out. Unable to see issue. Will return after heavy rainfall to see if ponding evident.	4-Inspection Completed
11107869	Q23 NWACM 20/04/21	DEAN SWIFT ROAD (NW)	"To ask the Manager to arrange a survey of the condition of the road at (details supplied) Details: Dean Swift Road "	03/09/2021 15:42		4-Inspection Completed

**Council Questions October 2021
Road Maintenance Services**

Number	Reference	Address	Description	Date	Text	Status
11106640	Q21 NWAC 16/03/21	CASEMENT ROAD (NW)	<p>"To ask the Manager for a review of the signage at (details supplied); if a site visit can be arranged; and if the residents can be assisted with perhaps purchasing improved signage.</p> <p>Details: Casement Road Lower</p> <p>"</p> <p>To ask the Manager to repair a pothole and other damage to the road at (details supplied).</p>	10/11/2021 08:59		3-Inspection Required
11106479	Q48 NWAC 16/03/21	GROVE ROAD (NW)	<p>Details: Grove Road, about 5 meters from the junction with Sycamore Road.</p> <p>"To ask the Manager to arrange for the footpath to be repaired at (details supplied). This has been reported several times after elderly residents locally tripping on said damage.</p>	09/11/2021 16:59		3-Inspection Required
11106478	Q39 NWAC 16/03/21	CRANOQUE TERRACE (NW)	<p>Details: 13 Crannogue Terrace</p> <p>"</p> <p>To ask the Manager to urgently repair paths in the Willow Park and Pinewood areas. This area has a high number of people who are of risk of tripping/falling due to the different levels of the paths</p>	09/11/2021 17:25	Job 41128613 - 01-Job Raised, Defect Job created via Connector	6-Job Raised
11106476	Q32 NWAC 16/03/21	WILLOW PARK ROAD (NW)	<p>"To ask the Manager to reinstall the ramp at (details supplied) which wasn't put back in during recent re pavement works.</p>	09/11/2021 17:00		2-Passed to Engineer
11106475	Q23 NWAC 16/03/21	KILDONAN ROAD (NW)	<p>Details: Kildonan Road</p> <p>"</p>	09/11/2021 17:22	Check snags near Barry Road and contact contractor	2-Passed to Engineer
11106473	Q6 NCAC 16/03/21	BALBUTCHER DRIVE (NW)	<p>To ask the Manager to repair the pot holes on Shanowen Road onto Shanliss and outside 3 Balbutcher Drive</p> <p>To ask the Manager to repair the pothole at the entrance of Ard Na Meala, there is also a steel pole sticking up from the ground where the old bus stop was on Ballymun Road beside Ard na Meala</p>	09/11/2021 17:05	Job 41135627 - 01-Job Raised, Defect Job created via Connector	6-Job Raised
11106472	Q2 NWAC 16/03/21	ARD NA MEALA (NW)	<p>"To ask the Manager to arrange for the inspection of the pathways on (details supplied) with a view to carrying out badly needed repairs.</p>	09/11/2021 17:15		3-Inspection Required
11106471	Q22 NWAC 16/03/21	MCKEE ROAD (NW)	<p>Details: McKee Road</p> <p>"</p> <p>To ask the Manager for an update on the realignment of the ramp at the entrance to Mellows Park on Casement Road. Wheelchair users can no longer access the ramp due to its height.</p>	10/11/2021 10:32	Consider for major works program and inspect for localised repairs	2-Passed to Inspector
11105245	Q33 NWAC 16/02/21	CASEMENT ROAD (NW)	<p>"To ask the Manager to arrange for the potholes on Wellmount Road adjacent to the FAST building to be repaired and for the road to be included on future works plans for re-instatement.</p>	27/04/2021 15:34	Job 41129906 - 01-Job Raised, Defect Job created via Connector	6-Job Raised
11105242	Q14 NWAC 16/02/21	WELLMOUNT ROAD (NW)	<p>"</p>	24/02/2021 10:09	Job 41127503 - 01-Job Raised, Defect Job created via Connector	6-Job Raised

**Council Questions October 2021
Road Maintenance Services**

Number	Reference	Address	Description	Date	Text	Status
11105241	Q45 NWAC 16/02/21	KILDONAN ROAD (NW)	<p>To ask the Manager if steps can be taken to address the poor condition of the footpath (details supplied) in Dublin 11.</p> <p>Details: The condition of the footpath 46-104 Kildonan Road, Finglas West (beside Park), is in a deplorable condition and needs to be replaced immediately. Last year the council partially replaced the footpath beside the houses; why did the council not replace the footpaths entirely here when places e.g. like Sycamore Road in Finglas East have gave both sides of the road completely refurbished; e.g. the residents of 88 Kildonan Road are aged 86 and 92 and find it hard to walk to and from the house, and there are many others like them.</p>	27/04/2021 15:46	Job 41129908 - 01-Job Raised, Defect Job created via Connector	6-Job Raised
11105237	Q7 NWAC 16/02/21	BELCLARE DRIVE (NW)	To ask the Manager to repair the footpaths on Belclare Drive, they are in a very poor condition.	25/03/2021 09:59	Job 41128557 - 01-Job Raised, Defect Job created via Connector	6-Job Raised
11104253	Q7 NWAC 19/01/21	BARRY DRIVE (NW)	To ask the Manager for an update on the pathways repairs at (details supplied).	10/11/2021 09:02	Job 41119400 - 01-Job Raised, Defect Job created via Connector	6-Job Raised
11104180	Q1 NWAC 19/01/21	WELLMOUNT PARADE (NW)	To ask the Manager to inspect the pathway going through (details supplied) with a view to repair. It is pooling rain water and freezing, making it impossible to walk on.	16/03/2021 10:11	Steep banks on either side preventing drainage,path sheltered from early morning sun	4-Inspection Completed
11103511	Q36 NWAC 15/12/20	BENEAVIN ROAD (NW)	To ask the Manager to arrange for works to be carried out on the footpath at Beneavin Road and Glasnevin Avenue southeast corner (near Advanced Pitstop) as the area is in a poor state.	15/12/2020 09:26	As per email attached.	2-Passed to Engineer
11103442	Q44 NWACM 15/12/20	DEAN SWIFT ROAD (NW)	To ask the Manager to arrange repairs to the kerb outside 85 Dean Swift Road and to resurface the verges which are tarmac but are overgrown with moss.	30/06/2021 09:38	Will be added to works list and done in due course	6-Job Raised
11103197	Q41 NWACM 15/10/20	MELLOWES ROAD (NW)	To ask the Manager for the road in front of the Bus Stop at Wftra Hall on Mellows Road to be repaired properly. I have requested this numerous times over the last few years and the problem is only ever tarmacked over which doesn't resolve the issue properly.	22/12/2020 14:30	Job 41125716 - 01-Job Raised, Defect Job created via Connector	6-Job Raised
11103180	Q31 NWAC 15/12/20	GROVE PARK ROAD (NW)	To ask the Manager to repair the pavement surface at [details supplied] as the pavement slab has lifted and poses a trip hazard.	22/12/2020 14:31	Job 41125715 - 01-Job Raised, Defect Job created via Connector	6-Job Raised
11103157	Q21 NWAC 15/12/20	SYCAMORE PARK (NW)	<p>Details: 51 Grove Park Road, "To ask the Manager to expedite the repair of the pathway outside (details supplied) . There have been a number of falls at this location.</p> <p>Details: 1A Sycamore Park there have been a number of falls at this location "</p>	15/03/2021 10:12	Job 41128114 - 01-Job Raised, Defect Job created via Connector	6-Job Raised
11103156	Q20 NWAC 15/12/20	PLUNKETT AVENUE (NW)	To ask the Manager to review the huge tree and pathways outside 72-74 Plunkett Avenue	22/12/2020 14:30	Job 41125723 - 01-Job Raised, Defect Job created via Connector	6-Job Raised

**Council Questions October 2021
Road Maintenance Services**

Number	Reference	Address	Description	Date	Text	Status
11101749	Q35 NWACM 17/11/20	FERNDALE AVENUE (NW)	" To ask the Manager to repair the ramps along School Road outside Mother of Divine Grace School. "	09/03/2021 11:02	Job 41128070 - 01-Job Raised, Defect Job created via Connector	6-Job Raised
11115196	Q35 NWAC 19/10/21	CLUNE ROAD (NW)	Details: Clune Road, Dublin 11 "To ask the Manager to repair the broken pavement at [details supplied]"	12/10/2021 16:19		3-Inspection Required
11101745	Q26 NWACM 17/11/20	BALLYGALL AVENUE (NW)	Details: 14/16 Ballygall Avenue. " "To ask the Chief Executive to arrange for the footpath at (details supplied) to be re-instated as it is in a poor state and is an accident waiting to happen via trip hazard.	02/03/2021 08:56	Job 41127674 - 01-Job Raised, Defect Job created via Connector	6-Job Raised
11101171	Q30 CM 021120	CRANOGUE CLOSE (NW)	Details: 53 Crannogue Close "	18/11/2020 09:44	Will be done in due course ,	6-Job Raised