

North West Area Committee- Council Questions Report October 2022

Road Maintenance Services

Number	Reference	Address	Description	Date	Text	Status
11127328	Q52 NWAC 18.10.22	Sycamore Park, from no. 2-12 on both sides of the road.	To ask the Manager to inspect the pavements on (details supplied) Details: Sycamore Park, from no. 2-12 on both sides of the road	06/10/2022 02:36	Added to 2022 Contracts - Potential Additional Works	4-Inspection Completed
11127327	Q45 NWAC 18.10.22	Clonmel Road	"To ask the Manager to inspect the carriageway at (details supplied) with a view to being added to next year's work programme. Details: Clonmel Road "	05/10/2022 15:19		1-Request Received
11127325	Q43 NWAC 18.10.22	Glasnevin Park	"To ask the Manager to inspect the carriageway at (details supplied) with a view to being added to next year's work programme. Details: Glasnevin Park "	05/10/2022 15:17		2-Passed to Engineer
11127324	Q37 NWAC 18.10.22	38 Clune Roa	To ask the Manager to arrange for the inspection of the footpaths at (details supplied) with a view to repair. Details: 38 Clune Road, Finglas East	06/10/2022 02:37		3-Inspection Required
11127323	Q25 NWAC 18.10.22	Scribblestown Green	To ask the Manager to arrange for an inspection to the road surface at Scribblestown Green and for any works necessary in bringing it up to standard to be seen to as soon as possible. Can the entire estate be inspected and any potholes noted for attention also.	06/10/2022 02:35	Scribblestown is not in charge to DCC	Resolved - No Further Action
11127322	Q23 NWAC 18.10.22	130 Cedarwood Road,	To ask the Manager to fill in the very dangerous hole left after the removal of a tree at [details supplied] as this was originally requested in January and no action has been taken. Details: Outside 130 Cedarwood Road, Finglas East. The residents car is often parked over the hole for safety reasons and they can be contacted at 086-3659960 to arrange moving the car if/when necessary (see photo).	06/10/2022 02:38	Referred to Parks	Referred to Utility/other Dept
11127321	Q22 NWAC 18.10.22	Hillcrest Park estate	To ask the Manager to arrange for the path around the green open space in the Hillcrest Park estate to be repaired due to a number of defects identified by residents and the Area Engineer.	05/10/2022 15:04		2-Passed to Engineer
11127320	Q20 NWAC 18.10.22	outside the old cinema in Finglas.	To ask the Manager to repair the roadway at the bus stop outside the old cinema in Finglas.	06/10/2022 02:36	Added to 2022 Asphalt Contract	6-Job Raised
11127319	Q19 NWAC 18.10.22	1 Oakwood Avenue	To ask the Manager to give a report on the water leak at [details supplied] as there has been a constant leak there for at least a year and although the path and road have been dug up and reinstated four times, the leak is still as bad as ever. Details: Outside 1 Oakwood Avenue, Finglas, Dublin 11.	06/10/2022 02:34	IMU/Irish Water	Referred to Utility/other Dept
11127318	Q8 NWAC 18.10.22	at Shangan Shops.	To ask the Manager when the works will commence on the footpaths at Shangan Shops. There has been a lot of accidents in this area due to the condition of the footpaths.	06/10/2022 07:31		2-Passed to Engineer
11126436	Q43 NWAC 20.09.22	Westwood Road	To ask the Manager to repair or replace the speed bump at the entrance to Westwood Road, Finglas, as it is in very poor condition.	04/10/2022 14:41		6-Job Raised

North West Area Committee- Council Questions Report October 2022

Road Maintenance Services

Number	Reference	Address	Description	Date	Text	Status
11126937	Q97 NWAC 03.10.22	The pathway around the green on Hillcrest Park, Glasnevin	To ask the Chief Executive if he will inspect the pathway around the green at (details supplied) with a view to adding it to the works programme for 2023. Details: The pathway around the green on Hillcrest Park, Glasnevin	04/10/2022 14:35	An inspection will be carried out at this location with a view for potential inclusion on the 2023 programme of works. If we are unable to include this location, any localised defects will be added to our asset management system and addressed by DCC Crews on a priority basis.	4-Inspection Completed
11126935	Q98 NWAC 03.10.22	Glasnevin Avenue	"To ask the Chief Executive if he will arrange for the repair of the brick work at the roundabout on (details supplied). Details: Glasnevin Avenue "	04/10/2022 14:33	The main roundabout on Glasnevin Ave does not have a Brick surround – there is a concrete kerb which has been damaged, unless another location can be specified. Glasnevin Ave is a busy impact level 3 road, which carries certain restrictions to working hours to minimise traffic disruption. To reinstate the kerb would require lane closures among other traffic restrictions. The damage to the concrete kerb surrounds does not currently pose a hazard and is primarily an aesthetic issue. As such this is currently a low priority concern for RMS. It has been logged for repair and will be addressed in due course.	4-Inspection Completed
11126435	Q31 NWAC 20.09.22	26 Oakwood Park	"To ask the Manager to arrange for the repair of the footpath at (details supplied). Details: 26 Oakwood Park "	04/10/2022 14:35		4-Inspection Completed
11126434	Q30 NWAC 20.09.22	Westwood Road, Finglas South	To ask the Manager to arrange for the repair of the ramp at (details supplied). There is a badly damaged ramp as you enter. Details: Westwood Road, Finglas South, Dublin 11.	04/10/2022 14:36		6-Job Raised
11126433	Q17 NWAC 20.09.22	Clancy Avenue	To ask the Manager to repair the road entering the cul-de-sac on Clancy Avenue, the road is badly broken beside the planter.	04/10/2022 14:44	An inspection has been carried out at this location and a defect logged onto our asset management system for repair.	4-Inspection Completed
11126432	Q15 NWAC 20.09.22	Sallowood View	To ask the Manager to repair the potholes at Sallowood View, previously reported.	07/09/2022 11:25		2-Passed to Engineer

North West Area Committee- Council Questions Report October 2022

Road Maintenance Services

Number	Reference	Address	Description	Date	Text	Status
11126431	Q19 NWCM 20.09.22	34 Druid Court	To ask the Manager can the gap between the slabs outside (details supplied) be filled in properly. This needs to be fixed urgently, there are people with mobility issues living near this area and it has already caused a fall.	04/10/2022 14:36	Not for RMS - Housing issue.	Referred to Utility/other Dept
11126424	Q14 NWAC 20/09/22	Oakwood Road	To ask the Manager to investigate the footpaths on Oakwood Road as they are in a very poor condition and to give a timeline for repairs.	04/10/2022 14:27	A preliminary review was recently carried out on Oakwood Road. Consideration is being given to include Oakwood Road on an additional minor works contract. This is subject to the provision of additional funding and finalisation of a list of candidate locations. If this Road is not included, localised defects have been also logged for repair by DCC Direct labour crews.	4-Inspection Completed
11126423	Q52 NWAC 20/09/22	76 Hillcrest Park	To ask the Manager to provide an update on the repair of the footpath at 76 Hillcrest Park, enquiry ref 2841220.	04/10/2022 14:31	A job has been raised for this defect and is awaiting assignment to a crew. Due to the current backlog in repairs, it is not possible to confirm an exact time to completion.	4-Inspection Completed
11126934	Q72 NWAC 03.10.22	Tolka Valley Road	"To ask the Chief Executive to arrange for the footpaths on Tolka Valley Road to be properly maintained. The grass along the edge is creeping across the footpath for a lot of parts." "	04/10/2022 14:34		Referred to Utility/other Dept
11126422	Q3 NWAC 20/09/22	Glasanaon Road	To ask the Manager to arrange for the footpath on Glasanaon Road from Johnstown Park Playground to Fitzmaurice Road shops to be resurfaced. This part of the road has a lot of footfall and is in a poor condition.	04/10/2022 14:26	An inspection has been carried out at this location. The footpath was found to be in a reasonable condition for large stretches. There were a number of localised defects encountered, these have been logged onto our asset management system for repair.	4-Inspection Completed
11126421	Q7 NWAC 20/09/22	66 McKee Road	To ask the Manager to arrange for the footpath at (details supplied) be repaired. It is in a very bad state of disrepair. There are a lot of elderly people who use this area and it has the potential as a trip hazard.	04/10/2022 14:30	" An inspection has been carried out at this location and a defect logged onto our asset management system for repair. "	4-Inspection Completed
11126420	Q4 NWAC 20/09/22	17 Casement Grove	To ask the Manager to arrange for the footpath at (details supplied) to be repaired as it is badly broken up and had caused several trips.	04/10/2022 14:26	An inspection has been carried out at this location and a defect logged onto our asset management system for repair.	4-Inspection Completed

North West Area Committee- Council Questions Report October 2022

Road Maintenance Services

Number	Reference	Address	Description	Date	Text	Status
11126054	Q126 NWAC 05.09.22	Ratoath Road Dublin 11 between Dunsink Lane and Scribblestown	To ask the Chief Executive to inspect and repair the road surface on Ratoath Road Dublin 11 between Dunsink Lane and Scribblestown as it is in poor condition.	25/08/2022 12:08		2-Passed to Engineer
11126053	Q127 NWAC 05.09.22	Glasilawn Road, Dublin 11	To ask the Chief Executive Can the manager inspect the pavements (details supplied) Details: Glasilawn Road, Dublin 11 with a view to potential inclusion in next year's work programme.	04/10/2022 14:41	An inspection will be carried out at this location with a view to including the road on future works programs. Please note that there are number of competing locations and efforts are made to include the most high priority streets & roads. If an area is not included on the future works program, any defects noted during the inspection will be assigned to DCC crews for repair.	3-Inspection Required
11125779	Q37 NWAC 05/09/22	801 Ratoath ?Road	"To ask the Chief Executive to arrange for the concrete landing (details supplied) to be re-surfaced. The surface is very uneven and dangerous in poor weather conditions. "	17/08/2022 13:54		3-Inspection Required
11125609	Q18 NWAC 05.09.22	Mellows Road and parts of Mellows Avenue.	"To ask the Chief Executive for an update on the roads maintenance works programme for 2022 and can he say whether there will be any resources available to finish works to footpaths at top of (details supplied) Details: Mellows Road and parts of Mellows Avenue. "	12/09/2022 12:18	" Additional funding has been sourced to allow works to continue in Mellows Avenue and Mellows Road. Works are due to commence here in the coming weeks. "	Enquiry Resolved
11125557	Q16 NWAC 05.09.22	Farnham Drive between no's 1 and 19	"To ask the Chief Executive to arrange for the footpaths on (details supplied) to be resurfaced. This was requested many times over the years and yet the opposite side was done recently. Details: Farnham Drive between no's 1 and 19 "	12/09/2022 12:17	The footpaths between No 1 & 19 were reviewed prior to the footpath works across the road commencing. Whilst they are aged and have begun to degrade, they were not in a similar condition to the opposite footpaths to justify replacement. They can be reviewed again as part of the 2023 works programme to see of inclusion is warranted. If they are not included on future works programmes, localised defects will be logged for repair by DCC crews.	Enquiry Resolved

North West Area Committee- Council Questions Report October 2022

Road Maintenance Services

Number	Reference	Address	Description	Date	Text	Status
11124815	Q46 NWAC 19.07.22	Prospect Hill	"To ask the Manager can a bin be put near the Bus stop near Prospect Hill and to create a path at this bus stop. "	22/07/2022 14:40		3-Inspection Required
11124537	Q48 NWAC 19.07.22	behind Hillcrest Estate	To ask the Manager can the containers behind Hillcrest Estate be moved. As it is a safety risk to people walking, it's also a litter hotspot and very noisy in the mornings with trucks coming and going.	12/09/2022 12:08	Container moved	Enquiry Resolved
11124534	Q41 NWAC 19.07.22	50 Kildonan Road, Finglas	To ask the Manager to arrange for an inspection of the pathway outside (details supplied). This location was repaired last year but the pathway appears to be rising again due to the tree. Details: 50 Kildonan Road, Finglas West.	12/09/2022 11:42	Job 41152489 - 01-Job Raised, Defect Job created via Connector	6-Job Raised
11124532	Q39 NWAC 19.07.22	Gortmore Ave between No's 28 & 29. 16, Gortmore Drive 13, Carrigallen Road All of the above have been reported previously. I reported 16, Gortmore Drive.	To ask the Manager to arrange for the inspection of the pathways below and roadways in Lakeglen estate, Finglas South with a view to repair and consideration for the works programme. Footpath issues trip hazards & broken footpaths: Gortmore Ave between No's 28 & 29. 16, Gortmore Drive 13, Carrigallen Road All of the above have been reported previously. I reported 16, Gortmore Drive. Potholes: 1, Gortmore Road & 10, Gortmore Road. 14, Gortmore Avenue 29, Gortmore Drive 30, Gortmore Drive	12/09/2022 11:46	Job 41152495 - 01-Job Raised, Defect Job created via Connector	6-Job Raised

North West Area Committee- Council Questions Report October 2022

Road Maintenance Services

Number	Reference	Address	Description	Date	Text	Status
11124513	Q43 NWAC 19.07.22	Glasilawn Road /Tolka Estate	<p>to question 70 of the Dublin City Council monthly meeting in November 2021 in relation to signage on Glasilawn Road, see below for reference:</p> <p>Question to the Chief Executive Council Meeting 1st November 2021</p> <p>Q.70 COUNCILLOR KEITH CONNOLLY E&T To ask the Chief Executive following on from question 50 on the 7th of December 2020 to provide an update on the following: There has been no progress on the issue of Signage on (details supplied 1), despite first being reported 10 months ago. There has been no progress on changing the signage/additional signage on (details supplied 2) as promised, when will this be put in place? 1.Can the manager assist with the purchasing of a cast iron sign in conjunction with the environmental group. 2.Can a site visit be arranged to review the signage on the road. Details 1: Glasilawn Road /Tolka Estate Details 2: Glasilawn Road</p> <p>CHIEF EXECUTIVE'S REPLY: There has been a general delay in purchasing new and replacement street name plates for a number of reasons. A backlog was created during the Covid restrictions. Furthermore, the specialist producer that manufactured these names plates very sadly passed away during the summer, may he rest in peace. Consequently the company has undergone a restructuring process and they are now in the process of working through the back log. Please further</p>	12/09/2022 11:51		8-Job Completed
11124512	Q41 NWAC 19.07.22	50 Kildonan Road, Finglas West.	<p>To ask the Manager to arrange for an inspection of the pathway outside (details supplied). This location was repaired last year but the pathway appears to be rising again due to the tree.</p> <p>Details: 50 Kildonan Road, Finglas West.</p>	12/09/2022 11:34	Job 41152489 - 01-Job Raised, Defect Job created via Connector	6-Job Raised
11124511	Q37 NWAC 19.07.22	4, 6 and 8 Cardiffsbridge Avenue, Finglas.	<p>To ask the Manager to arrange for an inspection of the pathways at (details supplied) with a view to repair.</p> <p>Details: 4, 6 and 8 Cardiffsbridge Avenue, Finglas.</p>	12/09/2022 11:51	Job 41152492 - 01-Job Raised, Defect Job created via Connector	6-Job Raised
11124508	Q35 NWAC 19.07.22	Maolbuille Road (from no 18 upwards)	<p>"To ask the Manager to arrange for an inspection of the pathways at (details supplied) with a view to repair.</p> <p>Details: Maolbuille Road (from no 18 upwards) "</p>	12/09/2022 11:47	Job 41152411 - 01-Job Raised, Defect Job created via Connector	6-Job Raised
11124507	Q16 NWAC 19.07.22	Belclare Crescent	<p>To ask the Manager to repair the ramps on Belclare Crescent which were scheduled several years ago.</p>	12/09/2022 12:04	Job 41156209 - 01-Job Raised, Defect Job created via Connector	6-Job Raised

North West Area Committee- Council Questions Report October 2022

Road Maintenance Services

Number	Reference	Address	Description	Date	Text	Status
11124506	Q5 NWAC 19.07.22	16 Gortmore Drive	"To ask the Manager to arrange for the footpath at (details supplied) to be re-instated as it is badly broken. Details: 16 Gortmore Drive "	12/09/2022 12:07	Job 41152495 - 01-Job Raised, Defect Job created via Connector	6-Job Raised
11124504	Q1 NWAC 19.07.22	40 Cedarwood Grove	"To ask the Manager to arrange for work to the footpath outside (details supplied) where the resident has reported cracks and an uneven surface. Details: 40 Cedarwood Grove "	12/09/2022 11:37	Job 41152487 - 01-Job Raised, Defect Job created via Connector	6-Job Raised
11123768	Q33 NWAC 04/07/22	Shangan Shops	To ask the Chief Executive for an update on the repairs works on the footpaths outside Shangan shops following on from some very serious accidents.	12/09/2022 12:06	Coordination ongoing with Plaza redevelopment works.	4-Inspection Completed
11123707	Q23 NWAC 04.07.22	Finglas Road cycle path, from St. Philomena's Road to Ballyboggan Road	To ask the Chief Executive if he is aware of the uneven and unsafe surface of the Finglas Road cycle path, from St. Philomena's Road to Ballyboggan Road that is forcing cyclists onto pedestrian space? Will the Manager advise when the surface will be renewed and replaced?	28/06/2022 07:55	Looged twice on Confirm.	Enquiry Resolved
11123394	Q2 NWAC 21/06/22	Baile Na Laochra	To ask the Manager to arrange for name signs to indicate the estate Baile Na Laochra's location. There's 2 entrances off Balbutcher Lane but no signs to say Baile Na Laochra.	04/10/2022 14:42	"The roads and footpaths for Baile Na Laochra have not been taken in charge so there is not currently a location where RMS could erect a sign. The developer must also comply with relevant planning conditions regarding the naming of the development.	Resolved - No Further Action
11123268	Q24 NCAC 20/06/22	Northern end of Santry Road	To ask the manager to provide a timeline for the resurfacing of the remaining carriageway along the northern end of the main Santry Road and to indicate all communications to utility companies to ensure the future new carriageway will not be dug up unnecessarily following being lain."	17/06/2022 14:44	Already replied to councillor	Enquiry Resolved
11124530	Q30 NWAC 19.07.22	Sycamore Park	To ask the Manager to repair the potholes on Sycamore Park, close to the junction with Sycamore Road in Finglas East.	12/09/2022 11:49	Job 41152486 - Job Closed, Work Crew	Enquiry Resolved
11123076	Q85 NWAC 13/06/22	Dunsink Lane onto Ratoath Road	To ask the Chief Executive to improve the safety for vehicles turning from Dunsink Lane onto Ratoath Road by removing overgrown foliage blocking the view for drivers at this dangerous junction on a bend, install road signage which alerts drivers to the possibility of traffic coming from Dunsink Lane onto Ratoath Road, and any other measure found suitable.	04/10/2022 14:30		Referred to Utility/other Dept
11123075	Q110 NWAC 13/06/22	184 Mellowes Road	"To ask the Chief Executive if a full inspection of the footpath and the tree outside CRES (details supplied) will be carried out. "	12/09/2022 12:03		4-Inspection Completed

North West Area Committee- Council Questions Report October 2022

Road Maintenance Services

Number	Reference	Address	Description	Date	Text	Status
11123074	Q117 NWAC 13/06/22	79 McKee Road	"To ask the Chief Executive can an update be provided on the repair of the pavement at (details supplied)? "	12/09/2022 11:55		8-Job Completed
11123073	Q118 NCAC 13/06/22	134 Willow Park Grove	To ask the Chief Executive can an update be provided on the repair of the pavement at (details supplied) as the tarmac is significantly raised by a tree route and is a trip hazard.	12/09/2022 11:53		6-Job Raised
11123343	Q30 NWAC 21.06.22	5/6/7 Glasanaon Park	"To ask the Manage to arrange for the repair of the pathway at (details supplied) Details: 5/6/7 Glasanaon Park "	12/09/2022 11:50	"An inspection has been carried out at this location and the defect logged for repair. Repairs will be carried out subject to crew availability and other competing priority repairs. Consideration will be given to include Glasanaon Park in future works programs. "	4-Inspection Completed
11123342	Q26 NWAC 21.06.22	Mellowes Road	"To ask the Manager if an inspection of the remaining pathways on Mellowes Road can be arranged with a view to repair and inclusion on next year's work programme. "	12/09/2022 11:48	Site inspections have already been completed with a view to carrying out the remaining works in this year's program, subject to additional funding. Any works remaining will be carried into the 2022 program.	Enquiry Resolved
11123341	Q25 NWAC 21.06.22	108 Finglas Road	"To ask the Manager to arrange for the repair of the pathway outside (details supplied) Details: 108 Finglas Road "	12/09/2022 11:46		4-Inspection Completed
11122813	Q25 NWCM 13/06/22	Finglas Road	To ask the Chief Executive to arrange for the potholes on the main Finglas Road between Charlestown junction and Lidl roundabout to be repaired or the road re-instated.	12/09/2022 11:45	Further information is required on the location of the defects noted. Finglas Road ends at the roundabout adjacent to Mellowes Park – where it then turns into the North Road (R135) before coming to a junction with Charlestown Place. There is no Lidl on this section of roadway. There is a Lidl accessible from a roundabout just off the Finglas Road on St Margarets Road (R104) which also runs up to a junction with Charlestown Place. This road is part shared with Fingal County Council. Once the correct location is established, a site inspection will be carried out and any defects noted for repair.	3-Inspection Required

North West Area Committee- Council Questions Report October 2022

Road Maintenance Services

Number	Reference	Address	Description	Date	Text	Status
11122087	Q61 NWAC 17/05/22	Sycamore Park	To ask the Manager to remove one of the road name signs at [details supplied] Details: At the entrance to Sycamore Park there are two road name signs in the grass, one at either side of the road, and an additional road name plate at the gable wall at 58 Sycamore Road. Residents would like the road name sign in the grass beside 58 Sycamore Road removed.	09/05/2022 09:12	This question was raised and answered in November 2021 (Q27). Please see response issued at the time which still stands. RMS will not remove the free standing name plates unless there is a valid safety reason. The two signs at street level serve to direct motorists coming from East and West along Sycamore Road. Whilst there is a third house mounted sign, there is a large tree adjacent to number 58, which can obscure the view of this sign for oncoming motorists and pedestrians.	Resolved - No Further Action
11122084	Q46 NWAC 17/05/22	"Cardiffsbridge just near where there is building of four new houses"	To ask the Manager can a large hole on a path be urgently dealt with. It is a dangerous trip hazard. (details supplied)	09/05/2022 09:11	This defect occurred within the construction boundary of the new housing development. A site inspection was carried out and the contractor contacted to commence a repair urgently. This will be monitored to ensure compliance.	4-Inspection Completed
11122083	Q44 NWAC 17/05/22	Westpark Drive Estate	"To ask the Manager can the hole in the laneway be urgently repaired (details supplied) Details: laneway at Westpark Drive Estate and Scout hall on Ballygall Road East"	10/06/2022 13:35	" An inspection was carried out at this location and the defect logged for repair. A temporary repair will be carried out as soon as possible pending the permanent repair. Defects will be addressed based on priority and crew availability.	4-Inspection Completed
11122081	Q34 NWAC 17/05/22	Beaneavin Park	"To ask the Manager to repair the road surface on Beneavin Park at the green/junction with Beneavin Road as it is very badly cracked and dangerous.	10/06/2022 13:34	An inspection was carried out at this location and the defect logged for repair. Defects will be addressed based on priority and crew availability.	4-Inspection Completed
11122079	Q28 NWAC 17/05/22	39 McKee Avenue	"To ask the Manager to arrange for the repair of the pathway outside (details supplied).	09/05/2022 09:09	Can the address be confirmed? An inspection was carried out at this location and no defect on the footpath or roadway was visible.	4-Inspection Completed

North West Area Committee- Council Questions Report October 2022

Road Maintenance Services

Number	Reference	Address	Description	Date	Text	Status
11122078	Q24 NWAC 17/05/22	76 Cappagh Avenue	To ask the Manager to arrange for the repair of the pathway outside (details supplied). Details: 76 Cappagh Avenue, Finglas West, Dublin 11.	09/05/2022 09:07	A site inspection was carried out at this location and a defect logged for repair. Timeline for completion of repair will depend on crew availability and other competing priorities.	4-Inspection Completed
11122077	Q23 NWAC 17/05/22]	Outside the crèche on Griffith Road, Finglas East.	"To ask the Manager to arrange for the repair of the badly damaged carriageway at (details supplied). "	10/06/2022 13:33	An inspection was carried out at this location and the defect logged for repair. Defects will be addressed based on priority and crew availability.	4-Inspection Completed
11122076	Q22 NWAC 17/05/22	Plunkett Road	To ask the Manager to arrange for a repair of the tarmac in the cul de sac at (details supplied) Plunkett Road, as you can see from below it is in a bad state of disrepair	10/06/2022 13:32	An inspection was carried out at this location and a number of defects were logged for repair. The general surface area has begun to deteriorate and will be considered for potential inclusion on the list of works for the 2023 resurfacing works program.	4-Inspection Completed
11122075	Q12 NWAC 17/05/22	13-24 Termon Court	To ask the Manager to arrange for the re-instatement of the path exiting (details supplied) where the weeds have grown over parts of the path, it is very uneven and in poor condition, especially for the elderly residents there.	10/06/2022 13:31	An inspection was carried out at this location. The concrete footpath was found to have degraded and a defect has been logged for replacement of this section. Due to current workloads, a timeline for completion of the works cannot be confirmed presently.	4-Inspection Completed
11122074	Q9 NWAC 17/05/22	Westpark Drive	"To ask the Manager to arrange for an inspection of the road and footpaths in (details supplied) where there are lots of areas in need of repair or re-instatement. "	05/05/2022 08:34		3-Inspection Required
11121950	Q81 NWAC 09.05.22	The Barry Shops, Finglas.	To ask the Chief Executive following on from question 52 of the July 2020 when will the potholes be repaired in the car park at (details supplied) Details: The Barry Shops, Finglas.	06/05/2022 12:24	Hotbox due on site by W/E 13/05/22	6-Job Raised
11121947	Q80 NWAC 09.05.22	26 Barry Park.	To ask the Chief Executive following Q63 of the January Council meeting when will the wall be repaired at (details supplied). Details: Across from 26 Barry Park. This has been raised as a council question and as an area committee question , it was first reported in January 2022.	06/05/2022 12:25	Wall is the responsibility of the Parks Dept	Referred to Utility/other Dept

North West Area Committee- Council Questions Report October 2022

Road Maintenance Services

Number	Reference	Address	Description	Date	Text	Status
11123340	Q11 NWAC 21.06.22	61-72 Druids Court	<p>"To ask the Manager to confirm when the paving slabs at (details supplied) will be completed. The works began in March but just stopped without finishing the job. Could a full update on the paving works still to be completed in the Courts be provided</p> <p>Details: 61-72 Druids Court "</p>	12/09/2022 11:42	Maintenance of the path ways inside the various Courts are the responsibility of the Housing Dept. RMS cannot provide an update on these works	Enquiry Resolved
11123338	Q7 NWAC 21.06.22	:7 Oakwood Road	<p>"To ask the Manager to arrange for the path at (details supplied) to be re-instated where there is a couple of lips where the concrete has lifted and several people have tripped because of this.</p> <p>Details: 7 Oakwood Road "</p>	12/09/2022 11:41	An inspection has been carried out at this location and the defect logged for repair. Repairs will be carried out subject to crew availability and other competing priority repairs.	4-Inspection Completed
11121343	1A NWAC 19.04.22	Ratoath Road	<p>Ratoath Road (between Ratoath Avenue and Westwood Road). Can the Manager take a walk/drive along this stretch and say he is happy with the condition of this section of road under his remit.</p> <p>Report</p> <p>Contact: Tel: Email:</p> <p>Question to the Area ManagerNorth West Area Committee Meeting Tuesday 18th January 2022</p> <p>Q.39Councillor Anthony Connaghan To ask the Manager for an update on Ratoath Road upgrade (Ratoath Avenue to Westwood Road) Reply Unfortunately there are no available project managers/engineers to assist currently but I will keep this matter on my list to progress if resources and funding become available in the future</p> <p>Contact: Senior Engineer. Road Design & Construction Division. Tel:222 2907. Email:</p>	10/06/2022 13:28	<p>Road Maintenance Services carried out a preliminary review of this location. It was noted that there is no footpaths along this stretch of road. Road Maintenance Services only have funding to maintain existing carriageways and footpaths. It is outside the scope of our department to carry out feasibility study/ design works/ construction for new footpaths or drainage upgrades at this location.</p> <p>We will however carry out a carriageway inspection and schedule any pothole repairs required when a works crew is available in the area.</p>	3-Inspection Required
11121335	Q40 NWAC 19.04.22	164 Hillcrest Park	<p>"To ask the Manager to repair the footpath at (details supplied) as the pavement at 163 was recently repaired but a hazard remains next to it.</p> <p>Details: 164 Hillcrest Park "</p>	06/05/2022 12:26		6-Job Raised

North West Area Committee- Council Questions Report October 2022

Road Maintenance Services

Number	Reference	Address	Description	Date	Text	Status
11121333	Q20 NWAC 19.11.22	126 Cappagh Avenue	"To ask the Manager to provide an update on the pathway repairs to (details supplied). Details: 126 Cappagh Avenue "	05/05/2022 11:26		8-Job Completed
11121332	Q19 NWAC 19.11.22	Northway Park	"To ask the Manager to provide an update on the pathway repairs to (details supplied). Details: 107 to 109 Northway Park "	05/05/2022 11:36	Job Raised - 41109653	6-Job Raised
11121331	Q15 NWAC 19.11.22	outside the shops in Shangan	To ask the Manager when the footpaths outside the shops in Shangan will be replaced.	05/05/2022 12:27	In the original 2022 footpath plan, I had included the paths from the bus stop , past the shops up to the Civic Plaza. From conversations with the local area office, this plan has been amended. There is a housing development being planned near the green area and the Civic plaza is due to be refurbished. Therefore we will hold off on this stretch until these works are completed. This is to avoid damage to new footpaths and to also see what the final scheme plans are. The section on the other side of Ballymun road (Balcurris Road) will be completed this year however.	9-Respond to Customer
11121220	Q7 NWAC 19.04.22	Mellowes Road,	To ask the Manager to arrange for the road surface in front of the WFTRA bus stop on Mellowes Road to be repaired properly. This part of the road has been temporarily repaired many times over the last few years and is continuously broken up and has tarmac pieces strewn all along the road and footpath adjacent. A permanent repair is needed.	10/06/2022 13:25	Road Maintenance Services will consider adding this location to our annual major works program for resurfacing if resources allow. These works will most likely take place in the third quarter of the year. In the meantime an inspection will be scheduled by the area engineer and a pothole repair scheduled if required when a works crew is available in the area.	4-Inspection Completed
11121053	Q26 NWAC 04.04.22	Termon Courts, Poppintree, Dublin 11	To ask the Chief Executive can safety bollards be put in place to protect houses at (details supplied) due to stolen cars crashing into houses on this stretch. Details: Termon Courts, Poppintree, Dublin 11	04/04/2022 10:18		Resolved - No Further Action
11120900	Q95 NWAC 04/04/22	9 Cremore Crescent	To ask the Chief Executive to inspect the pavement at 9 Cremore Crescent, Dublin 11 and advise if it is on a list for repair?	13/09/2022 10:56	Job 41146291 - Job Closed, Job has been allocated to 'Work Crew	Enquiry Resolved

North West Area Committee- Council Questions Report October 2022

Road Maintenance Services

Number	Reference	Address	Description	Date	Text	Status
11120897	Q91 NWAC 04.04.22	Barry Drive	"To ask the Chief Executive to arrange for the ramps on (details supplied) to be repaired/replaced. They are the red brick ramps and are in a very poor state of repair."	04/04/2022 13:32	"These ramps have been inspected and provisionally included on a list of ramps for reconstruction as part of the 2022 annual works program. Please note that a number of requests for ramp rehabilitation have been received this year. Not all of these can be accommodated within the 2022 program of works in order to keep within the programme budget. Ramps will be addressed on a priority basis."	4-Inspection Completed
11120896	Q90 NWAC 04/04/22	109 Berryfield Road	To ask the Chief Executive to arrange for the roads and footpath adjacent to (details supplied) to be repaired/resurfaced. There are potholes in the road and the grass verge is in a poor state.	04/04/2022 13:27	In response to this query, an inspection has been carried out at the above location. Several carriageway defects were noted and logged for repair. The grass verge has been damaged by residents driving across it for access.	4-Inspection Completed
11120882	Q65 NWAC 04/04/22	McKelvey Road and Avenue	To ask the Chief Executive to arrange for an inspection of the footpaths at (details supplied) with a view to carrying out localised repairs.	10/06/2022 13:25		3-Inspection Required
11120849	Q36 NWAC 04/04/22	between Owensilla and Scoil on tSeachtar Laoch	To ask the Chief Executive to add the small portion of footpath to the works in Sillogue between Owensilla and Scoil on tSeachtar Laoch. It is a small stretch of footpath that is in very bad repair and the residents there have had to deal with the road works over the last year with no benefit.	04/04/2022 10:20	Road Design & Construction carrying out work at Silloge, Footpath noted is included within their works	Resolved - No Further Action
11120074	Q22 NWAC 15/03/22	Beneavin Park	To ask the Manager if a road safety issue can be address at (details supplied) Details: •The road surface is in a very poor state at Beneavin Park, outside Nos 12/13/14 and the exit out of the estate •The pot hole is now like a sink hole which floods with water; The tarmac has made it worse; •One resident cannot park his car on the street due to cars trying to avoid the sink hole. •The lack of road sweeping has added to the problem as the water cannot flow into the drains. The drains here are also full of leaves and dirt due to the lack of sweeping.	04/04/2022 13:24	An inspection has been carried out at this location and the defect listed for repair. Completion of repair is dependent on crew availability and other competing priorities.	4-Inspection Completed

North West Area Committee- Council Questions Report October 2022

Road Maintenance Services

Number	Reference	Address	Description	Date	Text	Status
11120072	Q46 NWAC 15/03/22	Mellowes Avenue and Mellowes Road	To ask the Manager for an update on footpath repairs to (details supplied) where they are in particularly bad condition in some parts	04/04/2022 13:23	" Mellowes Road has been included on this year's annual works program. Some localised sections of Mellowes Avenue have also been included. Tender documents are currently being prepared and are due to be issued in the coming weeks." "	Enquiry Resolved
11120070	Q34 NWAC 15/03/22	24 Maolbuille Road	To ask the Manager provide an update on the repair to the footpath at 24 Maolbuille Road, Dublin 11	04/04/2022 13:22		6-Job Raised
11120069	Q33 NWAC 15/03/22	2 Grove Wood	To ask the Manager to inspect the pavement at 2 Grove Wood, Dublin 11 as the tree appears to be overgrown and causing damage to the pavement, which is lifting significantly	04/04/2022 13:22		8-Job Completed
11120068	Q19 NWAC 15/03/22	Glasnevin Avenue	"To ask the Manager to provide an update on the repair of the surrounds at (details supplied) At the roundabout on Glasnevin Avenue"	04/04/2022 13:20	Investigations are ongoing to establish the course of action to take on the roundabout. Glasnevin Ave is a busy impact level 3 road, which carries certain restrictions to working hours to minimise traffic disruption. To reinstate the kerb would require lane closures among other traffic restrictions. The damage to the concrete kerb surrounds does not currently pose a hazard and is primarily an aesthetic issue. As such this is currently a low priority concern for RMS.	4-Inspection Completed
11120065	Q17 NWAC 15/03/22	Jamestown Road/McKee Aveue	To ask the Manager to provide an update on the pooling of water on the carriageway outside the Barbers on Jamestown Road/McKee Avenue.	04/04/2022 13:19	" An investigation revealed that an adjacent gully had become blocked. This was cleaned out to resolve the issue." "	Resolved - No Further Action

North West Area Committee- Council Questions Report October 2022

Road Maintenance Services

Number	Reference	Address	Description	Date	Text	Status
11120056	Q11 NWAC 15/03/22	64 Tolka Estate	To ask the Manager to reinstate the dip on the pathway around the green at (details supplied) Details: Tolka Estate, the dip was not reinstated during recent pavement works, directly across from 64 Tolka Estate.	04/04/2022 13:17	From consulting record photographs, the dip in the footpath that existed prior to the new footpaths being installed was the result of localised settlement of the kerbs. There is no evidence of this being intended as a crossing point onto the path. Recent works have seen the installation of three dishing's around the perimeter of the Park. One of which is only 30m from this location. There are no plans for additional works in this area.	Resolved - No Further Action
11120290	Q10 NWACM 15/03/22	Courts Laneways in Poppintree	To ask the Manager for an update on the improvements in the Courts Laneways in Poppintree after the successful pilot in Druid last year.	04/04/2022 13:16	Referred to Housing	Referred to Utility/other Dept
11120055	Q8 NWAC 15/03/22	Shangan Road	To ask the Manager to repair the ramp on Shangan Road at the traffic lights, there are a number of holes in it and it is a very busy junction.	04/04/2022 13:14	Ramps added to 2022 Wprls Program	4-Inspection Completed
11119507	Q21 CM 07/03/22	NORTH ROAD	To ask the Chief Executive to review the footpaths and road on North Road Finglas for remedial work and to also ensure there are regular clean ups of this area.	10/06/2022 13:19	North Road has been provisionally included in the 2023 program of works for roadway resurfacing. An inspection will be carried out on the footpaths and any defects added to our database for repair, pending crew availability and competing priorities.	4-Inspection Completed
11119808	Q72 CM 07/03/22	Glasnevin Park	To ask the Chief Executive to carry out an assessment of the carriage way in (details supplied) with a view to repair, sections of the roadway are sinking.	04/04/2022 13:13		6-Job Raised
11118911	Q45 NWACM 15/02/22	cycle lanes along the Finglas Road which run from Finglas down past Glasnevin cemetery	To ask the Manager to arrange for the upgrade of cycle lanes along the Finglas Road which run from Finglas down past Glasnevin cemetery. This section of road has been left in a poor state for a very long time.	04/04/2022 13:02	Please note that this section of road encompasses approx. 6.4km of cycle tracks. Can more specifics be given to areas that require attention and an inspection will be carried out. For reference, the R135 (Finglas Rd) is in the NW Area from Finglas village to the Old Finglas Road.	9-Respond to Customer
11118903	Q47 NWAC 15/02/22	Wellmount Green and Crescent	"To ask the Manager to arrange for an inspection and repair/re-instatement of the footpaths in Wellmount Green and Crescent where they are in a really poor condition. "	06/05/2022 12:28	Consideration to be given to include Wellmount Green & Crescent in 2023 Annual Works Program	4-Inspection Completed
11118902	Q5 NWAC 15/02/22	Dunsink Avenue	To ask the Manager to arrange to resurface the road on Ratoath Drive where there are a number of potholes.	04/04/2022 12:58	Ramps added to 2022 Works Program	4-Inspection Completed

North West Area Committee- Council Questions Report October 2022

Road Maintenance Services

Number	Reference	Address	Description	Date	Text	Status
11118901	Q8 NWAC 15/02/22		To ask the Manager to arrange to resurface the road on Ratoath Drive where there are a number of potholes.	04/04/2022 12:54	An inspection has been carried out at this location. The road is generally in a fair condition and does not currently require full resurfacing. A number of localised defects were noted and have been logged for repair. Due to the current backlog of works, it is not possible to confirm a timeline for the completion of the repairs.	4-Inspection Completed
11118900	Q12 NWAC 15/02/22	Mellowes Road outside the WFTRA	"To ask the Manager to arrange for the repair of the pothole at (details supplied). Details: Mellowes Road just outside the WFTRA centre"	04/04/2022 12:53	"An inspection has been carried out at this location and a defect has been logged onto our asset management system for repair. It will be addressed in order of priority and crew availability." "	4-Inspection Completed
11118899	Q15 NWAC 15/02/22	71 Wellmount Road	To ask the Manager to examine the possibility of putting bollards or another mechanism at (details supplied) to stop cars parking on the green space there.	04/04/2022 12:50	Referred to TAG	Referred to Utility/other Dept
11118898	Q14 NWAC 15/02/22	Finglas Park	To ask the Manager to carry out an assessment of the roadway throughout (details supplied). Parts of which are sinking.	04/04/2022 12:45	An inspection has been carried out at this location. A number of localised defects were noted and have been logged for repair. Due to the current backlog of works, it is not possible to confirm a timeline for the completion of the repairs.	4-Inspection Completed
11118897	Q20 NWAC 15/02/22	106 – 144 Ballygall Road West	To ask the Manager to arrange a site visit to (details supplied) to look at options for the tarmac area, which is very unsightly.	06/05/2022 12:29	Investigations underway to look at regreenign sections of the tarmac area.	4-Inspection Completed
11118896	Q17 NWAC 15/02/22	91 Willow Park Grove, Glasnevin	To ask the Manager to carry out an assessment of the pathway at (details supplied) with a view to repair.	04/04/2022 12:43		6-Job Raised
11118895	Q30 NWAC 15/02/22	61 Pinewood Crescent	"To ask the Manager to repair the footpath at 61 Pinewood Crescent. "	06/05/2022 12:40		4-Inspection Completed
11118894	Q29 NWAC 15/02/22	15 Grove Park Road	"To ask the Manager to repair the footpath at 51 Grove Park Road as it is raised and poses a trip hazard. "	13/09/2022 11:31	Job 41125715 - 01-Job Raised, Defect Job created via Connector	6-Job Raised
11118622	Q62 CM 07/02/22	Glasnevin Avenue	"To ask the Chief Executive to arrange for a repair of the brickwork on the roundabout (details supplied). Details: Glasnevin Avenue. "	04/04/2022 12:00		4-Inspection Completed

North West Area Committee- Council Questions Report October 2022

Road Maintenance Services

Number	Reference	Address	Description	Date	Text	Status
11117936	Q43 NWAC 18.01.22	Ratoath Road, north of Kilshane Road	To ask the Manager to improve the safety at Ratoath Road, north of Kilshane Road so that people in the homes in the travelling community on Ratoath Road and Dunsink Lane can safely travel to and from their homes as currently there is no footpath or safe pedestrian route and is an unacceptable risk for residents and to give an update to progress on this issue as it has been raised before with both Dublin City Council and Fingal County Council, and Fingal County Council has said that it is under the remit of Dublin City Council (Ref: Fingal Area Question R21\18268).	04/04/2022 10:26	Issue not for RMS	Referred to Utility/other Dept
11117934	Q39 NWAC 18.01.22	Ratoath Road	To ask the Manager for an update on Ratoath Road upgrade (Ratoath Avenue to Westwood Road)	04/04/2022 10:29	Not RMS area of responsibility	Referred to Utility/other Dept
11121075	Q68 NWAC 04/04/22	Willow Park Crescent	To ask the Chief Executive the process for erecting masts in the city and if a report can be issued on the one recently erected at (details supplied) of which no public reps or local area office were informed. Details: At the shops at Willow Park Crescent, Dublin 11.	30/03/2022 08:38		Enquiry Resolved
11117877	Q16 NWAC 18/01/22	Willow Park Crescent	To ask the Manager to provide a report on the new electricity box on Willow Park Crescent, did it require permission and what is its purpose.	12/09/2022 12:27	Reply attached	Enquiry Resolved
11117876	Q45 NWAC 18/01/22	Finglas Park/McKee Road junction, at junction with No. 9 McKee Road	To ask the Manager to repair a pothole at the Finglas Park/McKee Road junction, at the southern junction close to number 9 McKee Road.	18/05/2022 14:59	This is already on a works list and will be done in due course,	Enquiry Resolved
11117875	Q36 NWAC 18/01/22	a) Abbotstown Avenue, b) Westwood Road	To ask the Manager to arrange for the ramps on the following roads to be upgraded.	04/04/2022 10:46		4-Inspection Completed
11117873	Q35 NWAC 18/01/22	Mallowes Avenue	To ask the Manager to arrange for the footpaths on (details supplied) to be inspected and repaired where necessary.	04/04/2022 10:51	A potion of defects were added to 2022 Program of Works.	4-Inspection Completed
11117872	Q33 NWAC 18/01/22	301 Casement Road	" To ask the Manager to arrange for the tarmac landing in front of 301 Casement Road to be re-surfaced as it is in very poor condition and has many trip hazards on it. "	04/04/2022 10:54	Parks consulted in converting area back to wildflowers or grass.	4-Inspection Completed
11117871	Q21 NWAC 18/01/22	Tax Assist, McKee Avenue	To ask the Manager to inspect the pooling of water at (details supplied) Details: outside the tax assist/ opticians on McKee Avenue, this may be due to the road being resurfaced recently.	04/04/2022 10:47	Gully blocked by Debris. Cleared by Lagan,	Enquiry Resolved
11117870	Q5 NWAC 18/01/22	Our Lady of Victories School and the Credit Union on Ballymun Road.	To ask the Manager to look at the footpaths at Our Lady of Victories School and the Credit Union on Ballymun Road. They are in very poor condition and require immediate attention.	12/09/2022 12:12	Job completed as part of 2022 major works program	Enquiry Resolved
11117691	Q10 NWAC 10.01.22	Ratoath Road between Ratoath Avenue and Westwood Road	"To ask the Chief Executive to arrange for some repair works to be carried out on (details supplied) where the side of the road is being broken away. Details: Ratoath Road between Ratoath Avenue and Westwood Road "	29/06/2022 11:15	Job 41141225 - Job Closed, Work Crew	Enquiry Resolved

North West Area Committee- Council Questions Report October 2022

Road Maintenance Services

Number	Reference	Address	Description	Date	Text	Status
11117650	Q63 NWAC 10.01.22	10 Casement Drive,	To ask the Chief Executive to arrange for the repair of the sunken roadway at (details supplied). Details: 10 Casement Drive, see below photo for reference.	29/06/2022 11:07	Job 41141227 - Job Closed, Work Crew	Enquiry Resolved
11117649	Q62 NWAC 10.01.22	69 Casement Park	"To ask the Chief Executive to arrange for the repair of the badly uplifted footpath at (details supplied). Details: 69 Casement Park"	10/02/2022 08:48	Job 41141228 - 01-Job Raised, Defect Job created via Connector	6-Job Raised
11117024	Q16 NWAC 14.12.21	Glasnevin Avenue (73 Glasnevin Ave, Ballygall, Dublin 11).	"To ask the Manager to provide an update on the repair of the car park surface at (details supplied) Details: The Autobahn Car Park"	08/12/2021 14:44	Autobahn Carpark not TIC	Resolved - No Further Action
11117020	Q36 NWAC 14.12.21	St. Pappins Road	To ask the Manager can the big electric pole on the corner of St. Pappins Road and Ballymun Road be painted. It is rusting and the paint is flaking off and it looks unsightly. Locals are carrying out cleaning around the area and this doesn't look great.	08/12/2021 14:07	Not RMS Issue	Referred to Utility/other Dept
11117294	Q10 CM 10/01/22	Ratoath Road between Ratoath Avenue and Westwood Road	"To ask the Chief Executive to arrange for some repair works to be carried out on (details supplied) where the side of the road is being broken away. Details: Ratoath Road between Ratoath Avenue and Westwood Road"	14/12/2021 11:51		4-Inspection Completed
11117018	Q34 NWAC 14.12.21	13 Cranogue Terrace	"To ask the Manager provide an update on the request for the path repairs outside (details supplied) where the tree roots have lifted the paving and it is very dangerous for pedestrians. Details: 13 Cranogue Terrace"	08/12/2021 14:39	Passed to IMU	Referred to Utility/other Dept
11117017	Q25 NWAC 14.12.21	14/16 Ballygall Avenue	To ask the Manager repair the pothole outside 14/16 Ballygall Avenue which was listed for repair some months ago.	04/04/2022 11:13		4-Inspection Completed
11117014	Q21 NWAC 14.12.21	106-144 Ballygall Road West	"To ask the Manager inspect and repair the section of footpath at (details supplied) as it consists of tarmac/gravel which has crumbled and is in poor condition. Details: 106-144 Ballygall Road West"	04/04/2022 12:31		Enquiry Resolved
11117008	Q15 NWAC 14.12.21	The Barry shops car park	"To ask the Manager to provide an update on the repair of the carpark surface at (details supplied) Details: The Barry shops car park"	16/05/2022 08:44	Job 41142115 - Job Closed, Work Crew	Enquiry Resolved

North West Area Committee- Council Questions Report October 2022

Road Maintenance Services

Number	Reference	Address	Description	Date	Text	Status
11117004	Q14 NWAC 14.12.21	"42 Barry Park "	"To ask the Manager to arrange for the repair of the pathway outside (details supplied) Details: 42 Barry Park "	14/12/2021 12:34	Job 41140944 - 01-Job Raised, Defect Job created via Connector	6-Job Raised
11117002	Q13 NWAC 14.12.21	30 Grove Road	"To ask the Manager to arrange for the repair of the pavement outside (details supplied) Details: 30 Grove Road "	16/12/2021 15:41	Job 41141106 - 01-Job Raised, Defect Job created via Connector	6-Job Raised
11117001	Q4 NWAC 14.12.21	Balbutcher Drive	To ask the Manager to repair the road at Balbutcher Drive, It is in a really poor condition and has been requested many times for remedial works.	08/12/2021 12:14	Balbutcher drive to be resurfaced as part of 2022 resurfacing contracts	Resolved - No Further Action
11117000	Q1 NWAC 14.12.21	around the new Oiléan na Crannóige development Knowth Court and Balbutcher Lane	To ask the Manager to get the footpaths repaired all around the new Oiléan na Crannóige development. The paths leading up from Knowth Court have potholes in them and the ones on Balbutcher Lane are all sunken.	04/10/2022 14:44		2-Passed to Inspector
11116767	Q121 NWAC 6.12.21	95 McKee Road Dublin 11	"To ask the Chief Executive to provide an update on the footpath repair at (details supplied) as the resident at no 95 has recently been diagnosed as clinically blind and the poor condition of the footpath is a significant hazard. Details: 95 McKee Road Dublin 11 "	04/04/2022 11:46		8-Job Completed
11116766	Q119 NWAC 6.12.21	Cedarwood Close, Dublin 11	To ask the Chief Executive to replace the street sign on (details supplied) which fell off earlier this year? Details: Cedarwood Close, Dublin 11	14/12/2021 19:52		4-Inspection Completed
11116765	Q112 NWAC 6.12.21	141 Glasnevin Avenue, Dublin 11	To ask the Chief Executive to arrange for the repair of the footpath at (details supplied). Details: 141 Glasnevin Avenue, Dublin 11	16/12/2021 10:08	Job 41141044 - 01-Job Raised, Defect Job created via Connector	6-Job Raised
11115866	Q48 NWACM 16/11/21	Northway Park	"To ask the Manager to provide an update on the proposed pathway at (details supplied) Details: Northway Park "	10/11/2021 15:12	RMS cannot comment on status of future/proposed works.	Enquiry Resolved
11115584				28/10/2021 07:11		Enquiry Resolved
11115479	Q70 NWAC 01.11.21	"Glasilawn Road /Tolka Estate 2: Glasilawn Road "	To ask the Chief Executive following on from question 50 on the 7th of December 2020 to provide an update on the following: There has been no progress on the issue of Signage on (details supplied 1), despite first being reported 10 months ago. a)There has been no progress on changing the signage/additional signage on (details supplied 2) as promised, when will this be put in place? b)Can the manager assist with the purchasing of a cast iron sign in conjunction with the environmental group. c)Can a site visit be arranged to review the signage on the road. Details 1: Glasilawn Road /Tolka Estate Details 2: Glasilawn Road	10/11/2021 15:14	Signage has been delivered to Depot. installation pending crew availability. Note - backlog in all signage deliveries due to supplier bereavement.	7-Job Passed to Crew

North West Area Committee- Council Questions Report October 2022

Road Maintenance Services

Number	Reference	Address	Description	Date	Text	Status
11115257	Q12 NWACM 19/10/21	Kildonan Park	"To ask the Manager to carry out weeding inside and outside (details supplied); it is very overgrown. Details: Kildonan Park "	08/12/2021 12:31	Referred to Parks	Referred to Utility/other Dept
11114971	Q15 NWAC 19.10.21	Cedarwood Grove	To ask the Manager to carry out an assessment on the pathways at (details supplied), with a view to repair and for them to be considered in the 2022 works programme. Details: Cedarwood Grove	18/05/2022 15:48	All known defects have been previously done in this area if there is anything specific in need of attention please specify address,	Enquiry Resolved
11114970	Q14 NWAC 19.10.21	Cappagh Avenue	To ask the Manager to carry out an assessment on the pathways at (details supplied), with a view to repair and for them to be considered in the 2022 works programme. Details: Cappagh Avenue	28/04/2022 09:32	All major defects have been done in this area if there is something specific please specify address,	Enquiry Resolved
11114992	Q11 NWACM 19/10/21	DOLMEN COURT	To ask the Manager to cut all of the bushes around Dolmen Court.	10/06/2022 13:14		Referred to Utility/other Dept
11115863	Q19 NWACM 16/11/21	CROMLECH COURT	"To ask the Manager to provide an update on the paving at (details supplied) where the residents were expecting the completion of the paving to be done in recent months. Details: Cromlech Court "	04/04/2022 12:16	Referred to Housing.	Referred to Utility/other Dept
11115862	Q16 NWACM 16/11/21	NORTH ROAD	"To ask the Manager to arrange for the footpaths and road to be resurfaced on (details supplied). This was promised years ago but the road has not received any attention in a long time. Details: North Road "	14/12/2021 12:46		4-Inspection Completed
11115861	Q15 NWACM 16/11/21	Cardiff Castle Road	"To ask the Manager to arrange for the footpaths on (details supplied) to be fully re-instated as they are in need of attention. Details: Cardiff Castle Road "	05/04/2022 08:35	Inspection was carried out with no major defects present.	Resolved - No Further Action
11115860	Q12 NWACM 16/11/21	Ballygall Avenue	To ask the Manager to arrange for the repair/re-instatement of the roads and footpaths along Ballygall Avenue. They are in a poor state and in need of immediate attention.	15/02/2022 08:55	Job 41143268 - Job Closed, Job has been allocated to Work Crew	Enquiry Resolved
11114974	Q54 NWAC 19.10.21	19/21 Wellmount Road	To ask the Manager for the pothole at 19/21 Wellmount Road to be repaired. Can the Manager say when this road was resurfaced last and if this defect is covered under warranty.	14/12/2021 10:40		8-Job Completed
11114973	Q48 NWAC 19.10.21	Balbutcher Drive, particularly the potholes at the entrance and outside no's 7,8,9,10,12,14,15,16,18,20,21,22,24,27,28.	To ask the Manager to arrange for the resurfacing of the road and paths at (details supplied). Could there be a case made to have the whole stretch of path on each side re-instated under the works programme for 2022. Details: Balbutcher Drive, particularly the potholes at the entrance and outside no's 7,8,9,10,12,14,15,16,18,20,21,22,24,27,28.	10/11/2021 15:08	Balbutcher Drive has been provisionally included on the list of resurfacing works for 2022, however this list is not finalised and is subject to change.	Enquiry Resolved

North West Area Committee- Council Questions Report October 2022

Road Maintenance Services

Number	Reference	Address	Description	Date	Text	Status
11115868	Q23 NWACM 16/11/21	walkway between Balbutcher Lane and the bus stop number 7277 on St Margaret's Road	To ask the Manager to examine the possibility of maintaining the walkway between Balbutcher Lane and the bus stop number 7277 on St Margaret's Road as it is currently quite unsafe and poorly lit.	08/12/2021 12:29	" RMS Is responsible for the maintenance of existing taken in charge infrastructure. The estate of Baile Na Laochra has not yet been taken in charge and further developments are ongoing. A proposal for a new path to DCC standards should be made to the road Construction and Design Dept. "	Resolved - No Further Action
11115864	Q27 NWACM 16/11/21	SYCAMORE PARK	To ask the Manager can the free standing street sign on the eastern side of Sycamore Park, beside number 58, be removed as there are two other street name signs on the road	08/12/2021 12:30	RMS will not remove the free standing name plates unless there is a valid safety reason. The two signs at street level serve to direct motorists coming from East and West along Sycamore Road. Whilst there is a third house mounted sign, there is a large tree adjacent to number 58, which can obscure the view of this sign for oncoming motorists and pedestrians.	Resolved - No Further Action
11114996	Q39 NWACM 19/10/21	Drapier Green, near no. 2/3 Drapier Green.	To ask the Manager to arrange for repair of the three potholes at the top of (details supplied) Details: Drapier Green, near no. 2/3 Drapier Green.	14/12/2021 19:44		6-Job Raised
11114994	Q38 NWACM 19/10/21	junction of Virginia Park and Drive	To ask the Manager to repair the road surface at the junction of Virginia Park and Drive as the surrounding tarmac has ravelled to a severe extent.	14/12/2021 11:00	Job 41140928 - 01-Job Raised, Defect Job created via Connector	6-Job Raised
11114993	Q31 NWACM 19/10/21	OAKWOOD AVENUE	To ask the Manager can the pavements on Oakwood Avenue be inspected with a view to next year's works programme.	05/04/2022 08:38	The paths were inspected but do not satisfy the requirements for inclusion on the 2022 works program.	4-Inspection Completed
11114972	Q30 NWAC 19.10.21	Wellmount Drive	To ask the Manager can the pavements on Wellmount Drive be inspected with a view to next year's works programme	04/04/2022 11:29	Defects to be included in 2022 program of works	4-Inspection Completed

North West Area Committee- Council Questions Report October 2022

Road Maintenance Services

Number	Reference	Address	Description	Date	Text	Status
11115867	ITEM2B NWACM 16/11/	St. Margaret's Road	<p>To ask this Area Committee to support the protection of the old St. Margaret's Road which is closed off now due to the building of the North City Depot as a living heritage trail. This road is a valuable site for its heritage and biodiversity for Ballymun. It is the last of our heritage hedgerows and there is a 300yr old Ash on that site.</p> <p>This road is one of the few parts of Ballymun that still exists prior to the development of Ballymun in the 1960's. It is part of our living heritage. The old road can be part of a walking trail having an amenity, educational, heritage as well as a biodiversity value to the local communities.</p> <p>Although parts of the old hedgerow is in poor condition, with appropriate management, it can be rejuvenated enhancing its biodiversity value. It would be a great way to demonstrate how the landscape of Ballymun looked prior to the 1960's when it was a rural area. This is the last piece of the old rural roads of Ballymun which has huge living heritage value. There is so little left at this stage of Ballymun's heritage.</p>	08/12/2021 12:32	" Fingal County Council are the local authority in charge of maintenance for St Margarets Road. This query should be passed onto them for their attention." "	Resolved - No Further Action
11115340	Q24 NWACM 19/10/21	BALBUTCHER LANE	To ask the Manager can a path be built across from the new Aspen accommodation on Balbutcher Lane. This was an old entrance into the shopping centre but now that the shopping centre car park is gone and grass in its place, this section has no pedestrian path and is therefore seen as a car park space and cars park here. This means pedestrians cannot get past and have to walk out onto oncoming traffic. Can a new path for this section be urgently put in place.	08/12/2021 12:27	Job has been added to the 2022 footpath contracts	Enquiry Resolved
11117220	Q47 CM 14/12/21	Outside 3 and 4 Drapier Green	To ask the Manager to repair two large, potholes on the road at [details supplied] as these are particularly dangerous for cyclists and have already caused accidents. Details: Outside 3 and 4 Drapier Green.	14/12/2021 19:45		6-Job Raised
11115196	Q35 NWAC 19/10/21	CLUNE ROAD	To ask the Manager to review the speed of traffic and road safety on (details supplied) as traffic is very fast and a car recently overturned. Ramps or other measures may be required. Details: Clune Road, Dublin 11	08/12/2021 12:35	Issue for Traffic	Referred to Utility/other Dept
11122211	Q23 NWAC 17.05.22	Outside the crèche on Griffith Road, Finglas East	To ask the Manager to arrange for the repair of the badly damaged carriageway at (details supplied). Details: Outside the crèche on Griffith Road, Finglas East.	10/06/2022 13:05	An inspection was carried out at this location and the defect logged for repair. Defects will be addressed based on priority and crew availability.	4-Inspection Completed