



South East Area - TAG Meeting Minutes for Noting

(Area Committee Date: 14/11/2022)

Item	Enquiry	SP Ref	Topic	Road	Post	Request Description	Tag Result	Tag Comments	Request By	Received	Sec
1	7013951		P&D/Permit Park (Change Hours)	ASHDALE ROAD (SE)	Dublin 6W	That the Parking restrictions on Ashdale Road be the same as on Eaton Square.	Not Recommended	Rejected at ballot of residents, current hours to remain. Out of 53 eligible voters , 29 votes returned, 14 for, 15 against.	Councillor	21/02/2020	2
2	7020046		Load Bay Amend Operational Hrs	DUNVILLE AVENUE (SE)	Dublin 6	Extend loading bay times to 7am-7pm Mon-Sat to assist deliveries and prohibit illegal parking.	Recommended	Following a site visit by the TAG Area Engineer it was noted that large volume of delivery vehicles service businesses after 10am on Dunville Avenue. Therefore it is recommended to rescind the P&D only Parking Bays on the north side of Dunville Avenue and extend the operational hours of a loading bay to 7am to 7pm. STAT 1: Rescind P&D Parking bay on the north side of Dunville Avenue, starting from a point, 1.3m east from lamp standard No. 7, curtailing for eastward direction in a distance of 23.5m STAT 2: Extend the operation hours of the loading bay (currently from 8am to 10am) from 7am to 7pm (MON - SAT). Signage to be amended accordingly.	Member of the Public	19/04/2021	0
3	7023229		P&D/Permit Park (Change Hours)	CHURCH GARDENS (SE)	Dublin 6	Change parking scheme hours to Monday-Sunday 24/7.	Recommended	Recommended at ballot of residents to change hours of Pay & Display & Permit Parking Scheme to Mon-Sun 07.00-24.00. Out of 45 eligible voters, 28 votes were returned, 17 for, 10 against and 1 spoiled.	Member of the Public	19/10/2021	0
4	7023795		P&D/Permit Parking	BELGRAVE AVENUE (SE)	Dublin 6	At rear entrance to 1, 2 and 3 Belgrave Villas, on Belgrave Avenue where double yellow line ends.- To start of double yellow lines approximately opposite junction of Belgrave Square and Belgrave Avenue	Recommended	Recommended subject to ballot of residents.	Member of the Public	23/11/2021	0
5	7024506		P&D/Permit Park (Change Hours)	SANDYMOUNT CASTLE ROAD (SE)	Dublin 4	make the disc parking in Sandymount Castle Road and surrounding areas 24 hour	Not Recommended	Rejected at ballot, hours to remain unchanged. 14 on register, 10 returned votes all against.	Member of the Public	19/01/2022	0
6	7025436		Double Yellow Lines	GALTYMORE DRIVE (SE)	Dublin 12	request parking restrictions for access.	Not Recommended	It is not recommended to install parking restrictions, such as placing double yellow lines, where restrictions are already covered under the law. Under The Road Traffic (Traffic & Parking) Regulations, Section 36 paragraph (2) (g) & (i) "A vehicle shall not be parked in any place, position or manner that will result in the vehicle obstructing an entrance or an exit for vehicles to or from a premises, save with the consent of the occupier of such premises; & on a footway, a grass margin or a median strip" Infringements should be reported to Dublin Street Parking Services tel. no. 01 6022500 or the Gardaí as they occur. Alternatively, the residents of Galtymore Drive may take into consideration to apply for a new P&D and Permit Parking Scheme on Galtymore Drive. Please find application and details on the criteria for such a scheme in the following link: https://www.dublincity.ie/residential/parking-dublin-city-centre/start-& https://www.dublincity.ie/residential/parking-dublin-city-centre/start-&	Member of the Public	11/03/2022	0

South East Area - TAG Meeting Minutes for Noting

(Area Committee Date: 14/11/2022)

Item	Enquiry	SP Ref	Topic	Road	Post	Request Description	Tag Result	Tag Comments	Request By	Received	Sec
7	7025589		Double Yellow Lines	PROSPECT LANE (SE)	Dublin 6	DYs to ensure access to entrance gates of Prospect House.	Not Recommended	Following a site visit by TAG Area Engineer there were no issues observed on Prospect Lane. There is appropriate (F350) Cul-De-Sac sign erected at the beginning of Prospect Lane informing vehicles that there is no through road. Double yellow lines are already installed on Prospect Lane ensuring sufficient clearance width outside the parked cars for emergency vehicles and refuse trucks, which approaching Prospect Lane from Palmerston Grove. Therefore no further changes recommended on Prospect Lane at this time.	Member of the Public	23/03/2022	0
8	7025625		Double Yellow Lines	RANELAGH ROAD (SE)	Dublin 6	yellow lines and a 'cycle way' symbol might indicate to drivers that this area needs to be kept clear to allow cyclists to safely access the laneway.	Not Recommended	Following a site visit by TAG Area Engineer it was observed that Anthony Cronin Walk is a shared surface between pedestrians and cyclists. However, Anthony Cronin Walk joins to the footpath along Ranelagh Road. This footpath on Ranelagh Road is for pedestrians only and its usage by cyclists is prohibited. According to Road Safety Authority the cyclists are not allowed to ride on or across the footpath. Cyclists should dismount their bicycles when they cross the footpath on Ranelagh Road. Therefore, the rescindment of P&D parking bay and installation of double yellow lines are not recommended between 115 & 117 Ranelagh Road.	Member of the Public	25/03/2022	1
9	7026057		Double Yellow Lines	WASDALE GROVE (SE)	Dublin 6	New double yellow lines outside 14 Wasdale Grove, opposite 6A Wasdale Grove	Not Recommended	It is not recommended to install parking restrictions, such as placing double yellow lines, where restrictions are already covered under the law. Under The Road Traffic (Traffic & Parking) Regulations, Section 36 paragraph (2) (g) "A vehicle shall not be parked in any place, position or manner that will result in the vehicle obstructing an entrance or an exit for vehicles to or from a premises, save with the consent of the occupier of such premises;" Infringements should be reported to Dublin Street Parking Services tel. no. 01 6022500 or the Gardaí as they occur. Alternatively, the residents of Wasdale Grove may take into consideration to apply for a new P&D and Permit Parking Scheme along on Wasdale Grove. Please find application and details on the criteria for such a scheme in the following link: https://www.dublincity.ie/residential/parking-dublin-city-centre/start-& & https://www.dublincity.ie/residential/parking-dublin-city-centre/start- .	Member of the Public	14/04/2022	0
10	7026075		P&D/Permit Parking	SAINT BRENDAN'S COTTAGES (SE)	Dublin 4	We the residents of St. Brendan's Cottages feel that we need 24 /7 paid parking.	Recommended	Recommended subject to ballot of residents.	Member of the Public	14/04/2022	0
11	7026494		Double Yellow Lines	WILFIELD ROAD (SE)	Dublin 4	Double lines to be painted on the road from the driveway of no 11 Wilfield Road to the start of the driveway of no 13 i.e. between dishing.	Recommended	Following a site visit by the TAG Area Engineer it was noted that the double yellow lines were not installed in a section of Wilfield Road. Therefore it is recommended to install double yellows as per below statutory measure. STAT: Install double yellow lines on the east side of Wilfield Road, starting from a point 19.3m south from lamp standard No. 2, extending southward direction for a distance of 2.7m.	Member of the Public	06/05/2022	0



South East Area - TAG Meeting Minutes for Noting

(Area Committee Date: 14/11/2022)

Item	Enquiry	SP Ref	Topic	Road	Post	Request Description	Tag Result	Tag Comments	Request By	Received	Sec
12	7026826		Double Yellow Lines	CAMBRIDGE ROAD (SE)	Dublin 4	double yellow lines on this section of Cambridge Road or at a minimum place markings for disc parking in this section of the road.	Recommended	According to a previous request by reps on Castlewood Avenue SR 90032347 it was requested to extend P&D and permit parking scheme on Cambridge Road at the Castlewood Avenue End. It is recommended to extend P&D and permit parking as follows: On the west side, form a point 10m south from the junction with Castlewood Avenue, south for 30m.	Member of the Public	23/05/2022	0
13	7027376		Double Yellow Lines	WATERLOO ROAD (SE)	Dublin 4	Install double yellow lines between the pillars of property No's 56/58 Waterloo Road	Not Recommended	It is not recommended to install parking restrictions, such as placing double yellow lines, where restrictions are already covered under the law. Under The Road Traffic (Traffic & Parking) Regulations, Section 36 paragraph (2) (g) "A vehicle shall not be parked in any place, position or manner that will result in the vehicle obstructing an entrance or an exit for vehicles to or from a premises, save with the consent of the occupier of such premises;" Infringements should be reported to Dublin Street Parking Services tel. no. 01 6022500 or the Gardaí as they occur.	Member of the Public	17/06/2022	0
14	7027892		Double Yellow Lines	ELMWOOD AVENUE UPPER (SE)	Dublin 6	Painting double yellow lines and no parking signs.	Not Recommended	It is not recommended to install parking restrictions, such as placing double yellow lines, where restrictions are already covered under the law. Under The Road Traffic Act, 1961, Section 97 paragraph (1) "Where a vehicle is left on a public road in such a position as to cause or to be likely to cause danger or obstruction to traffic or is abandoned on a public road, a member of the Garda Síochána may himself remove the vehicle or cause any other person to remove it and may arrange for the storage of the vehicle." Infringements should be reported to the Gardaí as they occur.	Member of the Public	14/07/2022	0
15	7028994		Disab Park Bay Residential	HANOVER QUAY (SE)	Dublin 2	Disabled parking bay for 9 Hanover Quay.	Recommended	Following an assessment by the TAG Area Engineer it is recommended to install a disabled parking bay across house No. 9 on Hanover Quay. STAT 1: Rescind P&D and Permit Parking Bay on the north side of Hanover Quay, starting from Lamp Standard No. 1, curtailing in westward direction for a distance of 6m. STAT 2: Install a Disabled Parking Bay on the north side of Hanover Quay, starting from Lamp Standard No. 1, extending in westward direction for a distance of 6m.	Member of the Public	09/09/2022	0



South East Area - TAG Meeting Minutes for Noting

(Area Committee Date: 14/11/2022)

Item	Enquiry	SP Ref	Topic	Road	Post	Request Description	Tag Result	Tag Comments	Request By	Received	Sec
16	7029301		Double Yellow Lines	SHANID ROAD (SE)	Dublin 6W	outside no's 5 and 7 on a bend	Not Recommended	It is not recommended to install parking restrictions, such as placing double yellow lines, where restrictions are already covered under the law. Under The Road Traffic (Traffic & Parking) Regulations, Section 36 paragraph(2) (c) & (k); "A vehicle shall not be parked within 5 metres of a road junction; or in a manner in which it will interfere with the normal flow of traffic or which obstructs or endangers other traffic;". Infringements should be reported to Dublin Street Parking Services tel. no. 01 6022500 or the Gardaí as they occur. Alternatively, the residents of Shanid Road may take into consideration to apply for a new P&D and Permit Parking Scheme on Shanid Road. Please find application and details on the criteria for such a scheme in the following link: https://www.dublincity.ie/residential/parking-dublin-city-centre/start & https://www.dublincity.ie/residential/parking-dublin-city-centre/start .	Member of the Public	27/09/2022	0
17	7029538		Disab Park Bay Residential	COWPER GARDENS (SE)	Dublin 6	A disabled parking bay outside Carne Lodge, 3 Cowper Gardens.	Not Recommended	Based on the observation by the TAG Area Engineer it was noted during site inspection, that 3 Cowper Gardens has an off-street parking facility adjacent to the house. According to the Geographic Information System this off-street parking facility belongs to 3 Cowper Gardens. Therefore in the light of the above it is not recommended to install a residential disabled parking bay in front of 3 Cowper Gardens because it does not meet the criteria to the provision of a disabled parking bay.	Member of the Public	10/10/2022	0
18	7029653		Disab Park Bay Residential	MOUNTPLEASANT TERRACE (SE)	Dublin 6	Disabled parking bay for 6 Mountpleasant Terrace.	Recommended	Following an assessment by the TAG Area Engineer it is recommended to install a residential disabled parking bay in front of 6 Mountpleasant Terrace. STAT 1: Rescind P&D and Permit Parking Bay on the south side of Mountpleasant Terrace, starting from a point 3.7m east from Lamp Standard No. 4, curtailing in eastward direction for a distance of 6m. STAT 2: Install a Disabled Parking Bay on the south side of Mountpleasant Terrace, starting from a point 3.7m east from Lamp Standard No. 4, extending in eastward direction for a distance of 6m.	Member of the Public	14/10/2022	0
19	7029671		Single Yellow Line (Rescind)	WINTON AVENUE (SE)	Dublin 6	rescind SYL and put in more P&D	Not Recommended	Based on the assessment carried out by the TAG Area Engineer it is not recommended to make any changes in the current P&D and Permit Parking Scheme on Winton Avenue, therefore the rescindments of the single yellow lines are not recommended.	Member of the Public	17/10/2022	0