

South Central Area - TAG Meeting Minutes for Noting

08/04/2020

15 Items **Dublin City Council** (Area Committee Date: 15/04/2020) Page 1 of 3 Item Enquiry SP Ref Topic Road **Post Request Description** Tag Result **Tag Comments** Request By Received Sec 7002016 **CONVENT LAWNS** Parking Dublin 10 in Convent Lawns. Not The road is not in charge. Councillor 14/03/2018 0 Restrictions (SC) Recommended 7002021 **TAG General NEWMARKET (SC)** Dublin 8 Request for traffic study to be Recommended The Liberties have been put forward for consideration for the 2020 Member of 15/03/2018 0 carried out in area Neighbourhood Traffic Scheme. The results and rankings of the **Engineer Query** the Public assessments will be sent to the Cllrs in due course 7002843 P&D/Permit CEANNT FORT (SC) Dublin 8 Parking solutions for the estate. Not The widest roads in the Ceannt Fort area namely, Quinn Avenue No Code 11/05/2018 1 Parking Recommended and Donnellan Avenue are only 4.3 metres wide and too narrow Allocated for legal on street parking. All the other roads in the area are even narrower. Some residents have their own driveways while others are resigned to parking partially on the footpath in order to maintain access throughout the estate. The estate has been inspected many times with double vellow lines only being installed minimally to maintain access at pinch points. Additional parking restrictions will only take parking spaces away from residents and are not recommended. Any parking Infringements should be reported to Dublin Street Parking Services tel no. 01 6022500 or the Gardaí as they occur. 7003855 Roundabout HERBERTON PARK Dublin 8 Traffic Calming roundabout Not Herberton road is a major arterial link route to & from the City, and Member of 18/07/2018 0 (SC) Recommended to one of the largest hospitals in the country. This road serves the Public emergency services & bus routes. Traffic calming is not appropriate for such roads, therefore the provision of traffic calming is not recommended. The matter will be brought up at our monthly meeting with An Garda Siochana Double Yellow Member of 28/08/2018 1 7004541 **BRIDGE STREET** Dublin 8 between Oliver Bond Street and Not Not recommended – after a site visit it is not recommended to LOWER (SC) the Taxi Rank at the Brazen Recommended make any changes at this stretch of road. The restrictions in place the Public Lines Head. are working and no problems were observed. The time stamp is designed to allow movement during the rush hours and also allow deliveries in the guieter times. The introduction of any further restrictions would be counter productive 7008419 Loading Bay MILL STREET (SC) Dublin 8 or DYL or SYL to enable loading SR not recommended. After a site visit by the area engineer it Member of 11/04/2019 0 Not & unloading. Recommended was noted that this area is well catered for with regards loading the Public bays. There is a loading bay directly across from 33 Mill Street and also one approx. 50m away at the junction of Mill Lane. School Keep Clear SOUTH CIRCULAR 7009398 Dublin 8 School road markings outside Recommended SR RECOMMENDED - after a site visit it was recommended to Member of 28/05/2019 0 ROAD (SC) the school entrance. Dvls either install RRM 010: School Keep Clear Markings outside Griffith the Public side of the School keep clear Barracks Multi Denominational school. Can these be put in markings as well, and school outside the gates beside LS95. ahead/children crossing sign The installation of more school ahead signage would not be recommended as there are two school ahead signs on the

approach to the school and any more would lead to a proliferation.



South Central Area - TAG Meeting Minutes for Noting

(Area Committee Date: 15/04/2020)

08/04/2020 15 Items Page 2 of 3

Iten	Enquiry SP Ref	Topic	Road	Post	Request Description	Tag Result	Tag Comments	Request By	Received Sec
8	7009589	Yellow Box	USHER'S QUAY (SC)	Dublin 8	Yellow box across three lanes of traffic, at exit from garage.	Recommended	SR Recommended - After a site visit, the Area Engineer noticed that there is a problem with cars blocking the entrance to the Topaz garage on Ushers Quay. Unfortunately it doesn't meet the criteria for a yellow box but a "keep Clear" road marking is recommended. Install a "keep Clear" box outside the entrance to Topaz garage on Ushers Quay in the middle of the three lanes	Member of the Public	07/06/2019 0
9	7009638	Children Crossing Sign	KNOCKNAREA AVENUE (SC)	Dublin 12	2 Signs requested in the complex of Knocknarea Court, Drimnagh.	Not Recommended	SR NOT RECOMMENDED - This road is not in charge of traffic.	Internal	11/06/2019 0
10	7009788	Loading Bay	FRANCIS STREET (SC)	Dublin 8	Loading for ROMA takeway.	Not Recommended	SR NOT RECOMMENDED – the installation of an additional loading bay would not be recommended as there is a new loading bay outside the hotel directly across the road from the Roma Take Away on Dean Street/The Coombe	the Public	19/06/2019 0
11	7013168	Cycle Track	MARROWBONE LANE (SC)	Dublin 8	Change cycle lane to 24 hour operating, and realign section of outbound cycle track along the nose in parking so that cyclists are not forced to the left.	Recommended	SR recommended – The Area Engineer agrees that the hours of operation should be changed to a 24hr operation time on the inbound cycle lane from the junction between Earl St South and Robert St South.	Internal	07/01/2020 0
12	7013657	Yield Sign	THOMAS COURT (SC)	Dublin 8	Yield sign for junction leading onto Marrowbone Lane.	Not Recommended	SR not recommended. After a site inspection the Area Engineer would not recommend the installation of a Yield sign as the cars coming from Thomas Court have the right of way. There is Stop sign on both Earl Street South and School Street at the junction of Marrowbone lane. This junction has been put forward for the 2020 works program to improve the safety at this junction. This will happen this year subject to funding.	the Public	05/02/2020 0
13	7013918	Pedestrian Crossing	MARTIN'S ROW (SC)	Dublin 20	Install pedestrian crossing or zebra crossing for St. Patrick's National School on Main Street, before junction with Chapelizod Road.	Pending	SR not recommended. During a site visit it was observed that there is already a pedestrian crossings in the close proximity. One is approx 95m to the north west of this location . Therefore pedestrian crossings are not recommended to at this present time.		19/02/2020 0
14	7014191	TAG General Engineer Query	DECIES ROAD (SC)	Dublin 10	Review speed ramps along the shops on Decies Road, Ballyfermot (between O'Hogan Road and Lally Road).	Not Recommended	The ramps on Decies Road were provided & positioned in accordance with current best practice. The factors taken into consideration in locating ramps include, spacing between ramps, street lighting, location of driveways and proximity of junctions. These are spaced about 80 to 100 metres apart, the height and profile of the ramps result in more even speeds of 35 – 42 kph along the road, and less braking and acceleration, thereby reducing noise levels in built up areas	Member of the Public	05/03/2020 0



South Central Area - TAG Meeting Minutes for Noting

(Area Committee Date: 15/04/2020)

08/04/2020 15 Items Page 3 of 3

Item Enquiry SP Ref Topic Road Post **Request Description** Tag Result **Tag Comments** Request By Received Sec 15 7014301 Yellow Box USHER'S QUAY (SC) Dublin 8 Yellow box for HSE day hospital. Not SR not recommended - the Area Engineer would not recommend No Code 10/03/2020 0 Recommended installing a yellow box outside number 9 Usher's Island as it only Allocated has approx. 15 parking spaces and doesn't meet the criteria of having at least 50 houses or a major traffic generating facility. This guideline is in place to avoid a proliferation of yellow boxes in