

North West Area Committee - Council Questions Report July 2021

Road Maintenance Services

Number	Reference	Address	Description	Date	Text	Status
11111339	Q84 CM 05/07/21	SANDYHILL COURT	<p>"To ask the Chief Executive to arrange for effective speed ramps to be installed at the entrance to (details supplied) as visitors in cars enter the cul-de-sac too fast while children are out playing. It is often used as a turnaround point for passing traffic. There are a lot of children in the Court and all of the residents want safety measures there so they can play safely.</p> <p>Details: Sandyhill Court</p> <p>"</p>	25/06/2021 16:43		2-Passed to Engineer
11111209	Q47 CM 05/07/21	Grove Park Avenue ,Drive and Crescent	<p>To ask the Chief Executive to arrange for a full assessment and repair of the pathways at (details supplied).</p> <p>Details: Grove Park Avenue ,Drive and Crescent</p>	23/06/2021 15:24		2-Passed to Engineer
11111208	Q46 CM 05/07/21	Glasnevin Park , Dublin 11	<p>To ask the Chief Executive to arrange for a full assessment and repair of the roadway at (details supplied)</p> <p>Details: Glasnevin Park , Dublin 11</p> <p>To ask the Manager following on from the Area Committee question asked in February 2021 to ask the manager to provide an update on the ramp being too high at (details supplied) and when will it be repaired.</p> <p>Details: Casement Road</p>	23/06/2021 15:23		2-Passed to Engineer
			Reply			
			Reply Question 33 February NWA Meeting			
			Road Maintenance Services will arrange to reinstate the disabled dishing to a standard upstand.			
			In addition, the Infrastructure Management Unit will investigate what utility has carried out the recent works (both recent concrete and macadam works) at the entrance to Mellowes Park.			
11110499	Q52 NWACM 15/06/21	Casement Road	<p>"To ask the Manager to investigate the possibility of installing a ramp for wheelchair and buggy users at (details supplied)</p>	08/06/2021 11:02		2-Passed to Engineer
11110433	Q50 NWACM 15/06/21	"Barry Avenue (at St Kevin's School to St Joseph's school/ Barry Road)	<p>Details: Barry Avenue (at St Kevin's School to St Joseph's school/ Barry Road)</p> <p>"</p>	03/06/2021 17:01		2-Passed to Engineer

**North West Area Committee - Council Questions Report July 2021
Road Maintenance Services**

Number	Reference	Address	Description	Date	Text	Status
			<p>issues raised in motion 4 at the January 2021 area committee meeting in relation to (details supplied).</p> <p>Details: 1) Additional signage be put up on a pole to clearly identify where Glasilawn Road begins.</p> <p>2) The residents group be assisted in purchasing a cast iron sign for the entrance to the road.</p> <p>3) The Tolka Estate signs are at both ends of the road with arrows yet these are absent for Glasilawn , can these be reviewed.</p> <p>Reply</p> <p>Contact: Tel: Email:</p> <p>Report Motion 4 January 2021</p> <p>Road Maintenance Services Division is progressing with a review of signage in place on Glasilawn Road in the vicinity of Tolka Estate, but completion of this review has been delayed due to the Christmas break and annual leave arrangements for staff involved. However, it should be completed in a matter of weeks. A site inspection is an integral part of this process. Any additional or replacement "To ask the Manager for a list of pathways due to be repaired in (details supplied) and an expected timeline for repair.</p>			
11110366	Q48 15/06/21 NWAC	"Glasilawn Road"		03/06/2021 07:29		2-Passed to Engineer
11110365	Q45 15/06/21 NWAC	"Willow Park area"	<p>Details: Willow Park area</p> <p>"To ask the Manager to provide an update on the repair of the pathway outside (details supplied)</p>	03/06/2021 07:26		2-Passed to Engineer
11110364	Q44 15/06/21 NWAC	" 85 Willow Park Grove"	<p>Details: 85 Willow Park Grove</p> <p>"To ask the Chief Executive to replace the tarmac at the junction of (details supplied) as it has ravelled and is in need of repair.</p>	03/06/2021 07:23		2-Passed to Engineer
11111222	Q79 CM 05/07/21	Ferndale Avenue and Ballygall Road East Dublin 11	<p>Details: Ferndale Avenue and Ballygall Road East Dublin 11</p> <p>"To ask the Manager to repair the road surface outside (details supplied) as there are two potholes.</p>	23/06/2021 17:11		2-Passed to Engineer
11110363	Q32 15/06/21 NWAC	2 Drapier Green, Dublin 11	<p>Details: 2 Drapier Green, Dublin 11</p>	03/06/2021 07:20		2-Passed to Engineer

**North West Area Committee - Council Questions Report July 2021
Road Maintenance Services**

Number	Reference	Address	Description	Date	Text	Status
11110362	Q31 15/06/21 NWAC	" Glasnevin Avenue "	"To ask the Manager to provide an update on the repair of the public side of the footpath at the shops on (details supplied) which funding was provided for. Details: Glasnevin Avenue " To ask the Manager to repair the footpath at (details supplied)	03/06/2021 07:17		2-Passed to Engineer
11110361	Q27 15/06/21 NWAC	4 Maolbhuille Road, Dublin 11.	Details: 24 Maolbhuille Road, Dublin 11. To ask the Manager to repair the footpaths on (details supplied) as they are in poor condition in several locations.	03/06/2021 07:14		2-Passed to Engineer
11110360	Q26 15/06/21 NWAC	Termon Court, Dublin 11	Details: Termon Court, Dublin 11 "To ask the Manager following on from the Area Committee question asked in February 2021 to ask the manager to provide an update on the ramp being too high at (details supplied) and when will it be repaired.	03/06/2021 07:10		2-Passed to Engineer
11110359	Q52 15/06/21 NWAC	"Casement Road "	Details: Casement Road " "To ask the Chief Executive if he will make a comment on staffing levels in Roads Maintenance and backlog of issues (details supplied).	03/06/2021 07:08		2-Passed to Engineer
11111296	Q82 CM 05/07/21	"10 SAINT PAPPIN ROAD DUBLIN11"	Details: Footpath at 10 St. Pappins Road was reported on April 10th where an elderly man tripped and hurt his face. The query was raised again recently (June 17th) and we were told it has not been inspected yet. " "To ask the Manager to arrange for the resurfacing of the (former) laneway area at (details supplied 1). Could the Manager also provide an updated timeframe for the new paving to be installed in (details supplied 2)	24/06/2021 16:14		2-Passed to Engineer
11110358	Q15 15/06/21 NWAC	" (1) Cromlech Court between no 42 and 21. (2) Cromlech Court no 13-24 and 37-48. "	Details: (1) Cromlech Court between no 42 and 21. (2) Cromlech Court no 13-24 and 37-48. " "To ask the Manager to confirm a timeframe for the path improvements to be scheduled at (details supplied)	03/06/2021 07:05		2-Passed to Engineer
11110357	Q13 15/06/21 NWAC	"St Pappin's Road north side footpaths between Ballymun Road and Delville Road "	Details: St Pappin's Road north side footpaths between Ballymun Road and Delville Road " "To ask the Manager to repair the first ramp entering Belclare Drive across from Centra.	03/06/2021 07:01		2-Passed to Engineer
11110356	Q4 15/06/21 NWAC	"Belclare Drive across from Centra. "	" To ask the Manager to repair the ramps at the traffic lights at Poppintree Parade, Balbutcher Lane	03/06/2021 06:46		2-Passed to Engineer
11110355	Q3 15/06/21 NWAC	Poppintree Parade, Balbutcher Lane		03/06/2021 06:41		2-Passed to Engineer

**North West Area Committee - Council Questions Report July 2021
Road Maintenance Services**

Number	Reference	Address	Description	Date	Text	Status
11110354	Q2 15/06/21 NWAC	"Balbutcher Drive.	"To ask the Manager to repair the potholes on Balbutcher Drive.	03/06/2021 06:38		2-Passed to Engineer
		"	"			
			"To ask the Manager to remove the steel which is in the grass verge on (details supplied)			
11110353	Q24 15/06/21 NWAC	Seamus Ennis Road	Details: Seamus Ennis Road in front of the Sorting Office and near the pedestrian crossing as residents have reported tripping on it.	03/06/2021 06:35		2-Passed to Engineer
		"	"			
			To ask the Manager to repair the broken road surface around the manhole cover at the junction of Virginia Park and Virginia Drive, Dublin 11			
11109148	Q50 NWACM 18/05/21	junction of Virginia Park and Virginia Drive, Dublin 11		10/05/2021 11:13		3-Inspection Required
		"71	To ask the Manager repair the footpath at (details supplied)			
		WILLOW PARK ROAD				
11109147	Q49 NWACM 18/05/21	DUBLIN11"	Details: 71 Willow Park Road, Dublin 11.	10/05/2021 11:12		3-Inspection Required
			To ask the Manager to repair the potholes in the tarmac surface on the pavement at (details supplied) as the resident is keen to do work on her driveway but cannot do so until the pavement is repaired.			
11109146	Q45 NWACM 18/05/21	106 Ballygall Road West, Dublin 11	Details: 106 Ballygall Road West, Dublin 11	06/05/2021 07:01		2-Passed to Engineer
			To ask the Manager can a dishing be put in place outside (details supplied).			
11109145	Q34 NWACM 18/05/21	1 Dean Swift Road, Glasnevin, D11R263	Details: 1 Dean Swift Road, Glasnevin, D11R263) (ref: 2494910)	05/05/2021 16:04		2-Passed to Engineer
			"To ask the Manager for an update as to when the pathway will be repaired at (details supplied)Details: 100			
11109143	Q27 NWACM 18/05/21	100 Cardiffsbridge Road	Cardiffsbridge Road	05/05/2021 15:30		2-Passed to Engineer
			To ask the Manager to carry out a full assessment of the pathways at (details supplied)			
11109142	Q22 NWACM 18/05/21	Pinewood, Glasnevin	Details: Pinewood, Glasnevin. A number of pathways in this area are in a bad state of disrepair. Can a list of areas within Pinewood to be repaired please be provided.	10/05/2021 11:26		3-Inspection Required
			To ask the Manager to arrange for the footpath adjacent to			
			Belclare Park which leads up to Poppintree Park to be edged properly.			
11109141	Q10 NWACM 18/05/21	footpath adjacent to Belclare Park which leads up to Poppintree Park		10/05/2021 11:12		3-Inspection Required
			To ask the Manager to repair the ramps on Belclare Crescent, both are in very poor condition. They are the old red ramps and are crumbling.			
11109140	Q7 NWACM 18/05/21	BELCLARE CRESCENT		10/05/2021 13:04	Job 41130498 - 01-Job Raised, Defect Job created via Connector	6-Job Raised
			To ask the Manager to replace the trees and footpaths on Coultry Avenue in consultation with residents. The trees are causing huge issues and going under people's homes as well as cracking all the footpaths.			
11109139	Q4 NWACM 18/05/21	Coultry Avenue		10/05/2021 11:26		3-Inspection Required
			To ask the Manager to repair the footpaths in Kippure Park, there are holes in parts of them which will cause a serious accident.			
11109138	Q2 NWACM 18/05/21	KIPPURE PARK		10/05/2021 11:11		3-Inspection Required
			To ask the Manager to resurface the lane between Dunsink Avenue and Wellmount Road			
11109137	Q1 NWACM 18/05/21	lane between Dunsink Avenue and Wellmount Road		06/05/2021 11:40		3-Inspection Required

**North West Area Committee - Council Questions Report July 2021
Road Maintenance Services**

Number	Reference	Address	Description	Date	Text	Status
11109099	Q88 CM 10/05/21	The Car Park on Barry Road/Avenue at the shops	"To ask the Chief Executive to arrange for an inspection of the surface of the car park at (details supplied) with a view to resurfacing and repair. Details: The Car Park on Barry Road/Avenue at the shops. A number of potholes are present which need repair. "	04/05/2021 16:42		2-Passed to Engineer
11109098	Q16 CM 10/05/21	BALLYGALL AVENUE	"To ask the Chief Executive to arrange for the footpaths on Ballygall Avenue to be CRES inspected and any repairs necessary to be carried out. The trees along this section of street are huge and are lifting the footpaths in places. "	10/05/2021 11:41		3-Inspection Required
11109135	Q44 NWACM 18/05/21	Ballygall Parade, Dublin 11	To ask the Manager to review the issue of speeding on (details supplied) and improve the ramps as recent resurfacing work has left the ramps less effective than previously. Details: Ballygall Parade, Dublin 11. "To ask the Chief Executive to repair the road surface at (details supplied) as there is a large pothole which is impeding the resident's access to their driveway.	10/05/2021 11:26		3-Inspection Required
11108945	Q120 CM 10/05/21	"14 BALLYGALL AVENUE DUBLIN11"	Details: 14 Ballygall Avenue Dublin 11	29/04/2021 11:48		2-Passed to Engineer
11108942	Q88 CM 10/05/21	The Car Park on Barry Road/Avenue at the shops	"To ask the Chief Executive to arrange for an inspection of the surface of the car park at (details supplied) with a view to resurfacing and repair. Details: The Car Park on Barry Road/Avenue at the shops. A number of potholes are present which need repair. "	29/04/2021 11:40		2-Passed to Engineer
11108454	Q16 NWAC 10/05/21	Ballygall Avenue	"To ask the Chief Executive to arrange for the footpaths on Ballygall Avenue to be inspected and any repairs necessary to be carried out. The trees along this section of street are huge and are lifting the footpaths in places. "	21/04/2021 09:50		2-Passed to Engineer
11109134	Q61 NWACM 18/05/21	GLASNEVIN AVENUE	To ask the Manager to give an update on the proposed cycle lanes on Glasnevin Avenue and plans to ensure the cycle path is free of potholes and uneven surfaces. To ask the Manager to provide a report detailing the condition of the road surface on Glasnevin Avenue following the recent road openings by a utilities company and to indicate if the repairs to the road surface are to an acceptable level.	05/05/2021 14:58		2-Passed to Engineer
11107875	Q46 NWACM 20/04/21	Glasnevin Avenue	To ask the Manager for timescales on the resurfacing of Tolka Cottages.	07/04/2021 15:25		2-Passed to Engineer
11107874	Q43 NWACM 20/04/21	TOLKA COTTAGES	To ask the Manager to repair the drainage problems at (details supplied) when the pavement was resurfaced recently it caused pooling of water at the front gate as the water does not have anywhere to drain.	06/05/2021 10:33		Enquiry Resolved
11107932	Q34 NWAC 20/04/21	89 Sycamore Road	To ask the Manager to repair the footpath at (details supplied)	08/04/2021 16:32		2-Passed to Engineer
11107872	Q35 NWACM 20/04/21	31 Grove Park Avenue		07/04/2021 15:15		2-Passed to Engineer

**North West Area Committee - Council Questions Report July 2021
Road Maintenance Services**

Number	Reference	Address	Description	Date	Text	Status
11107871	Q33 NWACM 20/04/21	95 McKee Road	To ask the Manager to repair the footpath at [details supplied] as it has come loose.	07/04/2021	15:13	2-Passed to Engineer
11107870	Q32 NWACM 20/04/21	junction of Cappagh Road and Patrickswell Plac	To ask the Manager to repair the raised footpath at the junction of Cappagh Road and Patrickswell Place. "To ask the Manager to arrange a survey of the condition of the road at (details supplied)	07/04/2021	15:12	2-Passed to Engineer
11107869	Q23 NWACM 20/04/21	Dean Swift Road	Details: Dean Swift Road "	07/04/2021	15:10	2-Passed to Engineer
11107868	Q17 NWACM 20/04/21	Willow Park Road and Beneavin Drive	To ask the Manager to repair the footpaths on Willow Park Road and Beneavin Drive, they are in a dire condition. "To ask the Manager for a review of the signage at (details supplied); if a site visit can be arranged; and if the residents can be assisted with perhaps purchasing improved signage.	12/04/2021	10:31	2-Passed to Engineer
11106640	Q21 NWAC 16/03/21	Casement Road Lower	Details: Casement Road Lower " To ask the Manager to repair a pothole and other damage to the road at (details supplied).	08/03/2021	10:54	2-Passed to Engineer
11106479	Q48 NWAC 16/03/21	Grove Road	Details: Grove Road, about 5 meters from the junction with Sycamore Road. To ask the Manager to arrange for the potholes on Doon Court adjacent to the new O'Cualann build be repaired as they are causing damage to peoples cars locally.	04/03/2021	06:57	2-Passed to Engineer
11107867	Q11 NWACM 20/04/21	DOON COURT	To ask the Manager to arrange for the re-instatement of the paths from (details supplied). There are several uneven and dangerous paths, cracked paving, the edges have potholes in the tarmac "temporary surfaces" and the whole section needs to be considered for improvements.	06/05/2021	10:32	3-Inspection Required
11107864	Q8 NWACM 20/04/21	57-121 Griffith Road	Details: 57-121 Griffith Road. The paths on the rest of Griffith Road were resurfaced a couple of years ago but this section was not included.	07/04/2021	14:48	2-Passed to Engineer

**North West Area Committee - Council Questions Report July 2021
Road Maintenance Services**

Number	Reference	Address	Description	Date	Text	Status
11107863	Q5 NWACM 20/04/21	"Sillogue Gardens "	<p>To ask the Manager to arrange for the paving and road surfaces to be reinstated at (details supplied); will the Manager consider a complete resurfacing of the roads and reinstatement of paving areas where the grass has overgrown in between the paving stones; at the following locations specifically:a) The entrance to Sillogue Gardens between no's 6 and 24 the road is peppered with potholes and several uneven "temporary resurfacing", it is an eyesore. b) Pothole to the rear of no 8 c) at the entrance between 28 and 38, road has various uneven repairs, cracks and potholes (not to be confused with the rear of said houses which are in good condition) d) rear of 83 and 84, large potholes and uneven surfaces e) rear of 93 and 110, numerous potholes and uneven surfaces f) rear of 102, long crack in the road g) paved area to the front of 106-107 in need of an upgrade, multiple uneven paving stones with grass growing through them h) to the side/rear of no 53, path is uneven, cracked, and bottom step is broken, the paving stones at the end are covered in grass and likely needing to be removed and replaced.</p> <p>"To ask the Manager to arrange for the footpath to be repaired at (details supplied). This has been reported several times after elderly residents locally tripping on said damage.</p>	12/04/2021	10:33	2-Passed to Engineer
11106478	Q39 NWAC 16/03/21	13 Crannogue Terrace	<p>Details: 13 Crannogue Terrace "</p>	04/03/2021	06:54	2-Passed to Engineer
11106477	Q37 NWAC 16/03/21	Dunsink Drive	<p>To ask the Manager to arrange for the resurfacing of the paths on Dunsink Drive which are in a very poor state in some parts, in particular the end close to Wellmount Road.</p>	04/03/2021	06:50	2-Passed to Engineer
11106476	Q32 NWAC 16/03/21	Willow Park and Pinewood areas.	<p>To ask the Manager to urgently repair paths in the Willow Park and Pinewood areas. This area has a high number of people who are of risk of tripping/falling due to the different levels of the paths</p>	04/03/2021	06:46	2-Passed to Engineer
11106475	Q23 NWAC 16/03/21	Kildonan Road	<p>"To ask the Manager to reinstall the ramp at (details supplied) which wasn't put back in during recent re pavement works. Details: Kildonan Road</p>	04/03/2021	06:42	2-Passed to Engineer
11106474	Q9 NWAC 16/03/21	Old North Road Finglas	<p>To ask the Manager to resurface the Old North Road Finglas and to examine the parking that is taking place, there is a lot of people parking here who don't live in the area.</p>	04/03/2021	06:22	2-Passed to Engineer
11106472	Q2 NWAC 16/03/21	Ard Na Meala	<p>To ask the Manager to repair the pothole at the entrance of Ard Na Meala, there is also a steel pole sticking up from the ground where the old bus stop was on Ballymun Road beside Ard na Meala</p>	04/03/2021	05:20	2-Passed to Engineer
11106471	Q22 NWAC 16/03/21	" McKee Road "	<p>"To ask the Manager to arrange for the inspection of the pathways on (details supplied) with a view to carrying out badly needed repairs. Details: McKee Road</p>	04/03/2021	05:17	2-Passed to Engineer

**North West Area Committee - Council Questions Report July 2021
Road Maintenance Services**

Number	Reference	Address	Description	Date	Text	Status
11105245	Q33 NWAC 16/02/21	At the entrance to Mellows Park on Casement Road	To ask the Manager for an update on the realignment of the ramp at the entrance to Mellows Park on Casement Road. Wheelchair users can no longer access the ramp due to its height. To ask the Manager if steps can be taken to fix dangerous footpaths at (details supplied)	27/04/2021 15:34	Job 41129906 - 01-Job Raised, Defect Job created via Connector	6-Job Raised
11105244	Q42 NWAC 16/02/21	Fitzmaurice Road, Ballygall	Details: Fitzmaurice Road, Ballygall (photos attached) To ask the Manager to arrange a speedy repair of the large pothole at (details supplied). This area has very high footfall due to the amount of shops and local schools in the vicinity.	17/02/2021 09:45		Enquiry Resolved
11105243	Q27 NWAC 16/02/21	Marsella's takeaway 10 Fitzmaurice Road, Dublin 11	Details: Marsella's takeaway 10 Fitzmaurice Road, Dublin 11. "To ask the Manager to arrange for the potholes on Wellmount Road adjacent to the FAST building to be repaired and for the road to be included on future works plans for re-instatement.	17/02/2021 09:44		Enquiry Resolved
11105242	Q14 NWAC 16/02/21	Wellmount Road adjacent to the FAST building	To ask the Manager if steps can be taken to address the poor condition of the footpath (details supplied) in Dublin 11. Details: The condition of the footpath 46-104 Kildonan Road, Finglas West (beside Park), is in a deplorable condition and needs to be replaced immediately. Last year the council partially replaced the footpath beside the houses; why did the council not replace the footpaths entirely here when places e.g. like Sycamore Road in Finglas East have given both sides of the road completely refurbished; e.g. the residents of 88 Kildonan Road are aged 86 and 92 and find it hard to walk to and from the house, and there are many others like them. To ask the Manager to repair the dangerous broken bollard outside (details supplied)	24/02/2021 10:09	Job 41127503 - 01-Job Raised, Defect Job created via Connector	6-Job Raised
11105241	Q45 NWAC 16/02/21	46-104 Kildonan Road, Finglas West	To ask the Manager to repair the dangerous broken bollard outside (details supplied)	27/04/2021 15:46	Job 41129908 - 01-Job Raised, Defect Job created via Connector	6-Job Raised
11105240	Q34 NWAC 16/02/21	Macari's Ballygall Road West, Finglas	Details: Macari's Ballygall Road West, Finglas. "To ask the Manager for a report on the recent utility works at (details supplied) this road recently had a new roadway laid which have now been dug up again. A)Were the utility works planned. B)What level of communication took place between Road Maintenance and Utilities. C)Will the road be put repaved to its previous standard D)Who is responsible for paying for the road to be repaved following these works.	22/02/2021 09:43	duplicate,job created on previous enquiry	Enquiry Resolved
11105239	Q25 NWAC 16/02/21	Cappagh Road	Details: Cappagh Road "	17/02/2021 09:42		Enquiry Resolved
11105238	Q13 NWAC 16/02/21	Ratoath Road at junction of Rathvilly Road	To ask the Manager to arrange for the potholes on Ratoath Road at junction of Rathvilly Road to be repaired. There is at least one large and one small at the junction.	22/02/2021 10:08	Duplicate	Enquiry Resolved

North West Area Committee - Council Questions Report July 2021

Road Maintenance Services

Number	Reference	Address	Description	Date	Text	Status
11105237	Q7 NWAC 16/02/21	Belclare Drive	To ask the Manager to repair the footpaths on Belclare Drive, they are in a very poor condition. That roads which have experienced severe damage due to building works in Ballymun are prioritised for repair. They include Balcurris Road, Balbutcher Lane and Cranogue Road.	25/03/2021 09:59	Job 41128557 - 01-Job Raised, Defect Job created via Connector	6-Job Raised
11105236	M!A NWAC 16/02/21	Balcurris Road, Balbutcher Lane and Cranogue Road.	Road.	17/02/2021 09:39		Enquiry Resolved
11104253	Q7 NWAC 19/01/21	19 Barry Drive	To ask the Manager for an update on the pathways repairs at (details supplied).	07/01/2021 10:29		2-Passed to Engineer
11104190	Q46 NWAC 19/01/21	Kilshane Road	To ask the Manager to arrange for repairs to Kilshane Road adjacent to Finglas Celtic clubhouse where several defects are on the surface of the road here.	03/02/2021 13:33		Enquiry Resolved
11104189	Q41 NWAC 19/01/21	Tolka Valley Road	To ask the Manager to arrange for the road to be inspected at junction of Tolka Valley Road and St. Helena's Road and any potholes to be repaired. A local resident reported a pothole which done some damage to his car coming up from the main Finglas Road.	03/02/2021 13:33		Enquiry Resolved
11104188	Q36 NWAC 19/01/21	Tolka Cottages	To ask the Manager for timescales on the resurfacing of Tolka Cottages which was to be done in 2020.	03/02/2021 13:32		Enquiry Resolved
11104187	Q34 NWAC 19/01/21	Balcurris Road	To ask the Manager to fix a pothole on Balcurris Road where there is a right hand turn into a parking area in front of The Turnpike.	03/02/2021 13:32		Enquiry Resolved
11104242	Q103 11/01/21	Glasilawn Road	To ask the Chief Executive to outline if there is any progress on the review of signage requested on Glasilawn Road Dublin 11?	03/02/2021 13:35		Enquiry Resolved
11104186	Q26 NWAC 19/01/21	Seamus Ennis Road, outside the primary healthcare centre	To ask the Manager to replace the two missing bollards on the Seamus Ennis Road, outside the primary healthcare centre as there are holes in the pavement and cars are driving up on to the pavement making it hazardous for pedestrians and school children	22/03/2021 10:59	Job 41128473 - 01-Job Raised, Defect Job created via Connector	6-Job Raised
11104185	Q25 NWAC 19/01/21	Cairn Court	To ask the Manager to look at repairing the slabs outside Cairn Court.	03/02/2021 13:31		Enquiry Resolved
11104183	Q18 NWAC 19/01/21	Balcurris Road	To ask the Manager to resurface Balcurris Road. All the building work has caused considerable damage to the road.	03/02/2021 13:30		Enquiry Resolved
11104182	Q17 NWAC 19/01/21	Balbutcher Lane at the O'Cualann Building Site	To ask the Manager to immediately repair the pot hole on Balbutcher Lane at the O'Cualann Building Site, this has caused a lot of damage to cars over the last number of weeks.	03/02/2021 13:30		Enquiry Resolved
11104181	Q2 NWAC 19/01/21	90 Kildonan Avenue	To ask the Manager to complete the dishing outside (details supplied). This dishing was partially completely /repaved before Covid. Road Maintenance were to extend the dishing before Covid arrived an inspector even called out to the property but they have heard nothing since.	27/04/2021 09:28	Full dish insitu on inspection	Enquiry Resolved
11104180	Q1 NWAC 19/01/21	Wellmount Parade	To ask the Manager to inspect the pathway going through (details supplied) with a view to repair. It is pooling rain water and freezing, making it impossible to walk on.	16/03/2021 10:11	Steep banks on either side preventing drainage,path sheltered from early morning sun	4-Inspection Completed

**North West Area Committee - Council Questions Report July 2021
Road Maintenance Services**

Number	Reference	Address	Description	Date	Text	Status
11104179	2B NWAC 19/01/21	Glasilawn Road.	That this committee calls for a review of the road signage on Glasilawn Road. As you enter from one side of the road the road begins as Tolka Estate but halfway down becomes Glasilawn Road , this has caused major confusion for delivery drivers , emergency vehicles etc. Following a council question asked on the subject in December can Road Maintenance /Traffic outline their progress on the issue? Can 1) Additional signage be put up on a pole to clearly identify where Glasilawn Road begins 2) The residents group be assisted in purchasing a cast iron sign for the entrance to the road 3) The Tolka Estate signs are at both ends of the road with arrows yet these are absent for Glasilawn , can these be reviewed. Can a site visit be arranged to review signage	05/02/2021 15:46		Enquiry Resolved
11103767	Q96 NWAC 11/01/21	90 Kildonan Avenue	"To ask the Chief Executive to complete the dishing at (details supplied) this was started pre Covid but it was never completed.	22/03/2021 10:51	No,90 has sufficient dishes space for access no further works required at this location,	Enquiry Resolved
11103766	Q98 NWAC 11/01/21	35 Ratoath Avenue	To ask the Chief Executive to repair the pothole at (details supplied).	15/03/2021 09:34	Done on inspection	Enquiry Resolved
11103511	Q36 NWAC 15/12/20	Beneavin Road and Glasnevin Avenue	To ask the Manager to arrange for works to be carried out on the footpath at Beneavin Road and Glasnevin Avenue southeast corner (near Advanced Pitstop) as the area is in a poor state.	15/12/2020 09:26	As per email attached.	2-Passed to Engineer
	Q44 NWACM 15/12/20	DEAN SWIFT ROAD DUBLIN11"	To ask the Manager to arrange repairs to the kerb outside 85 Dean Swift Road and to resurface the verges which are tarmac but are overgrown with moss.	30/06/2021 09:38	Will be added to works list and done in due course	6-Job Raised
	Q43 NWACM 15/12/20	1-59 St. Pappins Road	To ask the Manager to arrange for the footpath at 1-59 St. Pappins Road where the tarmac has degraded badly be repaired. These work have been requested over many years and are long overdue.	15/12/2020 09:20		Enquiry Resolved
	Q41 NWACM 15/10/20	in front of the Bus Stop at Wftra Hall on Mellows Road	To ask the Manager for the road in front of the Bus Stop at Wftra Hall on Mellows Road to be repaired properly. I have requested this numerous times over the last few years and the problem is only ever tarmacked over which doesn't resolve the issue properly.	22/12/2020 14:30	Job 41125716 - 01-Job Raised, Defect Job created via Connector	6-Job Raised
	Q40 NWACM 15/12/20	Wellmount Crescent and Green	To ask the Manager to arrange for the re-instatement of the footpaths in Wellmount Crescent and Green. The paths here are in particularly bad condition and this has been requested several times previously.	22/12/2020 08:14	area has been inspected and jobs added to works list,most are Priority 8	Enquiry Resolved
	Q36 NWACM 15/12/20	footpath at Beneavin Road and Glasnevin Avenue southeast corner (near Advanced Pitstop)	To ask the Manager to arrange for works to be carried out on the footpath at Beneavin Road and Glasnevin Avenue southeast corner (near Advanced Pitstop) as the area is in a poor state.	16/12/2020 09:51	Please refer to enquiry no 11103511.	Enquiry Resolved
	Q35 NWACM 15/12/20	Ballygall Avenue, Dublin 11.	To ask the Manager to review the height of the trees on [details supplied] as the trees are too large and cause significant issues with the pavement and road surface and may require a similar intervention as St Canice's Road received a couple of years ago. Details: Ballygall Avenue, Dublin 11.	15/12/2020 09:19		Enquiry Resolved

**North West Area Committee - Council Questions Report July 2021
Road Maintenance Services**

Number	Reference	Address	Description	Date	Text	Status
			"To ask the Manager to fill in the empty tree pit at [details supplied] as it poses a significant trip hazard since the tree was removed.			
11103183	Q32 NWACM 15/12/20	35/37 Casement Drive	Details: 35/37 Casement Drive "	07/05/2021 10:20	Job 41125712 - Job Closed, Tree planted by parks in open ground	Enquiry Resolved
11103180	Q31 NWAC 15/12/20	"51 GROVE PARK ROAD DUBLIN11"	To ask the Manager to repair the pavement surface at [details supplied] as the pavement slab has lifted and poses a trip hazard. Details: 51 Grove Park Road,	22/12/2020 14:31	Job 41125715 - 01-Job Raised, Defect Job created via Connector	6-Job Raised
11103179	Q30 NWAC 15/12/20	"38 RATHVILLY DRIVE DUBLIN11"	To ask the Manager to repair the road surface at [details supplied]. "To ask the Manager to expedite the repair of the pathway outside (details supplied) . There have been a number of falls at this location.	08/03/2021 11:00	Defects created and added to list on previous enquiries	Enquiry Resolved
11103157	Q21 NWAC 15/12/20	1A Sycamore Park	Details: 1A Sycamore Park there have been a number of falls at this location	15/03/2021 10:12	Job 41128114 - 01-Job Raised, Defect Job created via Connector	6-Job Raised
11103156	Q20 NWAC 15/12/20	72-74 Plunkett Avenue	To ask the Manager to review the huge tree and pathways outside 72-74 Plunkett Avenue "To ask the Manager to carry out a full review of the new pathways at (details supplied) Was the funding allocated to repave the whole pathway. The standard of this work compared to a private contractor across the road is incomparable.	22/12/2020 14:30	Job 41125723 - 01-Job Raised, Defect Job created via Connector	6-Job Raised
11103155	Q19 NWAC 15/12/20	19-35 Dunsink Road	Details: 19-35 Dunsink Road "	22/03/2021 11:02	These works were carried out as localized repair works by dcc direct labour and as such are satisfactory,	Enquiry Resolved
11102839	Q130 CM 07/12/20	numbers 70-80 Griffith Road, Dublin 11	To ask the Chief Executive to widen and resurface the lay by at (details supplied) as was done at a similar layby further up the same road as residents have insufficient space to park their cars and access their driveways, the surface is also in very poor condition and water pools in areas where the tarmac has worn, presenting a significant trip hazard. Details: numbers 70-80 Griffith Road, Dublin 11 As you enter from one side of the road the road begins as Tolka Estate but halfway down becomes Glasilawn Road , this has caused major confusion for delivery drivers , emergency vehicles etc.	02/12/2020 14:50		Enquiry Resolved
11102797	Q50 NWCC 07/12/20	"Glasilawn Road "	Can 1) Additional signage be put up on a pole to clearly identify where Glasilawn Road begins 2) The residents group be assisted in purchasing a cast iron sign for the entrance to the road 3) The Tolka Estate signs are at both ends of the road with arrows yet these are absent for Glasilawn , can these be reviewed. 4) Can a site visit be arranged to review signage.	10/12/2020 11:44	Erection of signs is subject to Stores' procurement.	2-Passed to Inspector

North West Area Committee - Council Questions Report July 2021

Road Maintenance Services

Number	Reference	Address	Description	Date	Text	Status
11102792	Q27 NWCQ 07/12/20	Ratoath Road between Ratoath Avenue and Westwood Road.	To ask the Chief Executive for an update on the proposed road works planned for Ratoath Road between junction of Ratoath Avenue and Westwood Road. "To ask the Manager for a reduced fee to be applied to extending the dishing outside (details supplied) as it is only an extension to existing dishing.	02/12/2020 14:43		Enquiry Resolved
11101752	Q49 NWACM 17/11/20	"182 HILLCREST PARK DUBLIN11"	Details: 182 Hillcrest Park " To ask the Manager when repairs to (details supplied) as agreed in the 2020 works programme will be carried out.	13/11/2020 10:37		Enquiry Resolved
11101751	Q46 NWACM 17/11/20	Pathways on Dunsink Road, Tolka Cottages, Ballygall Parade and Sycamore Road.	Details: Pathways on Dunsink Road, Tolka Cottages, Ballygall Parade and Sycamore Road. To ask the Manager to arrange for the repair of the roadway at the bus stop on Seamus Ennis Road beside Supervalu , Finglas Village.	13/11/2020 10:37		Enquiry Resolved
11101750	Q45 NWACM 17/11/20	the bus stop on Seamus Ennis Road beside Supervalu , Finglas Village.	" To ask the Manager to repair the ramps along School Road outside Mother of Divine Grace School.	16/11/2020 12:05	I have sent an email to Senior Executive Engineer to allocate this to contract.	Enquiry Resolved
11101749	Q35 NWACM 17/11/20	long School Road outside Mother of Divine Grace School.	" To ask the Manager to repair the broken pavement outside [details supplied]	09/03/2021 11:02	Job 41128070 - 01-Job Raised, Defect Job created via Connector	6-Job Raised
11101748	Q29 NWACM 17/11/20	"38 CLUNE ROAD DUBLIN11"	Details: 38 Clune Road,	02/12/2020 10:15	A job has previously been created for this location job no,41120998 I have sent an email to Senior Executive Engineer to allocate this to contract.	Enquiry Resolved
11101747	Q28 NWACM 17/11/20	bus stop outside SuperValu on the Seamus Ennis Road,	To ask the Manager to repair the broken road surface at the bus stop outside SuperValu on the Seamus Ennis Road, "To ask the Manager to inspect and prune the trees on (details supplied)	16/11/2020 12:05		Enquiry Resolved
11101746	Q27 NWACM 17/11/20	Plunkett Crescent.	Details: Plunkett Crescent. " "To ask the Manager to repair the broken pavement at [details supplied]	13/11/2020 10:34		Enquiry Resolved
11101745	Q26 NWACM 17/11/20	14/16 Ballygall Avenue.	Details: 14/16 Ballygall Avenue. To ask the Chief Executive to prioritise the resurfacing of the cycleway on the old Finglas Road, it is in a bad state of repair, especially outside Glasnevin Cemetery	02/03/2021 08:56	Job 41127674 - 01-Job Raised, Defect Job created via Connector This should be Finglas Road (not old Finglas Road). Will you please amend. Thanks	6-Job Raised
11101355	Q98 CM 021120	old Finglas Road	To ask the Chief Executive to inspect the tree outside (details supplied) with a view to removal. The tree is preventing the resident from installing a driveway on his property.	25/03/2021 08:59		2-Passed to Engineer
11101236	Q99 NWCC 20/11/20	40 Kildonan Road	"To ask the Chief Executive to arrange for the footpath at (details supplied) to be re-instated as it is in a poor state and is an accident waiting to happen via trip hazard.	23/10/2020 08:20		Enquiry Resolved
11101171	Q30 CM 021120	"53 CRANOGUE CLOSE DUBLIN11"	Details: 53 Crannogue Close "	18/11/2020 09:44	Will be done in due course ,	6-Job Raised

**North West Area Committee - Council Questions Report July 2021
Road Maintenance Services**

Number	Reference	Address	Description	Date	Text	Status
11100941	Q39 NWAC 20/10/20	junction of Oakwood Road and Jamestown Road	<p>"To ask the Manager to replace a missing bollard at (details supplied) as cars are causing danger to pedestrians and road users by driving up on the path and through the gap created by the missing bollard at what is supposed to be a cul-de-sac</p> <p>Details: At the blocked-off junction of Oakwood Road and Jamestown Road and there has been a Job 41102611 on 10/07/2019 scheduled but never completed</p>	02/12/2020 09:53	No Ballard appears to be missing at this location ,	Enquiry Resolved
11100905	Q37 NWAC 20/10/20	Tolka Cottages	To ask the Manager for the timescales for resurfacing works at (details supplied) which is due to be resurfaced this year and residents would like to know the timescales.	15/10/2020 08:42		Enquiry Resolved
11103154	Q1 NWAC 15/12/20	Silloque Gardens	To ask the Manager when the new footpaths will be going into Silloque Gardens as well as the new public lighting	02/12/2020 14:51	This is a matter for Road Design and Constrcuton	Enquiry Resolved
11100609	Q27 NWAC 20/10/20	Ballymun/Finglas Area	<p>To ask the Manager for a list of all outstanding road maintenance repairs in the Ballymun-Finglas local electoral area in tabular form. To include when the request was first received and a potential timeline for repair.</p> <p>To ask the Manager to inspect the pathways at (details supplied)</p>	13/10/2020 09:56		Enquiry Resolved
11100607	Q21 NWAC 20/10/20	Finglas Park	<p>Details: Finglas Park, a number of section repairs were done previously. Residents have particular concerns about the concrete covering the tree area following these repairs (the attached is outside 62 Finglas Park)</p> <p>"To ask the Manager when the footpaths on Fitzmaurice Road at the shops will be repaired</p>	14/10/2020 15:12	Spoke to Area Inspector and he will arrange to rectify.	Enquiry Resolved
11100606	Q19 NWAC 20/10/20	Fitzmaurice Road	To ask the Manager to repair the footpaths at the Cardiffsbridge Road Shops	14/10/2020 15:11		Enquiry Resolved
11100605	Q15 NWAC 20/10/20	Cardiffsbridge shops		08/03/2021 11:24	No defect at mapped location	Enquiry Resolved
11100243	Q108 NWC 05/10/20	31 Grove Park Avenue	<p>To ask the Chief Executive to repair the footpath at (details supplied), as this has been on a repair list for several years.</p> <p>Details: 31 Grove Park Avenue, Dublin 11</p> <p>"To ask the Chief Executive to arrange for the replacement of red brick ramp adjacent (details supplied) Sandyhill Gardens. The ramp is in a very poor state.</p>	02/12/2020 09:48	This has been previously added to works list and will be done in due course job no,41095079	Enquiry Resolved
11100162	Q13 NWC 05/10/20	95 Sandyhill Gardens	Details: 95	18/11/2020 09:54	Will be done in due course,	7-Job Passed to Crew

**North West Area Committee - Council Questions Report July 2021
Road Maintenance Services**

Number	Reference	Address	Description	Date	Text	Status
			<p>issues in Glasnevin Village and to please provide an update on the followi) Following requests from residents to DCC for Welcome to Glasnevin Village signage to be placed at both ends of the village, could this please be provided by DCC and is there a timeline as to when the signs may be installed?</p> <p>B) Could Glasnevin Village please be prioritised for the weeds to be removed from the road network throughout the whole village and is there a date as to when this may be carried out?</p> <p>C) Seven street light poles near the National Botanic Garden entrance were painted by DCC in September. All light poles in Glasnevin Village need painting, could this please be prioritised?</p> <p>D) Could the ongoing issue of illegally parked vehicles in cycle lanes and on footpaths at Glasnevin Village please be addressed, it is particularly a problem outside the National Botanic Gardens. The loading bay outside McMahons Café in the village is also continually used for parking. The village is being used as a 'park and ride' facility. Could DCC also engage with the Bon Secours hospital to ensure that hospital staff are parking in designated parking areas provided to them.</p> <p>E) Could the black steel bollards which are placed outside the Botanic Gardens be extended to the bridge at Glasnevin Hill, which would also help against the ongoing issue of illegal parking and to ensure a safer environment for cyclists and pedestrians.</p>			
11099975	Q87 NWAC 5/10/20	Glasnevin Village	To ask the Chief Executive when the footpaths will be repaired on Shangan Road beside the Shops.	01/10/2020 15:44		Enquiry Resolved
11099938	Q22 NWC 05/10/20	Shangan Road	To ask the Chief Executive to do a full review of the service provision in Valeview	01/10/2020 15:45		Enquiry Resolved
11099928	Q21 NWAM 5/10/20	Valeview	Finglas. The grass is only partially being cut, weeds are widespread, the footpaths are broken, street lighting is badly rusted. Can we put together a programme of works to include weeding, painting, planting, and adequate grass cutting.	09/02/2021 09:02	Job 41127048 - 01-Job Raised, Defect Job created via Connector	6-Job Raised
11099877	Q14 NWC 05/10/20	Caoppagh Road	To ask the Chief Executive to arrange for the footpath along Cappagh Road (in particular the one opposite Colaiste Eoin) to be resurfaced as it is in a bad state and creates many trip hazards. This stretch is used by lots of people to access church, schools and Finglas Village.	22/09/2020 08:49		Enquiry Resolved
11098973	Q2 NWAC 15/09/20	411 Coultry Road	To ask the Manager to arrange for the ramp at 411 Coultry Road to be re-instated as it has fallen into a bad state of disrepair.	18/11/2020 15:29	Job 41122659 - Job Closed, Finnish	Enquiry Resolved
11098972	Q23 NWAC 15/09/20	Coultry Road	To ask the Manager to repair or replace the speed ramp at (details supplied) as it is in very poor condition, is no longer fit for purpose and is not safe for cars.	14/09/2020 15:24	Duplicate job. Job was already passed to the inspector with photo attached.	Enquiry Resolved
11098968	Q28 NWAC 15/09/20	44 Glasilawn Road	To ask the Manager to repair the badly damaged pathway outside (details supplied).	29/09/2020 14:45	Job 41122423 - 01-Job Raised, Defect Job created via Connector	6-Job Raised

**North West Area Committee - Council Questions Report July 2021
Road Maintenance Services**

Number	Reference	Address	Description	Date	Text	Status
11098966	Q37 NWAC 15/09/20	Northway Estate	To ask the Manager for a list in tabular form of planned repairs of pathways at (details supplied).	02/12/2020 10:28	There are no immediate plans for repairs in this area however all localized defects will be done on a priority basis as and when a crew becomes available in this area.	Enquiry Resolved
11098653	Q79 CM 07/09/20	79 Willow Park Road	To ask the Chief Executive to arrange for repair of the pavement at (details supplied) which has been on the list for repair for over 5 years.	01/09/2020 15:11	Job 41121547 - 01-Job Raised, Defect Job created via Connector	6-Job Raised
11097750	Q13 NWCM 070920	30A Kildonan Road and 44 Kildonan Road.	To ask the Chief Executive to arrange for the footpath between (details supplied) Kildonan Road to be resurfaced. This section of road is well used by pedestrians as part of a busy thoroughfare taking people to and from local shops, schools and church etc. "To ask the Manager to arrange for the inspection of the pathways with a view to repair on (details supplied)	11/08/2020 11:02		Enquiry Resolved
11096443	Q41 NWACM 210720	Sycamore Road leading into Sycamore Park	Details: Sycamore Road leading into Sycamore Park " "To ask the Manager to arrange for the repair of the pathway outside (details supplied)	08/07/2020 14:25		2-Passed to Engineer
11096442	Q38 NWACM 210720	"39 NORTHWAY ESTATE DUBLIN11"	Details: 39 Northway Estate " "To ask the Manager to arrange for the permanent repair of the footpath outside (details supplied). A temporary repair was carried out some time ago which is insufficient.	08/07/2020 14:22		2-Passed to Engineer
11096441	Q36 NWACM 210720	"11 PLUNKETT CRESCENT DUBLIN11"	Details: 11 Plunkett Crescent " To ask the Manager arrange for the repair of the pathways at (details supplied)	08/07/2020 14:20		2-Passed to Engineer
11096440	Q35 NWACM 210720	"13 BENEAVIN DRIVE DUBLIN11"	Details: Beneavin Drive , particularly outside no.13 "To ask the Chief Executive to review and repair the uneven pavement levels at (details supplied) as the pavement dips due to the chicane and poses a trip hazard for vulnerable pedestrians.	08/07/2020 14:17		2-Passed to Engineer
11099978	Q110 NWAC 5/10/20	"61 Main Street Finglas Village outside the Down Syndrome shop "	Details: 61 Main Street Finglas Village outside the Down Syndrome shop " "To ask the Manager to repair the trench which has been dug to the middle of the road outside (details supplied)	05/10/2020 10:25	This is a matter for Traffic as I informed Senior Executive Engineer.	Enquiry Resolved
11096439	Q29 NWACM 210720	"1 SYCAMORE PARK DUBLIN11"	Details: 1 Sycamore Park Dublin 11.	08/07/2020 14:15		2-Passed to Engineer

**North West Area Committee - Council Questions Report July 2021
Road Maintenance Services**

Number	Reference	Address	Description	Date	Text	Status
11096438	Q20 NWACM 210720	31 Dunsink Road and across the road at the gate entrance to Farnham Park	To ask the Manager to install footpath dishing at 31 Dunsink Road and across the road at the gate entrance to Farnham Park to enable people with disabilities easier access to the Park.	08/07/2020 14:11		2-Passed to Engineer
11096437	Q15 NWACM 210720	St. Margaret's Road (Lidl) roundabout	To ask the Manager for an update on the St. Margaret's Road (Lidl) roundabout upgrade. Can the Manager also report as to works required on the footpaths/grass verges along this stretch of St. Margaret's Road (roundabout to McKelvey) which has been continuously raised for several years.	08/07/2020 14:08		2-Passed to Engineer
11096436	Q12 NWACM 210720	junction of Dunsink Road (near no.19) and Casement Road	To ask the Manager to arrange for footpath dipping for disability access on Dunsink Road at junction of Dunsink Road (near no.19) and Casement Road, alongside the park.	20/07/2020 11:32		2-Passed to Engineer
11096435	Q11 NWACM 210720	FAIRLAWN ROAD	To ask the Manager to arrange for the resurfacing of Fairlawn Road which is in a poor condition.	08/07/2020 14:02		2-Passed to Engineer
11096434	Q8 NWACM 210720	Poppintree	To ask the Manager while the slabbing is taking place in the courts in Poppintree if we can look at getting the pavements repaired going into the courts. "To ask the Chief Executive to arrange a resurfacing of the car park at (details supplied).	08/07/2020 13:59		2-Passed to Engineer
11096187	Q52 06/07/20	Barry Road	Details: The shopping area on Barry Road. "	03/07/2020 16:07		2-Passed to Engineer
11095818	Q53 CM 06/07/20	St Kevins School, Barry Avenue and Plunkett Green	"To ask the Chief Executive to arrange a clean-up including the removal of the weeds at the walkway between (details supplied). Details: St Kevin's School Barry Avenue and Plunkett Green "	26/06/2020 13:15		Enquiry Resolved
11095815	Q53 NWAC 06/07/20	St Kevin's School Barry Avenue and Plunkett Green.	Details: St Kevin's School Barry Avenue and Plunkett Green.	06/07/2020 08:21	Duplicate	Enquiry Resolved
11094843	Q49 NWAC	105 Northway Estate.	To ask the Manager can paths be repaired at 105 Northway Estate. "To ask the Manager to get the nettles cut around the railings at the green between (details supplied) where flowers have been planted but you cannot see due to nettles.	08/07/2020 09:40	Defect added under previous enquiry will be done in due course,	Enquiry Resolved
11094826	Q38 NWAC 160620	Ballygall Parade and Crescent	Details: Ballygall Parade and Crescent and the steps leading down to the church "	16/06/2020 11:56	Referred to Parks	Enquiry Resolved
11094824	Q26 NWAC 160620	SEAMUS ENNIS ROAD	To ask the Manager to arrange for the repaving/replacement of the black tarmacadam on Seamus Ennis Road. It looks appalling for a main entrance into our village as it has disintegrated. It is a trip also a trip hazard.	16/06/2020 11:55		Enquiry Resolved
11094742	Q29 CM 080620	the side of 84 Cairn Court across from St Joseph's school	To ask the Chief Executive to cut the bushes at the side of 84 Cairn Court across from St Joseph's school which looks very untidy.	16/06/2020 11:55	Cairn Court belongs to Housing	Enquiry Resolved

**North West Area Committee - Council Questions Report July 2021
Road Maintenance Services**

Number	Reference	Address	Description	Date	Text	Status
11094643	Q29 NWAC 08/06/20	84 Cairn Court across from St Joseph's school	To ask the Chief Executive to cut the bushes at the side of 84 Cairn Court across from St Joseph's school which looks very untidy.	06/08/2020 08:54	First notice delivered by letterbox	4-Inspection Completed
11100604	Q4 NWAC 20/10/20	Rathvilly Drive	To ask the Manager to arrange for the road surface at 38 Rathvilly Drive to be re-instated. This request has been put in previously and never acted upon.	23/06/2021 08:26	Job 41125717 - Job Closed, 21 may 21 finished	Enquiry Resolved