

**North West Area Committee – Council Questions 10th January 2022**

**Road Maintenance Services**

Number	Reference	Address	Description	Date	Text	Status
11117936	Q43 NWAC 18.01.22	Ratoath Road, north of Kilshane Road	To ask the Manager to improve the safety at Ratoath Road, north of Kilshane Road so that people in the homes in the travelling community on Ratoath Road and Dunsink Lane can safely travel to and from their homes as currently there is no footpath or safe pedestrian route and is an unacceptable risk for residents and to give an update to progress on this issue as it has been raised before with both Dublin City Council and Fingal County Council, and Fingal County Council has said that it is under the remit of Dublin City Council (Ref: Fingal Area Question R21\18268).	06/01/2022 13:47		2-Passed to Engineer
11117934	Q39 NWAC 18.01.22	Ratoath Road	To ask the Manager for an update on Ratoath Road upgrade (Ratoath Avenue to Westwood Road)	06/01/2022 13:39		2-Passed to Engineer
11117877	Q16 NWAC 18/01/22	Willow Park Crescent	To ask the Manager to provide a report on the new electricity box on Willow Park Crescent, did it require permission and what is its purpose.	05/01/2022 15:58		2-Passed to Engineer
11117876	Q45 NWAC 18/01/22	Finglas Park/McKee Road junction, at junction with No. 9 McKee Road	To ask the Manager to repair a pothole at the Finglas Park/McKee Road junction, at the southern junction close to number 9 McKee Road.	05/01/2022 15:54		2-Passed to Engineer
11117875	Q36 NWAC 18/01/22	a) Abbotstown Avenue, b) Westwood Road	To ask the Manager to arrange for the ramps on the following roads to be upgraded.	05/01/2022 15:52		2-Passed to Engineer
11117873	Q35 NWAC 18/01/22	Mellowes Avenue	To ask the Manager to arrange for the footpaths on (details supplied) to be inspected and repaired where necessary.	05/01/2022 15:49		2-Passed to Engineer
11117872	Q33 NWAC 18/01/22	301 Casement Road	To ask the Manager to arrange for the tarmac landing in front of 301 Casement Road to be re-surfaced as it is in very poor condition and has many trip hazards on it.	05/01/2022 15:47		2-Passed to Engineer
11117871	Q21 NWAC 18/01/22	Tax Assist, McKee Avenue	To ask the Manager to inspect the pooling of water at (details supplied) Details: outside the tax assist/ opticians on McKee Avenue, this may be due to the road being resurfaced recently.	05/01/2022 15:45		2-Passed to Engineer
11117870	Q5 NWAC 18/01/22	Our Lady of Victories School and the Credit Union on Ballymun Road.	To ask the Manager to look at the footpaths at Our Lady of Victories School and the Credit Union on Ballymun Road. They are in very poor condition and require immediate attention.	05/01/2022 15:42		2-Passed to Engineer
11117691	Q10 NWAC 10.01.22	Ratoath Road between Ratoath Avenue and Westwood Road	"To ask the Chief Executive to arrange for some repair works to be carried out on (details supplied) where the side of the road is being broken away.  Details: Ratoath Road between Ratoath Avenue and Westwood Road "	21/12/2021 09:35		4-Inspection Completed
11117650	Q63 NWAC 10.01.22	10 Casement Drive,	To ask the Chief Executive to arrange for the repair of the sunken roadway at (details supplied).  Details: 10 Casement Drive, see below photo for reference.	21/12/2021 11:34	Job 41141227 - 01-Job Raised, Defect Job created via Connector	6-Job Raised
11117649	Q62 NWAC 10.01.22	69 Casement Park	"To ask the Chief Executive to arrange for the repair of the badly uplifted footpath at (details supplied).  Details: 69 Casement Park "	21/12/2021 11:35	Job 41141228 - 01-Job Raised, Defect Job created via Connector	6-Job Raised

**North West Area Committee – Council Questions 10th January 2022**

**Road Maintenance Services**

Number	Reference	Address	Description	Date	Text	Status
11117024	Q16 NWAC 14.12.21	Glasnevin Avenue ( 73 Glasnevin Ave, Ballygall, Dublin 11).	"To ask the Manager to provide an update on the repair of the car park surface at (details supplied)  Details: The Autobahn Car Park	08/12/2021 14:44	Autobahn Carpark not TIC	Resolved - No Further Action
11117020	Q36 NWAC 14.12.21	St. Pappins Road	To ask the Manager can the big electric pole on the corner of St. Pappins Road and Ballymun Road be painted. It is rusting and the paint is flaking off and it looks unsightly. Locals are carrying out cleaning around the area and this doesn't look great.	08/12/2021 14:07	Not RMS Issue	Referred to Utility/other Dept
11117294	Q10 CM 10/01/22	Ratoath Road between Ratoath Avenue and Westwood Road	"To ask the Chief Executive to arrange for some repair works to be carried out on (details supplied) where the side of the road is being broken away.  Details: Ratoath Road between Ratoath Avenue and Westwood Road "	14/12/2021 11:51		4-Inspection Completed
11117018	Q34 NWAC 14.12.21	13 Cranogue Terrace	"To ask the Manager provide an update on the request for the path repairs outside (details supplied) where the tree roots have lifted the paving and it is very dangerous for pedestrians.  Details: 13 Cranogue Terrace "	08/12/2021 14:39	Passed to IMU	Referred to Utility/other Dept
11117017	Q25 NWAC 14.12.21	14/16 Ballygall Avenue	To ask the Manager repair the pothole outside 14/16 Ballygall Avenue which was listed for repair some months ago.	01/12/2021 13:43		2-Passed to Engineer
11117014	Q21 NWAC 14.12.21	106-144 Ballygall Road West	"To ask the Manager inspect and repair the section of footpath at (details supplied) as it consists of tarmac/gravel which has crumbled and is in poor condition.  Details: 106-144 Ballygall Road West "	08/12/2021 14:40		3-Inspection Required
11117008	Q15 NWAC 14.12.21	The Barry shops car park	"To ask the Manager to provide an update on the repair of the carpark surface at (details supplied)  Details: The Barry shops car park "	08/12/2021 15:10		2-Passed to Inspector
11117004	Q14 NWAC 14.12.21	"42 Barry Park "	"To ask the Manager to arrange for the repair of the pathway outside (details supplied)  Details: 42 Barry Park "	14/12/2021 12:34	Job 41140944 - 01-Job Raised, Defect Job created via Connector	6-Job Raised
11117002	Q13 NWAC 14.12.21	30 Grove Road	"To ask the Manager to arrange for the repair of the pavement outside (details supplied)  Details: 30 Grove Road	16/12/2021 15:41	Job 41141106 - 01-Job Raised, Defect Job created via Connector	6-Job Raised
11117001	Q4 NWAC 14.12.21	Balbutcher Drive	To ask the Manager to repair the road at Balbutcher Drive, It is in a really poor condition and has been requested many times for remedial works.	08/12/2021 12:14	Balbutcher drive to be resurfaced as part of 2022 resurfacing contracts	Resolved - No Further Action

**North West Area Committee – Council Questions 10th January 2022**

**Road Maintenance Services**

Number	Reference	Address	Description	Date	Text	Status
11117000	Q1 NWAC 14.12.21	around the new Oiléan na Crannóige development Knowth Court and Balbutcher Lane	To ask the Manager to get the footpaths repaired all around the new Oiléan na Crannóige development. The paths leading up from Knowth Court have potholes in them and the ones on Balbutcher Lane are all sunken.	01/12/2021 12:51		2-Passed to Engineer
11116767	Q121 NWAC 6.12.21	95 McKee Road Dublin 11	"To ask the Chief Executive to provide an update on the footpath repair at (details supplied) as the resident at no 95 has recently been diagnosed as clinically blind and the poor condition of the footpath is a significant hazard.  Details: 95 McKee Road Dublin 11	25/11/2021 07:35		2-Passed to Engineer
11116766	Q119 NWAC 6.12.21	Cedarwood Close, Dublin 11	To ask the Chief Executive to replace the street sign on (details supplied) which fell off earlier this year?  Details: Cedarwood Close, Dublin 11	14/12/2021 19:52		4-Inspection Completed
11116765	Q112 NWAC 6.12.21	141 Glasnevin Avenue, Dublin 11	To ask the Chief Executive to arrange for the repair of the footpath at (details supplied).  Details: 141 Glasnevin Avenue, Dublin 11	16/12/2021 10:08	Job 41141044 - 01-Job Raised, Defect Job created via Connector	6-Job Raised
11115866	Q48 NWACM 16/11/21	Northway Park	"To ask the Manager to provide an update on the proposed pathway at (details supplied)  Details: Northway Park	10/11/2021 15:12	RMS cannot comment on status of future/proposed works.	Enquiry Resolved
11115584				28/10/2021 07:11		Enquiry Resolved
11115479	Q70 NWAC 01.11.21	"Glasilawn Road /Tolka Estate 2: Glasilawn Road "	To ask the Chief Executive following on from question 50 on the 7th of December 2020 to provide an update on the following: There has been no progress on the issue of Signage on (details supplied 1), despite first being reported 10 months ago.  a)There has been no progress on changing the signage/additional signage on (details supplied 2) as promised, when will this be put in place? b)Can the manager assist with the purchasing of a cast iron sign in conjunction with the environmental group. c)Can a site visit be arranged to review the signage on the road.  Details 1: Glasilawn Road /Tolka Estate Details 2: Glasilawn Road	10/11/2021 15:14	Signage has been delivered to Depot. installation pending crew availability. Note - backlog in all signage deliveries due to supplier bereavement.	7-Job Passed to Crew
11115257	Q12 NWACM 19/10/21	Kildonan Park	"To ask the Manager to carry out weeding inside and outside (details supplied); it is very overgrown.  Details: Kildonan Park "	08/12/2021 12:31	Referred to PARks	Referred to Utility/other Dept
11114971	Q15 NWAC 19.10.21	Cedarwood Grove	To ask the Manager to carry out an assessment on the pathways at (details supplied), with a view to repair and for them to be considered in the 2022 works programme.  Details: Cedarwood Grove	08/12/2021 15:10		3-Inspection Required
11114970	Q14 NWAC 19.10.21	Cappagh Avenue	To ask the Manager to carry out an assessment on the pathways at (details supplied), with a view to repair and for them to be considered in the 2022 works programme.  Details: Cappagh Avenue	08/12/2021 14:20		3-Inspection Required

**North West Area Committee – Council Questions 10th January 2022**

**Road Maintenance Services**

Number	Reference	Address	Description	Date	Text	Status
11114992	Q11 NWACM 19/10/21	DOLMEN COURT	To ask the Manager to cut all of the bushes around Dolmen Court.	06/10/2021 17:14		3-Inspection Required
11114317	Q8 NWACM 21/09/21	Poppintree courts	To ask the Manager to look at replacing the slabs entering the Poppintree Courts. Great progress has been made inside the Courts but outside also needs to be replaced.	16/09/2021 12:26		2-Passed to Engineer
11114057	Q4 NWACM 21/09/21	Virgin Mary School	To ask the Manager to paint the traffic ramps at the Virgin Mary School as they are totally faded and are blended into the road.	08/12/2021 14:07	Issue for Traffic.	Referred to Utility/other Dept
11114023	Q7 NWACM 21/09/21	at St Canice's Girls School where the Blue School Warden sign is	To ask the Manager to repair the footpath at St Canice's Girls School where the Blue School Warden sign is on the path, as there are two big holes which people are tripping over.	10/11/2021 15:16	Inspected, Holes due to bollards being broken and removed. New bollard install to close.	4-Inspection Completed
11114021	Q6 NWACM 21/09/21	Plunkett Road	To ask the Manager to repair the footpaths on Plunkett Road, several requests have gone over the years and no improvements have taken place.	08/12/2021 14:50		3-Inspection Required
11114019	Q3 NWACM 21/09/21	Shanliss and Oldtown.	To ask the Manager for an update on footpath repair works in Shanliss and Oldtown.	08/09/2021 13:31		2-Passed to Engineer
11114037	Q54 NWACM 21/09/21	"26 OAKWOOD PARK DUBLIN11"	"To ask the Manager to arrange for an inspection and repair of the pathway outside (details supplied)  Details: 26 Oakwood Park	14/12/2021 13:31		6-Job Raised
11113519	Q74 NWCM 06/09/21	"41 NORTH ROAD DUBLIN11"	To ask the Chief Executive to provide an update on the repair of the pathway at (details supplied).  Details: 41 North Road , Finglas.	03/09/2021 11:32	The repair required outside 41 North Road, Finglas corresponds to a sunken EIR utility reinstatement. This has been referred to EIR for action.	Enquiry Resolved
11111812	Q51 NWACM 20/07/21	SYCAMORE PARK	To ask the Manager to investigate the pathways at (details supplied) with a view to repair.	10/11/2021 15:25		4-Inspection Completed
11111805	Q18 NWACM 20/07/21	Ballymun Road particularly around Our Lady of Victories.	To ask the Manager to repair the footpaths on Ballymun Road particularly around Our Lady of Victories.	03/09/2021 16:15		3-Inspection Required
11111804	Q17 NWACM 20/07/21	POPPINTREE PARK LANE WEST	To ask the Manager to repair the footpaths on Poppintree Park Lane West.	10/11/2021 15:26		4-Inspection Completed
11115863	Q19 NWACM 16/11/21	CROMLECH COURT	"To ask the Manager to provide an update on the paving at (details supplied) where the residents were expecting the completion of the paving to be done in recent months.  Details: Cromlech Court	03/11/2021 16:38		3-Inspection Required
11115862	Q16 NWACM 16/11/21	NORTH ROAD	"To ask the Manager to arrange for the footpaths and road to be resurfaced on (details supplied). This was promised years ago but the road has not received any attention in a long time.  Details: North Road	14/12/2021 12:46		4-Inspection Completed
11115861	Q15 NWACM 16/11/21	Cardiff Castle Road	"To ask the Manager to arrange for the footpaths on (details supplied) to be fully re-instated as they are in need of attention.  Details: Cardiff Castle Road "	03/11/2021 16:34		3-Inspection Required
11115860	Q12 NWACM 16/11/21	Ballygall Avenue	To ask the Manager to arrange for the repair/re-instatement of the roads and footpaths along Ballygall Avenue. They are in a poor state and in need of immediate attention.	14/12/2021 13:03		6-Job Raised

**North West Area Committee – Council Questions 10th January 2022**

**Road Maintenance Services**

Number	Reference	Address	Description	Date	Text	Status
11114974	Q54 NWAC 19.10.21	19/21 Wellmount Road	To ask the Manager for the pothole at 19/21 Wellmount Road to be repaired. Can the Manager say when this road was resurfaced last and if this defect is covered under warranty.	14/12/2021 10:40		8-Job Completed
11114973	Q48 NWAC 19.10.21	Balbutcher Drive, particularly the potholes at the entrance and outside no's 7,8,9,10,12,14,15,16,18,20,21,22,24,27,28.	To ask the Manager to arrange for the resurfacing of the road and paths at (details supplied). Could there be a case made to have the whole stretch of path on each side re-instated under the works programme for 2022.  Details: Balbutcher Drive, particularly the potholes at the entrance and outside no's 7,8,9,10,12,14,15,16,18,20,21,22,24,27,28.	10/11/2021 15:08	Balbutcher Drive has been provisionally included on the list of resurfacing works for 2022, however this list is not finalised and is subject to change.	Enquiry Resolved
11114032	Q16 NWACM 21/09/21	Ratoath Road between the junction of Ratoath Avenue and Cappagh Road	To ask the Manager to arrange for the footpath to be re-instated on Ratoath Road between the junction of Ratoath Avenue and Cappagh Road. The surface here is very uneven and there are a lot of elderly residents in the locality who use the footpath here.	14/12/2021 12:05	Job 41140937 - 01-Job Raised, Defect Job created via Connector	6-Job Raised
11114030	Q15 NWACM 21/09/21	Barrack Lane (junction of N2 Finglas Road)	To ask the Manager to arrange for the footpath at Barrack Lane (junction of N2 Finglas Road) to be re-instated as it is in poor condition following works recently leaving a temporary tarmac surface.	10/11/2021 15:05	A site investigation was carried out at this location. There is a temporary patch present where a utility provider had carried out works. There is a patch on the lane way which is in good condition, with another at the footpath on the Finglas road. The second patch has settled locally. RMS will follow up with utility provider to address	4-Inspection Completed
11114028	Q12 NWACM 21/09/21	Mellowes	To ask the Manager to arrange for the replacement of road signs locally which have the name Mellowes misspelled.	09/11/2021 16:08	Advised that both spellings acceptable.	Enquiry Resolved
11113518	Q56 NWCM 06/09/21	Ballygall Road West (steps at the rear of the Bottom of the Hill pub)	To ask the Chief Executive to arrange for the leak on Ballygall Road West (steps at the rear of the Bottom of the Hill pub) to be repaired. This leak is going on for at least 6 months now.	03/09/2021 11:39	Drainage Issue	Referred to Utility/other Dept
11111803	Q8 NWACM 20/07/21	Glenties Park / Glenties Drive	To ask the Manager to arrange for an inspection of the road surfaces in (details supplied). Both locations have been reported for many years now for the poor condition of some of the road surface and to only commit to half of the estate when contractors will be in the area is bad planning. Glenties Park and for arrangements to be made to re-instate anything necessary at the same time as Glenties Drive	06/09/2021 11:10	Glentuies Park has been included in the 2021 resurfacing contracts	Enquiry Resolved
11111798	Q5 NWACM 20/07/21	entrance to Owensilla to the side of no's 57/58	To ask the Manager to arrange for bollards to be installed at the corner that juts out at the entrance to Owensilla to the side of no's 57/58. The residents have raised concerns that cars are being parked on that corner which blocks the view for drivers trying to get around it and concerns that a child would not be seen or that an emergency vehicle would not be able to get past.	03/09/2021 16:17	Redirected to TAG	Referred to Utility/other Dept
11111797	Q3 NWACM 20/07/21	WESTWOOD ROAD	To ask the Manager to arrange for an inspection of the ramps on (details supplied). The ones there are in poor condition and local residents have reported the scourge of scramblers and would like to see extra ramps installed to try and deal with this issue.	10/11/2021 15:59	Ramps provisionally included in major works list for 2022	4-Inspection Completed

**North West Area Committee – Council Questions 10th January 2022**

**Road Maintenance Services**

Number	Reference	Address	Description	Date	Text	Status
11111796	Q1 NWACM 20/07/21	ABBOTSTOWN AVENUE	To ask the Manager to arrange for the ramps on (details supplied) to be upgraded as they are seriously degraded from usage. Can the Manager give a timeframe for completion of works if they are already on a schedule.	10/11/2021 15:58	Ramps provisionally included in major works list for 2022	4-Inspection Completed
11111339	Q84 CM 05/07/21	SANDYHILL COURT	"To ask the Chief Executive to arrange for effective speed ramps to be installed at the entrance to (details supplied) as visitors in cars enter the cul-de-sac too fast while children are out playing. It is often used as a turnaround point for passing traffic. There are a lot of children in the Court and all of the residents want safety measures there so they can play safely.  Details: Sandyhill Court "	03/09/2021 11:30	Sandyhill Court have been provided with a small raised table at the entrance in accordance with the best practice design standards. No further engineering measures are recommended at this time. "	Enquiry Resolved
11111808	Q56 NWACM 20/07/21	113 Jamestown Road	To ask the Manager when the bollard outside (details supplied) will be replaced.	10/11/2021 15:54	Bollard installed	Enquiry Resolved
11111209	Q47 CM 05/07/21	Grove Park Avenue ,Drive and Crescent	To ask the Chief Executive to arrange for a full assessment and repair of the pathways at (details supplied).  Details: Grove Park Avenue ,Drive and Crescent	03/09/2021 10:48	"Response to CQ: Road Maintenance Services do not have the resources to carry out regular surveys of large estates in order to identify possible defects. Please identify particular defects that need to be addressed. Once a defect is identified an inspection will be scheduled. Any issues will be logged onto Confirm – our asset management system for attention and repair. Time line for repair will depend on severity of defect and crew availability.	Enquiry Resolved
11111208	Q46 CM 05/07/21	Glasnevin Park , Dublin 11	To ask the Chief Executive to arrange for a full assessment and repair of the roadway at (details supplied)  Details: Glasnevin Park , Dublin 11	10/11/2021 15:02	A site inspection was carried out at this location to review the issues raised. The roads in Glasnevin Park were found to be in generally good to fair condition. However, there are a number of localised defects that do require attention. These have been logged onto Confirm, Road Maintenance Asset Management Database	4-Inspection Completed

**North West Area Committee – Council Questions 10th January 2022**

**Road Maintenance Services**

Number	Reference	Address	Description	Date	Text	Status
11110499	Q52 NWACM 15/06/21	Casement Road	<p>To ask the Manager following on from the Area Committee question asked in February 2021 to ask the manager to provide an update on the ramp being too high at (details supplied) and when will it be repaired.</p> <p>Details: Casement Road Reply Reply Question 33 February NWA Meeting</p> <p>Road Maintenance Services will arrange to reinstate the disabled dishing to a standard upstand.</p> <p>In addition, the Infrastructure Management Unit will investigate what utility has carried out the recent works (both recent concrete and macadam works) at the entrance to Mellowes Park.</p>	03/09/2021 14:39	Dishing reconstructed.	Enquiry Resolved
11110433	Q50 NWACM 15/06/21	"Barry Avenue (at St Kevin's School to St Joseph's school/ Barry Road) "	<p>"To ask the Manager to investigate the possibility of installing a ramp for wheelchair and buggy users at (details supplied)</p> <p>Details: Barry Avenue (at St Kevin's School to St Joseph's school/ Barry Road)</p>	10/11/2021 15:22	Assessment of location suitability underway.	4-Inspection Completed
11110366	Q48 15/06/21 NWAC	"Glasilawn Road "	<p>issues raised in motion 4 at the January 2021 area committee meeting in relation to (details supplied).</p> <p>Details: 1) Additional signage be put up on a pole to clearly identify where Glasilawn Road begins. 2) The residents group be assisted in purchasing a cast iron sign for the entrance to the road. 3) The Tolka Estate signs are at both ends of the road with arrows yet these are absent for Glasilawn , can these be reviewed.</p> <p>Reply</p> <p>Contact: Tel: Email:</p> <p>Report Motion 4 January 2021</p> <p>Road Maintenance Services Division is progressing with a review of signage in place on Glasilawn Road in the vicinity of Tolka Estate, but completion of this review has been delayed due to the Christmas break and annual leave arrangements for staff involved. However, it should be completed in a matter of weeks. A site inspection is an integral part of this process. Any additional or replacement</p>	03/09/2021 12:12	Name plate delivered, to be installed.	Nameplate Ordered

**North West Area Committee – Council Questions 10th January 2022**

**Road Maintenance Services**

Number	Reference	Address	Description	Date	Text	Status
11110365	Q45 15/06/21 NWAC	"Willow Park area "	"To ask the Manager for a list of pathways due to be repaired in (details supplied) and an expected timeline for repair. Details: Willow Park area "	03/09/2021 13:21	Response:Willow Park estate covers a large area with a number of streets and roads included. Can further information be provided to identify specific defects to be investigated?	Enquiry Resolved
11110364	Q44 15/06/21 NWAC	" 85 Willow Park Grove "	"To ask the Manager to provide an update on the repair of the pathway outside (details supplied)  Details: 85 Willow Park Grove	03/09/2021 13:49	Job raised : 41095747	Enquiry Resolved
11115868	Q23 NWACM 16/11/21	walkway between Balbutcher Lane and the bus stop number 7277 on St Margaret's Road	To ask the Manager to examine the possibility of maintaining the walkway between Balbutcher Lane and the bus stop number 7277 on St Margaret's Road as it is currently quite unsafe and poorly lit.	08/12/2021 12:29	RMS Is responsible for the maintenance of existing taken in charge infrastructure. The estate of Baile Na Laochra has not yet been taken in charge and further developments are ongoing. A proposal for a new path to DCC standards should be made to the road Construction and Design Dept. "	Resolved - No Further Action
11115864	Q27 NWACM 16/11/21	SYCAMORE PARK	To ask the Manager can the free standing street sign on the eastern side of Sycamore Park, beside number 58, be removed as there are two other street name signs on the road	08/12/2021 12:30	RMS will not remove the free standing name plates unless there is a valid safety reason. The two signs at street level serve to direct motorists coming from East and West along Sycamore Road. Whilst there is a third house mounted sign, there is a large tree adjacent to number 58, which can obscure the view of this sign for oncoming motorists and pedestrians.	Resolved - No Further Action
11114996	Q39 NWACM 19/10/21	Drapier Green, near no. 2/3 Drapier Green.	To ask the Manager to arrange for repair of the three potholes at the top of (details supplied)  Details: Drapier Green, near no. 2/3 Drapier Green.	14/12/2021 19:44		6-Job Raised
11114994	Q38 NWACM 19/10/21	junction of Virginia Park and Drive	To ask the Manager to repair the road surface at the junction of Virginia Park and Drive as the surrounding tarmac has ravelled to a severe extent.	14/12/2021 11:00	Job 41140928 - 01-Job Raised, Defect Job created via Connector	6-Job Raised
11114993	Q31 NWACM 19/10/21	OAKWOOD AVENUE	To ask the Manager can the pavements on Oakwood Avenue be inspected with a view to next year's works programme.	06/10/2021 17:16		3-Inspection Required
11114972	Q30 NWAC 19.10.21	Wellmount Drive	To ask the Manager can the pavements on Wellmount Drive be inspected with a view to next year's works programme	06/10/2021 15:28		2-Passed to Engineer
11114036	Q34 NWACM 21/09/21	1-4 Glasilawn Avenue, Dublin 11	To ask the Manager to inspect and repair the pavement at (details supplied) as the tarmac surface has ravelled and is uneven.  Details: 1-4 Glasilawn Avenue, Dublin 11	08/12/2021 14:41		3-Inspection Required



**North West Area Committee – Council Questions 10th January 2022**

**Road Maintenance Services**

Number	Reference	Address	Description	Date	Text	Status
11114035	Q33 NWACM 21/09/21	3-4 Drapier Green, Dublin 11	To ask the Manager to repair the pothole in the road surface at (details supplied) as it is quite deep and a danger to vehicles and pedestrians.  Details: 3-4 Drapier Green, Dublin 11	10/11/2021 14:43	Inspection Completed. Drapier Green added to provisional list for future major works. Localised defect logged.	4-Inspection Completed
11111811	Q38 NWACM 20/07/21	Fitzmaurice Road	To ask the Manager to review the safety for pedestrians at the shops on (details supplied) as cars mount the pavement often at speed in order to park. Can enforcement measures be taken or infrastructure such as bollards or planters installed.	03/09/2021 13:57	Referred to TAG	Referred to Utility/other Dept
11111810	Q34 NWACM 20/07/21	Tolka Estate	To ask the Manager to replace the dip in the footpath at the southern edge of (details supplied) on the green. The footpaths were recently resurfaced but the dip is too high and local residents in wheelchairs and mobility units have difficulty accessing the green via the pavement.	09/11/2021 16:07	Contractor assigned to repair	7-Job Passed to Crew
11111809	Q33 NWACM 20/07/21	39 to 50 Westwood Road	To ask the Manager to install planters or bollards on the road at (details supplied) as there used to be planters on this laneway to show that it was not a through road, the area has recently seen scrambler bikes going through the laneway at speed regularly.	06/09/2021 11:15	Road Maintenance Services Division have inspected this location and can confirm that bollards are in place across the width of the road.	Enquiry Resolved
11111794	Q29 NWACM 20/07/21	Beneavin Park	To ask the Manager to repair the road surface in (details supplied), as it is very badly cracked and a cyclist recently came off their bike due to the poor condition.	25/08/2021 13:12		4-Inspection Completed
11111222	Q79 CM 05/07/21	Ferndale Avenue and Ballygall Road East Dublin 11	"To ask the Chief Executive to replace the tarmac at the junction of (details supplied) as it has ravelled and is in need of repair.  Details: Ferndale Avenue and Ballygall Road East Dublin 11"	03/09/2021 14:51	Referrerd to TAG	Referred to Utility/other Dept
11110363	Q32 15/06/21 NWAC	2 Drapier Green, Dublin 11	To ask the Manager to repair the road surface outside (details supplied) as there are two potholes.  Details: 2 Drapier Green, Dublin 11	10/11/2021 14:37	Job Number 41090950 Completed	8-Job Completed
11110362	Q31 15/06/21 NWAC	" Glasnevin Avenue "	"To ask the Manager to provide an update on the repair of the public side of the footpath at the shops on (details supplied) which funding was provided for.  Details: Glasnevin Avenue "	03/09/2021 14:20	Question directed to local area office.	Enquiry Resolved
11110361	Q27 15/06/21 NWAC	4 Maolbhuille Road, Dublin 11.	To ask the Manager to repair the footpath at (details supplied)  Details: 24 Maolbhuille Road, Dublin 11.	03/09/2021 12:20	Job raised 41126987	Enquiry Resolved
11110360	Q26 15/06/21 NWAC	Termon Court, Dublin 11	To ask the Manager to repair the footpaths on (details supplied) as they are in poor condition in several locations.  Details: Termon Court, Dublin 11	10/11/2021 14:19		4-Inspection Completed

**North West Area Committee – Council Questions 10th January 2022**

**Road Maintenance Services**

Number	Reference	Address	Description	Date	Text	Status
11110359	Q52 15/06/21 NWAC	"Casement Road "	"To ask the Manager following on from the Area Committee question asked in February 2021 to ask the manager to provide an update on the ramp being too high at (details supplied) and when will it be repaired.  Details: Casement Road	03/09/2021 12:05	Ramp Repair Completed	Resolved - No Further Action
11111296	Q82 CM 05/07/21	"10 SAINT PAPPIN ROAD DUBLIN11"	"To ask the Chief Executive if he will make a comment on staffing levels in Roads Maintenance and backlog of issues (details supplied).  Details: Footpath at 10 St. Pappins Road was reported on April 10th where an elderly man tripped and hurt his face. The query was raised again recently (June 17th) and we were told it has not been inspected yet. "	10/11/2021 15:36		4-Inspection Completed
11110358	Q15 15/06/21 NWAC	" (1) Cromlech Court between no 42 and 21. (2) Cromlech Court no 13-24 and 37-48. "	"To ask the Manager to arrange for the resurfacing of the (former) laneway area at (details supplied 1). Could the Manager also provide an updated timeframe for the new paving to be installed in (details supplied 2)  Details: (1) Cromlech Court between no 42 and 21. (2) Cromlech Court no 13-24 and 37-48. "	10/11/2021 14:14	Inspection carried out. Minor repairs logged for attention. Road added for potential inclusion on major works program.	4-Inspection Completed
11110357	Q13 15/06/21 NWAC	"St Pappin's Road north side footpaths between Ballymun Road and Delville Road "	"To ask the Manager to confirm a timeframe for the path improvements to be scheduled at (details supplied)  Details: St Pappin's Road north side footpaths between Ballymun Road and Delville Road "	03/09/2021 11:10	Reconstruction due to commence 5th Oct 21	Enquiry Resolved
11110356	Q4 15/06/21 NWAC	"Belclare Drive across from Centra. "	"To ask the Manager to repair the first ramp entering Belclare Drive across from Centra. "	03/09/2021 11:43	Inspection Completed - No defects located	Enquiry Resolved
11110355	Q3 15/06/21 NWAC	Poppintree Parade, Balbutcher Lane "Balbutcher Drive.	To ask the Manager to repair the ramps at the traffic lights at Poppintree Parade, Balbutcher Lane "To ask the Manager to repair the potholes on Balbutcher Drive.	06/09/2021 11:07	Ramp has been added to the 2021 Resurfacing contracts. Balbutcher Drive included on provisional list form 2022 Program of works	Enquiry Resolved
11110354	Q2 15/06/21 NWAC	"	"To ask the Manager to remove the steel which is in the grass verge on (details supplied)  Details: Seamus Ennis Road in front of the Sorting Office and near the pedestrian crossing as residents have reported tripping on it. "	03/09/2021 11:20	Site Inspection was carried out. No steel present.	Enquiry Resolved
11109148	Q50 NWACM 18/05/21	junction of Virginia Park and Virginia Drive, Dublin 11	To ask the Manager to repair the broken road surface around the manhole cover at the junction of Virginia Park and Virginia Drive, Dublin 11	10/11/2021 15:53	Issued passed to Drainage division,	Referred to Utility/other Dept
11109147	Q49 NWACM 18/05/21	"71 WILLOW PARK ROAD DUBLIN11"	To ask the Manager repair the footpath at (details supplied)  Details: 71 Willow Park Road, Dublin 11.	25/08/2021 15:49		4-Inspection Completed

**North West Area Committee – Council Questions 10th January 2022**

**Road Maintenance Services**

Number	Reference	Address	Description	Date	Text	Status
11109146	Q45 NWACM 18/05/21	106 Ballygall Road West, Dublin 11	<p>To ask the Manager to repair the potholes in the tarmac surface on the pavement at (details supplied) as the resident is keen to do work on her driveway but cannot do so until the pavement is repaired.</p> <p>Details: 106 Ballygall Road West, Dublin 11</p>	06/09/2021 11:04	<p>A site visit was carried out in response to the query above. The footpath is in satisfactory condition, with a minor depression around an adjacent water valve. The resident may contact the Road Maintenance Service front desk if they would like to request specific works to be carried out.</p>	Enquiry Resolved
11115867	ITEM2B NWACM 16/11/	St. Margaret's Road	<p>To ask this Area Committee to support the protection of the old St. Margaret's Road which is closed off now due to the building of the North City Depot as a living heritage trail. This road is a valuable site for its heritage and biodiversity for Ballymun. It is the last of our heritage hedgerows and there is a 300yr old Ash on that site.</p> <p>This road is one of the few parts of Ballymun that still exists prior to the development of Ballymun in the 1960's. It is part of our living heritage. The old road can be part of a walking trail having an amenity, educational, heritage as well as a biodiversity value to the local communities.</p> <p>Although parts of the old hedgerow is in poor condition, with appropriate management, it can be rejuvenated enhancing its biodiversity value. It would be a great way to demonstrate how the landscape of Ballymun looked prior to the 1960's when it was a rural area. This is the last piece of the old rural roads of Ballymun which has huge living heritage value. There is so little left at this stage of Ballymun's heritage.</p>	08/12/2021 12:32	<p>Fingal County Council are the local authority in charge of maintenance for St Margarets Road. This query should be passed onto them for their attention.</p>	Resolved - No Further Action
11115340	Q24 NWACM 19/10/21	BALBUTCHER LANE	<p>To ask the Manager can a path be built across from the new Aspen accommodation on Balbutcher Lane. This was an old entrance into the shopping centre but now that the shopping centre car park is gone and grass in its place, this section has no pedestrian path and is therefore seen as a car park space and cars park here. This means pedestrians cannot get past and have to walk out onto oncoming traffic. Can a new path for this section be urgently put in place.</p>	08/12/2021 12:27	<p>Job has been added to the 2022 footpath contracts</p>	Enquiry Resolved
11113544	Q90 NWCM 06/09/21	the steps at the bottom of the Hill in Finglas	<p>To ask the Chief Executive can the leaking pipe around the steps at the bottom of the Hill in Finglas please be urgently repaired and the steps made safe.</p>	26/08/2021 10:40		3-Inspection Required

**North West Area Committee – Council Questions 10th January 2022**

**Road Maintenance Services**

Number	Reference	Address	Description	Date	Text	Status
11109145	Q34 NWACM 18/05/21	1 Dean Swift Road, Glasnevin, D11R263	To ask the Manager can a dishing be put in place outside (details supplied).  Details: 1 Dean Swift Road, Glasnevin, D11R263) (ref: 2494910)	03/09/2021 16:14	Response issued: Anyone who wishes to have the path outside their property modified to facilitate a vehicle entrance should contact Road Maintenance Services Division. The application process, including conditions to be satisfied and information on charges that will be levied are outlined in the City Council's website at <a href="https://www.dublincity.ie/residential/transportation/road-maintenance-services/modify-footpath-allow-vehicular-access">https://www.dublincity.ie/residential/transportation/road-maintenance-services/modify-footpath-allow-vehicular-access</a> .	Enquiry Resolved
11109143	Q27 NWACM 18/05/21	100 Cardiffsbridge Road	"To ask the Manager for an update as to when the pathway will be repaired at (details supplied)  Details: 100 Cardiffsbridge Road "	03/09/2021 14:07	This is on our list of scheduled repairs but we are not currently able to confirm completion dates of works. We are currently working through a backlog of items which has developed due to the impact on operations from Covid restrictions. Works are being treated on a priority basis and the availability of crews in an area. Job RAised - 41112995	Enquiry Resolved
11109142	Q22 NWACM 18/05/21	Pinewood, Glasnevin	To ask the Manager to carry out a full assessment of the pathways at (details supplied)  Details: Pinewood, Glasnevin. A number of pathways in this area are in a bad state of disrepair. Can a list of areas within Pinewood to be repaired please be provided.	10/11/2021 15:51		7-Job Passed to Crew
11109141	Q10 NWACM 18/05/21	footpath adjacent to Belclare Park which leads up to Poppintree Park	To ask the Manager to arrange for the footpath adjacent to Belclare Park which leads up to Poppintree Park to be edged properly.	10/11/2021 15:49	Defects added to confirm. Path to be added to provisional list of major works.	4-Inspection Completed
11109140	Q7 NWACM 18/05/21	BELCLARE CRESCENT	To ask the Manager to repair the ramps on Belclare Crescent, both are in very poor condition. They are the old red ramps and are crumbling.	10/05/2021 13:04	Job 41130498 - 01-Job Raised, Defect Job created via Connector	6-Job Raised
11109139	Q4 NWACM 18/05/21	Coultry Avenue	To ask the Manager to replace the trees and footpaths on Coultry Avenue in consultation with residents. The trees are causing huge issues and going under people's homes as well as cracking all the footpaths.	10/11/2021 16:01	Inspection completed & items logged.	2-Passed to Inspector
11109138	Q2 NWACM 18/05/21	KIPPURE PARK	To ask the Manager to repair the footpaths in Kippure Park, there are holes in parts of them which will cause a serious accident.	10/11/2021 15:47		2-Passed to Inspector
11109137	Q1 NWACM 18/05/21	lane between Dunsink Avenue and Wellmount Road	To ask the Manager to resurface the lane between Dunsink Avenue and Wellmount Road	10/11/2021 16:00	Road Maintenance will review the condition of this lane when drafting the 2022 works programme with a view to consider its resurfacing, subject to budget availability and competing priorities.	Enquiry Resolved

**North West Area Committee – Council Questions 10th January 2022**

**Road Maintenance Services**

Number	Reference	Address	Description	Date	Text	Status
11109099	Q88 CM 10/05/21	The Car Park on Barry Road/Avenue at the shops	<p>"To ask the Chief Executive to arrange for an inspection of the surface of the car park at (details supplied) with a view to resurfacing and repair.</p> <p>Details: The Car Park on Barry Road/Avenue at the shops. A number of potholes are present which need repair.</p>	03/09/2021 13:15		2-Passed to Inspector
11109098	Q16 CM 10/05/21	BALLYGALL AVENUE	<p>"To ask the Chief Executive to arrange for the footpaths on Ballygall Avenue to be CRES inspected and any repairs necessary to be carried out. The trees along this section of street are huge and are lifting the footpaths in places.</p> <p>"</p>	06/09/2021 11:03	<p>"Road Maintenance Services Division has carried out an inspection of the footpaths on Ballygall Avenue and they were generally found to be in a satisfactory condition. Localised footpath repairs had been carried out in recent years. Routine maintenance repairs may be carried out in the future in response to requests related to specific addresses.</p>	Enquiry Resolved
11109135	Q44 NWACM 18/05/21	Ballygall Parade, Dublin 11	<p>To ask the Manager to review the issue of speeding on (details supplied) and improve the ramps as recent resurfacing work has left the ramps less effective than previously.</p> <p>Details: Ballygall Parade, Dublin 11.</p>	10/11/2021 15:46	Speeding Enforcement to be carried out by Gardai.	Enquiry Resolved
11108945	Q120 CM 10/05/21	"14 BALLYGALL AVENUE DUBLIN11"	<p>"To ask the Chief Executive to repair the road surface at (details supplied) as there is a large pothole which is impeding the resident's access to their driveway.</p> <p>Details: 14 Ballygall Avenue Dublin 11</p> <p>"</p>	03/09/2021 15:01	Defect number: 31062758	2-Passed to Inspector
11108942	Q88 CM 10/05/21	The Car Park on Barry Road/Avenue at the shops	<p>"To ask the Chief Executive to arrange for an inspection of the surface of the car park at (details supplied) with a view to resurfacing and repair.</p> <p>Details: The Car Park on Barry Road/Avenue at the shops. A number of potholes are present which need repair.</p> <p>"</p>	03/09/2021 14:48		2-Passed to Inspector

**North West Area Committee – Council Questions 10th January 2022**

**Road Maintenance Services**

Number	Reference	Address	Description	Date	Text	Status
11108454	Q16 NWAC 10/05/21	Ballygall Avenue	"To ask the Chief Executive to arrange for the footpaths on Ballygall Avenue to be inspected and any repairs necessary to be carried out. The trees along this section of street are huge and are lifting the footpaths in places. "	06/09/2021 11:02	"Road Maintenance Services Division has carried out an inspection of the footpaths on Ballygall Avenue and they were generally found to be in a satisfactory condition. Localised footpath repairs had been carried out in recent years. Routine maintenance repairs may be carried out in the future in response to requests related to specific addresses.	Enquiry Resolved
11117220	Q47 CM 14/12/21	Outside 3 and 4 Drapier Green	To ask the Manager to repair two large, potholes on the road at [details supplied] as these are particularly dangerous for cyclists and have already caused accidents.  Details: Outside 3 and 4 Drapier Green.	14/12/2021 19:45		6-Job Raised
11114038	Q24 NWACM 21/09/21	Woodhazel area	To ask the Manager to improve the caretaking of the Coultrey and Woodhazel areas in terms of clearing litter, cleaning paths of dog poo, clearing litter before grass cutting, fixing damage to footpaths caused by trees which are now trip hazards and pruning trees that are blocking light such as between 20-37 Coultrey Avenue.	08/09/2021 13:59		2-Passed to Engineer
11109134	Q61 NWACM 18/05/21	GLASNEVIN AVENUE	To ask the Manager to give an update on the proposed cycle lanes on Glasnevin Avenue and plans to ensure the cycle path is free of potholes and uneven surfaces.	03/09/2021 11:23	Road Maintenance are not responsible for the installation of new cycle lanes, only maintenance of existing surfaces	Enquiry Resolved

**North West Area Committee – Council Questions 10th January 2022**

**Road Maintenance Services**

Number	Reference	Address	Description	Date	Text	Status
11107875	Q46 NWACM 20/04/21	Glasnevin Avenue	To ask the Manager to provide a report detailing the condition of the road surface on Glasnevin Avenue following the recent road openings by a utilities company and to indicate if the repairs to the road surface are to an acceptable level.	03/09/2021 14:24	As part of a network upgrade EU Networks, a telecommunications utility Company, have installed ducting under the carriageway along Glasnevin Avenue. To date their contractor has completed the ducting installation and carried out a temporary reinstatement of their service trench. Temporary reinstatement is the first stage of a two stage reinstatement procedure. The second stage is permanent reinstatement. The Infrastructure Management Unit ( IMU) monitors utility openings and will not accept them unless the permanent reinstatement is carried out to the required standard. The utilities are aware of these requirements which are set out in The Guidelines for Managing Openings in Public Roads 2017 EU Networks have commenced work on their permanent reinstatement which will be completed in the coming months.	Enquiry Resolved
11107874	Q43 NWACM 20/04/21	TOLKA COTTAGES	To ask the Manager for timescales on the resurfacing of Tolka Cottages.	06/05/2021 10:33		Enquiry Resolved
11107932	Q34 NWAC 20/04/21	89 Sycamore Road	To ask the Manager to repair the drainage problems at (details supplied) when the pavement was resurfaced recently it caused pooling of water at the front gate as the water does not have anywhere to drain.	10/11/2021 15:45	INspection carried out. Unable to see issue. Will return after heavy rainfall to see if ponding evident.	4-Inspection Completed
11107872	Q35 NWACM 20/04/21	31 Grove Park Avenue	To ask the Manager to repair the footpath at (details supplied)	03/09/2021 15:40	Job raised - 41095079	Enquiry Resolved
11107871	Q33 NWACM 20/04/21	95 McKee Road	To ask the Manager to repair the footpath at [details supplied] as it has come loose.	03/09/2021 15:53	Job raised: 41135582	Enquiry Resolved
11107870	Q32 NWACM 20/04/21	junction of Cappagh Road and Patrickswell Plac	To ask the Manager to repair the raised footpath at the junction of Cappagh Road and Patrickswell Place.	03/09/2021 13:55	Job raised: 41129910	Enquiry Resolved
11107869	Q23 NWACM 20/04/21	Dean Swift Road	"To ask the Manager to arrange a survey of the condition of the road at (details supplied)  Details: Dean Swift Road "	03/09/2021 15:42		4-Inspection Completed
11107868	Q17 NWACM 20/04/21	Willow Park Road and Beneavin Drive	To ask the Manager to repair the footpaths on Willow Park Road and Beneavin Drive, they are in a dire condition.	03/09/2021 15:32	General query - surveys carried out.	Enquiry Resolved

**North West Area Committee – Council Questions 10th January 2022**

**Road Maintenance Services**

Number	Reference	Address	Description	Date	Text	Status
11106640	Q21 NWAC 16/03/21	Casement Road Lower	"To ask the Manager for a review of the signage at (details supplied); if a site visit can be arranged; and if the residents can be assisted with perhaps purchasing improved signage.  Details: Casement Road Lower "	10/11/2021 08:59		3-Inspection Required
11106479	Q48 NWAC 16/03/21	Grove Road	To ask the Manager to repair a pothole and other damage to the road at (details supplied).  Details: Grove Road, about 5 meters from the junction with Sycamore Road.	16/12/2021 15:24		8-Job Completed
11107867	Q11 NWACM 20/04/21	DOON COURT	To ask the Manager to arrange for the potholes on Doon Court adjacent to the new O'Cualann build be repaired as they are causing damage to peoples cars locally.	10/11/2021 15:44	Repairs completed as part of 2021 resurfacing works	Enquiry Resolved
11107864	Q8 NWACM 20/04/21	57-121 Griffith Road	To ask the Manager to arrange for the re-instatement of the paths from (details supplied). There are several uneven and dangerous paths, cracked paving, the edges have potholes in the tarmac "temporary surfaces" and the whole section needs to be considered for improvements.  Details: 57-121 Griffith Road. The paths on the rest of Griffith Road were resurfaced a couple of years ago but this section was not included.	03/09/2021 15:56	Works to be completed as part of 2020 Annual Footpaths Contract	Enquiry Resolved
11107863	Q5 NWACM 20/04/21	"Silloque Gardens "	To ask the Manager to arrange for the paving and road surfaces to be reinstated at (details supplied ); will the Manager consider a complete resurfacing of the roads and reinstatement of paving areas where the grass has overgrown in between the paving stones; at the following locations specifically:a) The entrance to Sillogue Gardens between no's 6 and 24 the road is peppered with potholes and several uneven "temporary resurfacing", it is an eyesore. b) Pothole to the rear of no 8 c) at the entrance between 28 and 38, road has various uneven repairs, cracks and potholes (not to be confused with the rear of said houses which are in good condition) d) rear of 83 and 84, large potholes and uneven surfaces e) rear of 93 and 110, numerous potholes and uneven surfaces f) rear of 102, long crack in the road g) paved area to the front of 106-107 in need of an upgrade, multiple uneven paving stones with grass growing through them h) to the side/rear of no 53, path is uneven, cracked, and bottom step is broken, the paving stones at the end are covered in grass and likely needing to be removed and replaced.	10/11/2021 15:42	Silloque Garden Provisionally added to program of works for 2022	Enquiry Resolved



**North West Area Committee – Council Questions 10th January 2022**

**Road Maintenance Services**

Number	Reference	Address	Description	Date	Text	Status
11106478	Q39 NWAC 16/03/21	13 Crannogue Terrace	"To ask the Manager to arrange for the footpath to be repaired at (details supplied). This has been reported several times after elderly residents locally tripping on said damage.  Details: 13 Crannogue Terrace "	09/11/2021 17:25	Job 41128613 - 01-Job Raised, Defect Job created via Connector	6-Job Raised
11106477	Q37 NWAC 16/03/21	Dunsink Drive	To ask the Manager to arrange for the resurfacing of the paths on Dunsink Drive which are in a very poor state in some parts, in particular the end close to Wellmount Road.	10/11/2021 10:34	Localised repairs scheduled when crew available in the area, consider for major works program	Enquiry Resolved
11106476	Q32 NWAC 16/03/21	Willow Park and Pinewood areas.	To ask the Manager to urgently repair paths in the Willow Park and Pinewood areas. This area has a high number of people who are of risk of tripping/falling due to the different levels of the paths	09/11/2021 17:00		2-Passed to Engineer
11106475	Q23 NWAC 16/03/21	Kildonan Road	"To ask the Manager to reinstall the ramp at (details supplied) which wasn't put back in during recent re pavement works.  Details: Kildonan Road "	09/11/2021 17:22	Check snags near Barry Road and contact contractor	2-Passed to Engineer
11106474	Q9 NWAC 16/03/21	Old North Road Finglas	To ask the Manager to resurface the Old North Road Finglas and to examine the parking that is taking place, there is a lot of people parking here who don't live in the area.	09/11/2021 17:09	Inspection completed, consider for resurfacing program	Enquiry Resolved
11106473	Q6 NCAC 16/03/21	Shanowen Road onto Shanliss and outside 3 Balbutcher Drive	To ask the Manager to repair the pot holes on Shanowen Road onto Shanliss and outside 3 Balbutcher Drive	09/11/2021 17:05	Job 41135627 - 01-Job Raised, Defect Job created via Connector	6-Job Raised
11106472	Q2 NWAC 16/03/21	Ard Na Meala	To ask the Manager to repair the pothole at the entrance of Ard Na Meala, there is also a steel pole sticking up from the ground where the old bus stop was on Ballymun Road beside Ard na Meala	14/12/2021 14:32		8-Job Completed
11106471	Q22 NWAC 16/03/21	" McKee Road "	"To ask the Manager to arrange for the inspection of the pathways on (details supplied) with a view to carrying out badly needed repairs.  Details: McKee Road "	10/11/2021 10:32	Consider for major works program and inspect for localised repairs	2-Passed to Inspector
11105245	Q33 NWAC 16/02/21	At the entrance to Mellows Park on Casement Road	To ask the Manager for an update on the realignment of the ramp at the entrance to Mellows Park on Casement Road. Wheelchair users can no longer access the ramp due to its height.	27/04/2021 15:34	Job 41129906 - 01-Job Raised, Defect Job created via Connector	6-Job Raised
11105244	Q42 NWAC 16/02/21	Fitzmaurice Road, Ballygall	To ask the Manager if steps can be taken to fix dangerous footpaths at (details supplied)  Details: Fitzmaurice Road, Ballygall (photos attached)	17/02/2021 09:45		Enquiry Resolved
11105243	Q27 NWAC 16/02/21	Marsella's takeaway 10 Fitzmaurice Road, Dublin 11	To ask the Manage to arrange a speedy repair of the large pothole at (details supplied). This area has very high footfall due to the amount of shops and local schools in the vicinity.  Details: Marsella's takeaway 10 Fitzmaurice Road, Dublin 11.	17/02/2021 09:44		Enquiry Resolved

**North West Area Committee – Council Questions 10th January 2022**

**Road Maintenance Services**

Number	Reference	Address	Description	Date	Text	Status
11105242	Q14 NWAC 16/02/21	Wellmount Road adjacent to the FAST building	"To ask the Manager to arrange for the potholes on Wellmount Road adjacent to the FAST building to be repaired and for the road to be included on future works plans for re-instatement.	24/02/2021 10:09	Job 41127503 - 01-Job Raised, Defect Job created via Connector	6-Job Raised
11105241	Q45 NWAC 16/02/21	46-104 Kildonan Road, Finglas West	To ask the Manager if steps can be taken to address the poor condition of the footpath (details supplied) in Dublin 11.  Details: The condition of the footpath 46-104 Kildonan Road, Finglas West (beside Park), is in a deplorable condition and needs to be replaced immediately. Last year the council partially replaced the footpath beside the houses; why did the council not replace the footpaths entirely here when places e.g. like Sycamore Road in Finglas East have gave both sides of the road completely refurbished; e.g. the residents of 88 Kildonan Road are aged 86 and 92 and find it hard to walk to and from the house, and there are many others like them.	27/04/2021 15:46	Job 41129908 - 01-Job Raised, Defect Job created via Connector	6-Job Raised
11105240	Q34 NWAC 16/02/21	Macari's Ballygall Road West, Finglas	To ask the Manager to repair the dangerous broken bollard outside (details supplied)  Details: Macari's Ballygall Road West, Finglas.	22/02/2021 09:43	duplicate,job created on previous enquiry	Enquiry Resolved
11105239	Q25 NWAC 16/02/21	Cappagh Road	"To ask the Manage for a report on the recent utility works at (details supplied) this road recently had a new roadway laid which have now been dug up again.  A)Were the utility works planned. B)What level of communication took place between Road Maintenance and Utilities. C)Will the road be put repaved to its previous standard D)Who is responsible for paying for the road to be repaved following these works.  Details: Cappagh Road "	17/02/2021 09:42		Enquiry Resolved
11105238	Q13 NWAC 16/02/21	Ratoath Road at junction of Rathvilly Road	To ask the Manager to arrange for the potholes on Ratoath Road at junction of Rathvilly Road to be repaired. There is at least one large and one small at the junction.	22/02/2021 10:08	Duplicate	Enquiry Resolved
11105237	Q7 NWAC 16/02/21	Belclare Drive	To ask the Manager to repair the footpaths on Belclare Drive, they are in a very poor condition.	25/03/2021 09:59	Job 41128557 - 01-Job Raised, Defect Job created via Connector	6-Job Raised
11105236	M!A NWAC 16/02/21	Balcurriss Road, Balbutcher Lane and Cranogue Road.	That roads which have experienced severe damage due to building works in Ballymun are prioritised for repair. They include Balcurriss Road, Balbutcher Lane and Cranogue Road.	17/02/2021 09:39		Enquiry Resolved
11115196	Q35 NWAC 19/10/21	CLUNE ROAD	To ask the Manager to review the speed of traffic and road safety on (details supplied) as traffic is very fast and a car recently overturned. Ramps or other measures may be required.  Details: Clune Road, Dublin 11	08/12/2021 12:35	Issue for Traffic	Referred to Utility/other Dept