

**North West Area Committee – Council Questions April 2022**  
**Road Maintenance Services**

Number	Reference	Address	Description	Date	Text	Status
			Ratoath Road (between Ratoath Avenue and Westwood Road). Can the Manager take a walk/drive along this stretch and say he is happy with the condition of this section of road under his remit. Report			
			Contact: Tel: Email:			
			Question to the Area ManagerNorth West Area Committee Meeting Tuesday 18th January 2022			
			Q.39Councillor Anthony Connaghan To ask the Manager for an update on Ratoath Road upgrade (Ratoath Avenue to Westwood Road) Reply Unfortunately there are no available project managers/engineers to assist currently but I will keep this matter on my list to progress if resources and funding become available in the future			
11121343	1A NWAC 19.04.22	Ratoath Road	Contact:, Senior Engineer. Road Design & Construction Division. Tel:222 2907. Email:joseph.kelly@dublincity.ie	05/04/2022 16:15		2-Passed to Engineer
			"To ask the Manager to repair the footpath at (details supplied) as the pavement at 163 was recently repaired but a hazard remains next to it.			
11121335	Q40 NWAC 19.04.22	164 Hillcrest Park	Details: 164 Hillcrest Park "	05/04/2022 15:20		2-Passed to Engineer
			"To ask the Manager to provide an update on the pathway repairs to (details supplied).			
11121333	Q20 NWAC 19.11.22	126 Cappagh Avenue	Details: 126 Cappagh Avenue "	05/04/2022 15:10		2-Passed to Engineer
			"To ask the Manager to provide an update on the pathway repairs to (details supplied).			
11121332	Q19 NWAC 19.11.22	Northway Park	Details: 107 to 109 Northway Park "	05/04/2022 15:07		2-Passed to Engineer
11121331	Q15 NWAC 19.11.22	outside the shops in Shangan	To ask the Manager when the footpaths outside the shops in Shangan will be replaced.	05/04/2022 15:01		2-Passed to Engineer

**North West Area Committee – Council Questions April 2022**  
**Road Maintenance Services**

Number	Reference	Address	Description	Date	Text	Status
11121220	Q7 NWAC 19.04.22	Mellowes Road,	To ask the Manager to arrange for the road surface in front of the WFTRA bus stop on Mellowes Road to be repaired properly. This part of the road has been temporarily repaired many times over the last few years and is continuously broken up and has tarmac pieces strewn all along the road and footpath adjacent. A permanent repair is needed. To ask the Chief Executive can safety bollards be put in place to protect houses at (details supplied) due to stolen cars crashing into houses on this stretch.	01/04/2022 08:35		2-Passed to Engineer
11121053	Q26 NWAC 04.04.22	Termon Courts, Poppintree, Dublin 11	Details: Termon Courts, Poppintree, Dublin 11 To ask the Chief Executive to inspect the pavement at 9 Cremore Crescent, Dublin 11 and advise if it is on a list for repair?	04/04/2022 10:18		Resolved - No Further Action
11120900	Q95 NWAC 04/04/22	9 Cremore Crescent		04/04/2022 13:33	Defects logged	4-Inspection Completed
					"These ramps have been inspected and provisionally included on a list of ramps for reconstruction as part of the 2022 annual works program.	
					Please note that a number of requests for ramp rehabilitation have been received this year. Not all of these can be accommodated within the 2022 program of works in order to keep within the programme budget. Ramps will be addressed on a priority basis.	
11120897	Q91 NWAC 04.04.22	Barry Drive	"To ask the Chief Executive to arrange for the ramps on (details supplied) to be repaired/replaced. They are the red brick ramps and are in a very poor state of repair. "	04/04/2022 13:32	"	4-Inspection Completed
					In response to this query, an inspection has been carried out at the above location. Several carriageway defects were noted and logged for repair.	
11120896	Q90 NWAC 04/04/22	109 Berryfield Road	To ask the Chief Executive to arrange for the roads and footpath adjacent to (details supplied) to be repaired/resurfaced. There are potholes in the road and the grass verge is in a poor state. To ask the Chief Executive to arrange for an inspection of the footpaths at (details supplied) with a view to carrying out localised repairs.	04/04/2022 13:27	The grass verge has been damaged by residents driving across it for access.	4-Inspection Completed
11120882	Q65 NWAC 04/04/22	McKelvey Road and Avenue		24/03/2022 08:14		3-Inspection Required
11120849	Q36 NWAC 04/04/22	between Owensilla and Scoil on tSeachtar Laoch	To ask the Chief Executive to add the small portion of footpath to the works in Sillogue between Owensilla and Scoil on tSeachtar Laoch. It is a small stretch of footpath that is in very bad repair and the residents there have had to deal with the road works over the last year with no benefit.	04/04/2022 10:20	Road Design & Construction carrying out work at Silloge, Footpath noted is included within their works	Resolved - No Further Action

**North West Area Committee – Council Questions April 2022**  
**Road Maintenance Services**

Number	Reference	Address	Description	Date	Text	Status
11120074	Q22 NWAC 15/03/22	Beneavin Park	<p>To ask the Manager if a road safety issue can be address at (details supplied)</p> <p>Details:</p> <ul style="list-style-type: none"> <li>•The road surface is in a very poor state at Beneavin Park, outside Nos 12/13/14 and the exit out of the estate</li> <li>•The pot hole is now like a sink hole which floods with water; The tarmac has made it worse;</li> <li>•One resident cannot park his car on the street due to cars trying to avoid the sink hole.</li> <li>•The lack of road sweeping has added to the problem as the water cannot flow into the drains. The drains here are also full of leaves and dirt due to the lack of sweeping.</li> </ul>	04/04/2022 13:24	<p>An inspection has been carried out at this location and the defect listed for repair. Completion of repair is dependent on crew availability and other competing priorities.</p>	4-Inspection Completed
11120072	Q46 NWAC 15/03/22	Mellowes Avenue and Mellowes Road	<p>To ask the Manager for an update on footpath repairs to (details supplied) where they are in particularly bad condition in some parts</p>	04/04/2022 13:23	<p>Mellowes Road has been included on this year's annual works program. Some localised sections of Mellowes Avenue have also been included. Tender documents are currently being prepared and are due to be issued in the coming weeks.</p>	Enquiry Resolved
11120070	Q34 NWAC 15/03/22	24 Maolbuille Road	<p>To ask the Manager provide an update on the repair to the footpath at 24 Maolbuille Road, Dublin 11</p>	04/04/2022 13:22		6-Job Raised
11120069	Q33 NWAC 15/03/22	2 Grove Wood	<p>To ask the Manager to inspect the pavement at 2 Grove Wood, Dublin 11 as the tree appears to be overgrown and causing damage to the pavement, which is lifting significantly</p>	04/04/2022 13:22		8-Job Completed
11120068	Q19 NWAC 15/03/22	Glasnevin Avenue	<p>"To ask the Manager to provide an update on the repair of the surrounds at (details supplied)</p> <p>At the roundabout on Glasnevin Avenue"</p>	04/04/2022 13:20	<p>Investigations are ongoing to establish the course of action to take on the roundabout. Glasnevin Ave is a busy impact level 3 road, which carries certain restrictions to working hours to minimise traffic disruption. To reinstate the kerb would require lane closures among other traffic restrictions.</p> <p>The damage to the concrete kerb surrounds does not currently pose a hazard and is primarily an aesthetic issue. As such this is currently a low priority concern for RMS.</p>	4-Inspection Completed
11120065	Q17 NWAC 15/03/22	Jamestown Road/McKee Aveue	<p>To ask the Manager to provide an update on the pooling of water on the carriageway outside the Barbers on Jamestown Road/McKee Avenue.</p>	04/04/2022 13:19	<p>An investigation revealed that an adjacent gully had become blocked. This was cleaned out to resolve the issue.</p>	Resolved - No Further Action

**North West Area Committee – Council Questions April 2022**  
**Road Maintenance Services**

Number	Reference	Address	Description	Date	Text	Status
					From consulting record photographs, the dip in the footpath that existed prior to the new footpaths being installed was the result of localised settlement of the kerbs. There is no evidence of this being intended as a crossing point onto the path. Recent works have seen the installation of three dishing's around the perimeter of the Park. One of which is only 30m from this location.	
11120056	Q11 NWAC 15/03/22	64 Tolka Estate	To ask the Manager to reinstate the dip on the pathway around the green at (details supplied)	04/04/2022 13:17	There are no plans for additional works in this area.	Resolved - No Further Action
11120290	Q10 NWACM 15/03/22	Courts Laneways in Poppintree	Details: Tolka Estate, the dip was not reinstated during recent pavement works, directly across from 64 Tolka Estate. To ask the Manager for an update on the improvements in the Courts Laneways in Poppintree after the successful pilot in Druid last year.	04/04/2022 13:16	Referred to Housing	Referred to Utility/other Dept
11120055	Q8 NWAC 15/03/22	Shangan Road	To ask the Manager to repair the ramp on Shangan Road at the traffic lights, there are a number of holes in it and it is a very busy junction.	04/04/2022 13:14	Ramps added to 2022 Worls Program	4-Inspection Completed
11119507	Q21 CM 07/03/22	NORTH ROAD	To ask the Chief Executive to review the footpaths and road on North Road Finglas for remedial work and to also ensure there are regular clean ups of this area.	17/02/2022 18:12		3-Inspection Required
11119808	Q72 CM 07/03/22	Glasnevin Park	To ask the Chief Executive to carry out an assessment of the carriage way in (details supplied) with a view to repair, sections of the roadway are sinking.	04/04/2022 13:13		6-Job Raised
					Please note that this section of road encompasses approx. 6.4km of cycle tracks. Can more specifics be given to areas that require attention and an inspection will be carried out.	
11118911	Q45 NWACM 15/02/22	cycle lanes along the Finglas Road which run from Finglas down past Glasnevin cemetery	To ask the Manager to arrange for the upgrade of cycle lanes along the Finglas Road which run from Finglas down past Glasnevin cemetery. This section of road has been left in a poor state for a very long time.	04/04/2022 13:02	For reference, the R135 (Finglas Rd) is in the NW Area from Finglas village to the Old Finglas Road.	9-Respond to Customer
11118903	Q47 NWAC 15/02/22	Wellmount Green and Crescent	"To ask the Manager to arrange for an inspection and repair/re-instatement of the footpaths in Wellmount Green and Crescent where they are in a really poor condition.	02/02/2022 16:32		3-Inspection Required
11118902	Q5 NWAC 15/02/22	Dunsink Avenue	To ask the Manager to arrange to resurface the road on Ratoath Drive where there are a number of potholes.	04/04/2022 12:58	Ramps added to 2022 Works Program	4-Inspection Completed

**North West Area Committee – Council Questions April 2022**  
**Road Maintenance Services**

Number	Reference	Address	Description	Date	Text	Status
11118901	Q8 NWAC 15/02/22		To ask the Manager to arrange to resurface the road on Ratoath Drive where there are a number of potholes.	04/04/2022 12:54	An inspection has been carried out at this location. The road is generally in a fair condition and does not currently require full resurfacing. A number of localised defects were noted and have been logged for repair.  Due to the current backlog of works, it is not possible to confirm a timeline for the completion of the repairs.	4-Inspection Completed
11118900	Q12 NWAC 15/02/22	Mellowes Road outside the WFTRA	"To ask the Manager to arrange for the repair of the pothole at (details supplied).  Details: Mellowes Road just outside the WFTRA centre "	04/04/2022 12:53	"An inspection has been carried out at this location and a defect has been logged onto our asset management system for repair. It will be addressed in order of priority and crew availability.  "	4-Inspection Completed
11118899	Q15 NWAC 15/02/22	71 Wellmount Road	To ask the Manager to examine the possibility of putting bollards or another mechanism at (details supplied) to stop cars parking on the green space there.	04/04/2022 12:50	Referred to TAG	Referred to Utility/other Dept
11118898	Q14 NWAC 15/02/22	Finglas Park	To ask the Manager to carry out an assessment of the roadway throughout (details supplied). Parts of which are sinking. To ask the Manager to arrange a site visit to (details supplied) to look at options for the tarmac area, which is very unsightly.	04/04/2022 12:45	An inspection has been carried out at this location. A number of localised defects were noted and have been logged for repair.  Due to the current backlog of works, it is not possible to confirm a timeline for the completion of the repairs.	4-Inspection Completed
11118897	Q20 NWAC 15/02/22	106 – 144 Ballygall Road West	To ask the Manager to carry out an assessment of the pathway at (details supplied) with a view to repair.	02/02/2022 16:19		3-Inspection Required
11118896	Q17 NWAC 15/02/22	91 Willow Park Grove, Glasnevin	"To ask the Manager to repair the footpath at 61 Pinewood Crescent.	04/04/2022 12:43		6-Job Raised
11118895	Q30 NWAC 15/02/22	61 Pinewood Crescent	"	02/02/2022 16:14	This defect has been previously logged onto our asset management system (Enquiry No 11103180). An inspection has been arranged and repairs will be completed, subject to other competing priorities and crew availability.	3-Inspection Required
11118894	Q29 NWAC 15/02/22	15 Grove Park Road	"To ask the Manager to repair the footpath at 51 Grove Park Road as it is raised and poses a trip hazard.  "	04/04/2022 12:33		4-Inspection Completed

**North West Area Committee – Council Questions April 2022**  
**Road Maintenance Services**

Number	Reference	Address	Description	Date	Text	Status
			"To ask the Chief Executive to arrange for a repair of the brickwork on the roundabout (details supplied).			
11118622	Q62 CM 07/02/22	Glasnevin Avenue	Details: Glasnevin Avenue. "	04/04/2022 12:00		4-Inspection Completed
11117936	Q43 NWAC 18.01.22	Ratoath Road, north of Kilshane Road	To ask the Manager to improve the safety at Ratoath Road, north of Kilshane Road so that people in the homes in the travelling community on Ratoath Road and Dunsink Lane can safely travel to and from their homes as currently there is no footpath or safe pedestrian route and is an unacceptable risk for residents and to give an update to progress on this issue as it has been raised before with both Dublin City Council and Fingal County Council, and Fingal County Council has said that it is under the remit of Dublin City Council (Ref: Fingal Area Question R21\18268).	04/04/2022 10:26	Issue not for RMS	Referred to Utility/other Dept
11117934	Q39 NWAC 18.01.22	Ratoath Road	To ask the Manager for an update on Ratoath Road upgrade (Ratoath Avenue to Westwood Road)	04/04/2022 10:29	Not RMS area of responsibility	Referred to Utility/other Dept
11121075	Q68 NWAC 04/04/22	Willow Park Crescent	To ask the Chief Executive the process for erecting masts in the city and if a report can be issued on the one recently erected at (details supplied) of which no public reps or local area office were informed.			
11117877	Q16 NWAC 18/01/22	Willow Park Crescent	Details: At the shops at Willow Park Crescent, Dublin 11. To ask the Manager to provide a report on the new electricity box on Willow Park Crescent, did it require permission and what is its purpose.	30/03/2022 08:38		Enquiry Resolved
11117876	Q45 NWAC 18/01/22	Finglas Park/McKee Road junction, at junction with No. 9 McKee Road	To ask the Manager to repair a pothole at the Finglas Park/McKee Road junction, at the southern junction close to number 9 McKee Road.	05/01/2022 15:58		2-Passed to Engineer
11117875	Q36 NWAC 18/01/22	a) Abbotstown Avenue, b) Westwood Road	To ask the Manager to arrange for the ramps on the following roads to be upgraded.	05/01/2022 15:54		2-Passed to Engineer
11117873	Q35 NWAC 18/01/22	Mellowes Avenue	To ask the Manager to arrange for the footpaths on (details supplied) to be inspected and repaired where necessary. "	04/04/2022 10:46		4-Inspection Completed
11117872	Q33 NWAC 18/01/22	301 Casement Road	To ask the Manager to arrange for the tarmac landing in front of 301 Casement Road to be re-surfaced as it is in very poor condition and has many trip hazards on it. "	04/04/2022 10:51	A portion of defects were added to 2022 Program of Works.	4-Inspection Completed
11117871	Q21 NWAC 18/01/22	Tax Assist, McKee Avenue	To ask the Manager to inspect the pooling of water at (details supplied) Details: outside the tax assist/ opticians on McKee Avenue, this may be due to the road being resurfaced recently.	04/04/2022 10:54	Parks consulted in converting area back to wildflowers or grass.	4-Inspection Completed
11117870	Q5 NWAC 18/01/22	Our Lady of Victories School and the Credit Union on Ballymun Road.	To ask the Manager to look at the footpaths at Our Lady of Victories School and the Credit Union on Ballymun Road. They are in very poor condition and require immediate attention.	04/04/2022 10:47	Gully blocked by Debris. Cleared by Lagan,	Enquiry Resolved
				04/04/2022 11:05	Defects added to 2022 Program of Works	4-Inspection Completed

**North West Area Committee – Council Questions April 2022**  
**Road Maintenance Services**

Number	Reference	Address	Description	Date	Text	Status
			"To ask the Chief Executive to arrange for some repair works to be carried out on (details supplied) where the side of the road is being broken away.			
11117691	Q10 NWAC 10.01.22	Ratoath Road between Ratoath Avenue and Westwood Road	Details: Ratoath Road between Ratoath Avenue and Westwood Road "	04/04/2022 07:46	Job 41141225 - 16-Work Completed - Site Clear, Done by Vincent Poole and hotbox	8-Job Completed
11117650	Q63 NWAC 10.01.22	10 Casement Drive,	To ask the Chief Executive to arrange for the repair of the sunken roadway at (details supplied).  Details: 10 Casement Drive, see below photo for reference. "To ask the Chief Executive to arrange for the repair of the badly uplifted footpath at (details supplied).	10/02/2022 08:47	Job 41141227 - 05-Job Scheduled, Job has been allocated to Work Crew 'NS Hotbox (Vincent Toolel)' (NC20)	7-Job Passed to Crew
11117649	Q62 NWAC 10.01.22	69 Casement Park	Details: 69 Casement Park " "To ask the Manager to provide an update on the repair of the car park surface at (details supplied)	10/02/2022 08:48	Job 41141228 - 01-Job Raised, Defect Job created via Connector	6-Job Raised
11117024	Q16 NWAC 14.12.21	Glasnevin Avenue ( 73 Glasnevin Ave, Ballygall, Dublin 11).	Details: The Autobahn Car Park "	08/12/2021 14:44	Autobahn Carpark not TIC	Resolved - No Further Action
11117020	Q36 NWAC 14.12.21	St. Pappins Road	To ask the Manager can the big electric pole on the corner of St. Pappins Road and Ballymun Road be painted. It is rusting and the paint is flaking off and it looks unsightly. Locals are carrying out cleaning around the area and this doesn't look great. "To ask the Chief Executive to arrange for some repair works to be carried out on (details supplied) where the side of the road is being broken away.	08/12/2021 14:07	Not RMS Issue	Referred to Utility/other Dept
11117294	Q10 CM 10/01/22	Ratoath Road between Ratoath Avenue and Westwood Road	Details: Ratoath Road between Ratoath Avenue and Westwood Road " "To ask the Manager provide an update on the request for the path repairs outside (details supplied) where the tree roots have lifted the paving and it is very dangerous for pedestrians.	14/12/2021 11:51		4-Inspection Completed
11117018	Q34 NWAC 14.12.21	13 Cranogue Terrace	Details: 13 Cranogue Terrace "	08/12/2021 14:39	Passed to IMU	Referred to Utility/other Dept
11117017	Q25 NWAC 14.12.21	14/16 Ballygall Avenue	To ask the Manager repair the pothole outside 14/16 Ballygall Avenue which was listed for repair some months ago.	04/04/2022 11:13		4-Inspection Completed
11117014	Q21 NWAC 14.12.21	106-144 Ballygall Road West	"To ask the Manager inspect and repair the section of footpath at (details supplied) as it consists of tarmac/gravel which has crumbled and is in poor condition.  Details: 106-144 Ballygall Road West "	04/04/2022 12:31		Enquiry Resolved

**North West Area Committee – Council Questions April 2022**  
**Road Maintenance Services**

Number	Reference	Address	Description	Date	Text	Status
			"To ask the Manager to provide an update on the repair of the carpark surface at (details supplied)			
11117008	Q15 NWAC 14.12.21	The Barry shops car park	Details: The Barry shops car park "	18/01/2022 10:03	Will be done in due course,	6-Job Raised
		"42 Barry Park	"To ask the Manager to arrange for the repair of the pathway outside (details supplied)			
11117004	Q14 NWAC 1412.21	"	Details: 42 Barry Park "	14/12/2021 12:34	Job 41140944 - 01-Job Raised, Defect Job created via Connector	6-Job Raised
			"To ask the Manager to arrange for the repair of the pavement outside (details supplied)			
11117002	Q13 NWAC 14.12.21	30 Grove Road	Details: 30 Grove Road "	16/12/2021 15:41	Job 41141106 - 01-Job Raised, Defect Job created via Connector	6-Job Raised
11117001	Q4 NWAC 14.12.21	Balbutcher Drive	To ask the Manager to repair the road at Balbutcher Drive, It is in a really poor condition and has been requested many times for remedial works.	08/12/2021 12:14	Balbutcher drive to be resurfaced as part of 2022 resurfacing contracts	Resolved - No Further Action
11117000	Q1 NWAC 14.12.21	around the new Oiléan na Crannóige development Knowth Court and Balbutcher Lane	To ask the Manager to get the footpaths repaired all around the new Oiléan na Crannóige development. The paths leading up from Knowth Court have potholes in them and the ones on Balbutcher Lane are all sunken. "To ask the Chief Executive to provide an update on the footpath repair at (details supplied) as the resident at no 95 has recently been diagnosed as clinically blind and the poor condition of the footpath is a significant hazard.	01/12/2021 12:51		2-Passed to Engineer
11116767	Q121 NWAC 6.12.21	95 McKee Road Dublin 11	Details: 95 McKee Road Dublin 11 "	04/04/2022 11:46		8-Job Completed
			To ask the Chief Executive to replace the street sign on (details supplied) which fell off earlier this year?			
11116766	Q119 NWAC 6.12.21	Cedarwood Close, Dublin 11	Details: Cedarwood Close, Dublin 11 To ask the Chief Executive to arrange for the repair of the footpath at (details supplied).	14/12/2021 19:52		4-Inspection Completed
11116765	Q112 NWAC 6.12.21	141 Glasnevin Avenue, Dublin 11	Details: 141 Glasnevin Avenue, Dublin 11 "To ask the Manager to provide an update on the proposed pathway at (details supplied)	16/12/2021 10:08	Job 41141044 - 01-Job Raised, Defect Job created via Connector	6-Job Raised
11115866	Q48 NWACM 16/11/21	Northway Park	Details: Northway Park "	10/11/2021 15:12	RMS cannot comment on status of future/proposed works.	Enquiry Resolved
11115584				28/10/2021 07:11		Enquiry Resolved



**North West Area Committee – Council Questions April 2022**  
**Road Maintenance Services**

Number	Reference	Address	Description	Date	Text	Status
			<p>To ask the Chief Executive following on from question 50 on the 7th of December 2020 to provide an update on the following: There has been no progress on the issue of Signage on (details supplied 1), despite first being reported 10 months ago.</p> <p>a)There has been no progress on changing the signage/additional signage on (details supplied 2) as promised, when will this be put in place?  b)Can the manager assist with the purchasing of a cast iron sign in conjunction with the environmental group.  c)Can a site visit be arranged to review the signage on the road.</p>			
11115479	Q70 NWAC 01.11.21	"Glasilawn Road /Tolka Estate 2: Glasilawn Road "	<p>Details 1: Glasilawn Road /Tolka Estate  Details 2: Glasilawn Road  "To ask the Manager to carry out weeding inside and outside (details supplied); it is very overgrown.</p>	10/11/2021 15:14	Signage has been delivered to Depot. installation pending crew availibilty. Note - backlog in all signage deliveries due to supplier bereavement.	7-Job Passed to Crew
11115257	Q12 NWACM 19/10/21	Kildonan Park	<p>Details: Kildonan Park  "</p> <p>To ask the Manager to carry out an assessment on the pathways at (details supplied), with a view to repair and for them to be considered in the 2022 works programme.</p>	08/12/2021 12:31	Referred to Parks	Referred to Utility/other Dept
11114971	Q15 NWAC 19.10.21	Cedarwood Grove	<p>Details: Cedarwood Grove  To ask the Manager to carry out an assessment on the pathways at (details supplied), with a view to repair and for them to be considered in the 2022 works programme.</p>	04/04/2022 12:26		2-Passed to Inspector
11114970	Q14 NWAC 19.10.21	Cappagh Avenue	Details: Cappagh Avenue	04/04/2022 12:26		2-Passed to Inspector
11114992	Q11 NWACM 19/10/21	DOLMEN COURT	To ask the Manager to cut all of the bushes around Dolmen Court.	06/10/2021 17:14		3-Inspection Required
11114317	Q8 NWACM 21/09/21	Poppintree courts	<p>To ask the Manager to look at replacing the slabs entering the Poppintree Courts. Great progress has been made inside the Courts but outside also needs to be replaced.  To ask the Manager to paint the traffic ramps at the Virgin Mary School as they are totally faded and are blended into the road.</p>	04/04/2022 11:36		Enquiry Resolved
11114057	Q4 NWACM 21/09/21	Virgin Mary School	To ask the Manager to repair the footpath at St Canice's Girls School where the Blue School Warden sign is on the path, as there are two big holes which people are tripping over.	08/12/2021 14:07	Issue for Traffic.	Referred to Utility/other Dept
11114023	Q7 NWACM 21/09/21	at St Canice's Girls School where the Blue School Warden sign is		10/11/2021 15:16	Inspected, Holes due to bollards being broken and removed. New bollard install to close. Footpath reconstruction works were carried out on Plunkett Road in 2016. These improvements are still in good condition with no further works currently planned.	4-Inspection Completed
11114021	Q6 NWACM 21/09/21	Plunkett Road	To ask the Manager to repair the footpaths on Plunkett Road, several requests have gone over the years and no improvements have taken place.	04/04/2022 12:21		Resolved - No Further Action
11114019	Q3 NWACM 21/09/21	Shanliss and Oldtown.	To ask the Manager for an update on footpath repair works in Shanliss and Oldtown.	04/04/2022 11:34	Response issued to Council Q	9-Respond to Customer

**North West Area Committee – Council Questions April 2022**  
**Road Maintenance Services**

Number	Reference	Address	Description	Date	Text	Status
			"To ask the Manager to arrange for an inspection and repair of the pathway outside (details supplied)			
11114037	Q54 NWACM 21/09/21	"26 OAKWOOD PARK DUBLIN11"	Details: 26 Oakwood Park "	14/12/2021 13:31		6-Job Raised
			To ask the Chief Executive to provide an update on the repair of the pathway at (details supplied).		The repair required outside 41 North Road, Finglas corresponds to a sunken EIR utility reinstatement. This has been referred to EIR for action.	
11113519	Q74 NWCM 06/09/21	"41 NORTH ROAD DUBLIN11"	Details: 41 North Road , Finglas.	03/09/2021 11:32		Enquiry Resolved
11111812	Q51 NWACM 20/07/21	SYCAMORE PARK	To ask the Manager to investigate the pathways at (details supplied) with a view to repair.	10/11/2021 15:25		4-Inspection Completed
11111805	Q18 NWACM 20/07/21	Ballymun Road particularly around Our Lady of Victories.	To ask the Manager to repair the footpaths on Ballymun Road particularly around Our Lady of Victories.	04/04/2022 12:20	Defects added to 2022 Works Program	6-Job Raised
11111804	Q17 NWACM 20/07/21	POPPINTREE PARK LANE WEST	To ask the Manager to repair the footpaths on Poppintree Park Lane West.	10/11/2021 15:26		4-Inspection Completed
			"To ask the Manager to provide an update on the paving at (details supplied) where the residents were expecting the completion of the paving to be done in recent months.			
11115863	Q19 NWACM 16/11/21	CROMLECH COURT	Details: Cromlech Court "	04/04/2022 12:16	Referred to Housing.	Referred to Utility/other Dept
			"To ask the Manager to arrange for the footpaths and road to be resurfaced on (details supplied). This was promised years ago but the road has not received any attention in a long time.			
11115862	Q16 NWACM 16/11/21	NORTH ROAD	Details: North Road "	14/12/2021 12:46		4-Inspection Completed
			"To ask the Manager to arrange for the footpaths on (details supplied) to be fully re-instated as they are in need of attention.			
11115861	Q15 NWACM 16/11/21	Cardiff Castle Road	Details: Cardiff Castle Road "	05/04/2022 08:35	Inspection was carried out with no major defects present.	Resolved - No Further Action
11115860	Q12 NWACM 16/11/21	Ballygall Avenue	To ask the Manager to arrange for the repair/re-instatement of the roads and footpaths along Ballygall Avenue. They are in a poor state and in need of immediate attention.	15/02/2022 08:55	Job 41143268 - Job Closed, Job has been allocated to Work Crew '	Enquiry Resolved
11114974	Q54 NWAC 19.10.21	19/21 Wellmount Road	To ask the Manager for the pothole at 19/21 Wellmount Road to be repaired. Can the Manager say when this road was resurfaced last and if this defect is covered under warranty.	14/12/2021 10:40		8-Job Completed
			To ask the Manager to arrange for the resurfacing of the road and paths at (details supplied). Could there be a case made to have the whole stretch of path on each side re-instated under the works programme for 2022.			
11114973	Q48 NWAC 19.10.21	Balbutcher Drive, particularly the potholes at the entrance and outside no's 7,8,9,10,12,14,15,16,18,20,21,22,24,27,28.	Details: Balbutcher Drive, particularly the potholes at the entrance and outside no's 7,8,9,10,12,14,15,16,18,20,21,22,24,27,28.	10/11/2021 15:08	Balbutcher Drive has been provisionally included on the list of resurfacing works for 2022, however this list is not finalised and is subject to change.	Enquiry Resolved

**North West Area Committee – Council Questions April 2022**  
**Road Maintenance Services**

Number	Reference	Address	Description	Date	Text	Status
11114032	Q16 NWACM 21/09/21	Ratoath Road between the junction of Ratoath Avenue and Cappagh Road	To ask the Manager to arrange for the footpath to be re-instated on Ratoath Road between the junction of Ratoath Avenue and Cappagh Road. The surface here is very uneven and there are a lot of elderly residents in the locality who use the footpath here.	12/01/2022 16:00	Job 41140937 - 01-Job Raised, Defect Job created via Connector	6-Job Raised
11114030	Q15 NWACM 21/09/21	Barrack Lane (junction of N2 Finglas Road)	To ask the Manager to arrange for the footpath at Barrack Lane (junction of N2 Finglas Road) to be re-instated as it is in poor condition following works recently leaving a temporary tarmac surface.	10/11/2021 15:05	A site investigation was carried out at this location. There is a temporary patch present where a utility provider had carried out works. There is a patch on the lane way which is in good condition, with another at the footpath on the Finglas road. The second patch has settled locally. RMS will follow up with utility provider to address	4-Inspection Completed
11114028	Q12 NWACM 21/09/21	Mellowes	To ask the Manager to arrange for the replacement of road signs locally which have the name Mellowes misspelled.	09/11/2021 16:08	Advised that both spellings acceptable.	Enquiry Resolved
11113518	Q56 NWCM 06/09/21	Ballygall Road West (steps at the rear of the Bottom of the Hill pub)	To ask the Chief Executive to arrange for the leak on Ballygall Road West (steps at the rear of the Bottom of the Hill pub) to be repaired. This leak is going on for at least 6 months now.	03/09/2021 11:39	Drainage Issue	Referred to Utility/other Dept
11111803	Q8 NWACM 20/07/21	Glenties Park / Glenties Drive	To ask the Manager to arrange for an inspection of the road surfaces in (details supplied). Both locations have been reported for many years now for the poor condition of some of the road surface and to only commit to half of the estate when contractors will be in the area is bad planning. Glenties Park and for arrangements to be made to re-instate anything necessary at the same time as Glenties Drive	06/09/2021 11:10	Glentuies Park has been included in the 2021 resurfacing contracts	Enquiry Resolved
11111798	Q5 NWACM 20/07/21	entrance to Owensilla to the side of no's 57/58	To ask the Manager to arrange for bollards to be installed at the corner that juts out at the entrance to Owensilla to the side of no's 57/58. The residents have raised concerns that cars are being parked on that corner which blocks the view for drivers trying to get around it and concerns that a child would not be seen or that an emergency vehicle would not be able to get past.	03/09/2021 16:17	Redirected to TAG	Referred to Utility/other Dept
11111797	Q3 NWACM 20/07/21	WESTWOOD ROAD	To ask the Manager to arrange for an inspection of the ramps on (details supplied). The ones there are in poor condition and local residents have reported the scourge of scramblers and would like to see extra ramps installed to try and deal with this issue.	10/11/2021 15:59	Ramps provisionally included in major works list for 2022	4-Inspection Completed
11111796	Q1 NWACM 20/07/21	ABBOTSTOWN AVENUE	To ask the Manager to arrange for the ramps on (details supplied) to be upgraded as they are seriously degraded from usage. Can the Manager give a timeframe for completion of works if they are already on a schedule.	10/11/2021 15:58	Ramps provisionally included in major works list for 2022	4-Inspection Completed

**North West Area Committee – Council Questions April 2022**  
**Road Maintenance Services**

Number	Reference	Address	Description	Date	Text	Status
			"To ask the Chief Executive to arrange for effective speed ramps to be installed at the entrance to (details supplied) as visitors in cars enter the cul-de-sac too fast while children are out playing. It is often used as a turnaround point for passing traffic. There are a lot of children in the Court and all of the residents want safety measures there so they can play safely.		"	
11111339	Q84 CM 05/07/21	SANDYHILL COURT	Details: Sandyhill Court	03/09/2021 11:30	"	Enquiry Resolved
11111808	20/07/21	113 Jamestown Road	To ask the Manager when the bollard outside (details supplied) will be replaced.	10/11/2021 15:54	Bollard installed	Enquiry Resolved
					"Response to CQ: Road Maintenance Services do not have the resources to carry out regular surveys of large estates in order to identify possible defects. Please identify particular defects that need to be addressed. Once a defect is identified an inspection will be scheduled. Any issues will be logged onto Confirm – our asset management system for attention and repair. Time line for repair will depend on severity of defect and crew availability.	
11111209	Q47 CM 05/07/21	Grove Park Avenue ,Drive and Crescent	Details: Grove Park Avenue ,Drive and Crescent	03/09/2021 10:48	"	Enquiry Resolved
			To ask the Chief Executive to arrange for a full assessment and repair of the pathways at (details supplied).			
11111208	Q46 CM 05/07/21	Glasnevin Park , Dublin 11	Details: Glasnevin Park , Dublin 11	10/11/2021 15:02	Road Maintenance Asset Management Database	4-Inspection Completed
			To ask the Chief Executive to arrange for a full assessment and repair of the roadway at (details supplied)			

**North West Area Committee – Council Questions April 2022**  
**Road Maintenance Services**

Number	Reference	Address	Description	Date	Text	Status
			<p>To ask the Manager following on from the Area Committee question asked in February 2021 to ask the manager to provide an update on the ramp being too high at (details supplied) and when will it be repaired.</p> <p>Details: Casement Road</p> <p>Reply</p> <p>Reply Question 33 February NWA Meeting</p> <p>Road Maintenance Services will arrange to reinstate the disabled dishing to a standard upstand.</p> <p>In addition, the Infrastructure Management Unit will investigate what utility has carried out the recent works (both recent concrete and macadam works) at the entrance to Mellowes Park.</p> <p>"To ask the Manager to investigate the possibility of installing a ramp for wheelchair and buggy users at (details supplied)</p>			
11110499	Q52 NWACM 15/06/21	Casement Road	<p>Details: Barry Avenue (at St Kevin's School to St Joseph's school/ Barry Road)</p> <p>"</p> <p>issues raised in motion 4 at the January 2021 area committee meeting in relation to (details supplied).</p> <p>Details: 1) Additional signage be put up on a pole to clearly identify where Glasilawn Road begins.</p> <p>2) The residents group be assisted in purchasing a cast iron sign for the entrance to the road.</p> <p>3) The Tolka Estate signs are at both ends of the road with arrows yet these are absent for Glasilawn , can these be reviewed.</p> <p>Reply</p> <p>Contact:</p> <p>Tel:</p> <p>Email:</p> <p>Report Motion 4 January 2021</p> <p>Road Maintenance Services Division is progressing with a review of signage in place on Glasilawn Road in the vicinity of Tolka Estate, but completion of this review has been delayed due to the Christmas break and annual leave arrangements for staff involved. However, it should be completed in a matter of weeks. A site inspection is an integral part of this process. Any additional or replacement signs identified in the review will then be added to an order list for issue to a supplier. Directional arrows can be included in signs where appropriate.</p> <p>Road Maintenance Services standards do not provide for</p>	03/09/2021 14:39	Dishing reconstructed.	Enquiry Resolved
11110433	Q50 NWACM 15/06/21	"Barry Avenue (at St Kevin's School to St Joseph's school/ Barry Road)		10/11/2021 15:22	Assessment of location suitability underway.	4-Inspection Completed
11110366	Q48 15/06/21 NWAC	"Glasilawn Road		03/09/2021 12:12	Name plate delivered, to be installed.	Nameplate Ordered

**North West Area Committee – Council Questions April 2022**  
**Road Maintenance Services**

Number	Reference	Address	Description	Date	Text	Status
11110365	Q45 15/06/21 NWAC	"Willow Park area "	"To ask the Manager for a list of pathways due to be repaired in (details supplied) and an expected timeline for repair. Details: Willow Park area "	03/09/2021 13:21	Response:Willow Park estate covers a large area with a number of streets and roads included. Can further information be provided to identify specific defects to be investigated?	Enquiry Resolved
11110364	Q44 15/06/21 NWAC	" 85 Willow Park Grove "	"To ask the Manager to provide an update on the repair of the pathway outside (details supplied)  Details: 85 Willow Park Grove "	03/09/2021 13:49	Job raised : 41095747	Enquiry Resolved
11115868	Q23 NWACM 16/11/21	walkway between Balbutcher Lane and the bus stop number 7277 on St Margaret's Road	To ask the Manager to examine the possibility of maintaining the walkway between Balbutcher Lane and the bus stop number 7277 on St Margaret's Road as it is currently quite unsafe and poorly lit.	08/12/2021 12:29	RMS Is responsible for the maintenance of existing taken in charge infrastructure. The estate of Baile Na Laochra has not yet been taken in charge and further developments are ongoing. A proposal for a new path to DCC standards should be made to the road Construction and Design Dept. "	Resolved - No Further Action
11115864	Q27 NWACM 16/11/21	SYCAMORE PARK	To ask the Manager can the free standing street sign on the eastern side of Sycamore Park, beside number 58, be removed as there are two other street name signs on the road To ask the Manager to arrange for repair of the three potholes at the top of (details supplied)	08/12/2021 12:30	RMS will not remove the free standing name plates unless there is a valid safety reason. The two signs at street level serve to direct motorists coming from East and West along Sycamore Road. Whilst there is a third house mounted sign, there is a large tree adjacent to number 58, which can obscure the view of this sign for oncoming motorists and pedestrians.	Resolved - No Further Action
11114996	Q39 NWACM 19/10/21	Drapier Green, near no. 2/3 Drapier Green.	Details: Drapier Green, near no. 2/3 Drapier Green. To ask the Manager to repair the road surface at the junction of Virginia Park and Drive as the surrounding tarmac has ravelled to a severe extent.	14/12/2021 19:44	Job 41140928 - 01-Job Raised, Defect Job created via Connector	6-Job Raised
11114994	Q38 NWACM 19/10/21	junction of Virginia Park and Drive		14/12/2021 11:00	The paths were inspected but do not satisfy the requirements for inclusion on the 2022 works program.	6-Job Raised
11114993	Q31 NWACM 19/10/21	OAKWOOD AVENUE	To ask the Manager can the pavements on Oakwood Avenue be inspected with a view to next year's works programme.	05/04/2022 08:38		4-Inspection Completed
11114972	Q30 NWAC 19.10.21	Wellmount Drive	To ask the Manager can the pavements on Wellmount Drive be inspected with a view to next year's works programme	04/04/2022 11:29	Defects to be included in 2022 program of works	4-Inspection Completed

**North West Area Committee – Council Questions April 2022**  
**Road Maintenance Services**

Number	Reference	Address	Description	Date	Text	Status
			To ask the Manager to inspect and repair the pavement at (details supplied) as the tarmac surface has ravelled and is uneven.			
11114036	Q34 NWACM 21/09/21	1-4 Glasilawn Avenue, Dublin 11	Details: 1-4 Glasilawn Avenue, Dublin 11 To ask the Manager to repair the pothole in the road surface at (details supplied) as it is quite deep and a danger to vehicles and pedestrians.	04/04/2022 12:14	Surface dressing on footpath delaminated. No hazard present	Resolved - No Further Action
11114035	Q33 NWACM 21/09/21	3-4 Drapier Green, Dublin 11	Details: 3-4 Drapier Green, Dublin 11 To ask the Manager to review the safety for pedestrians at the shops on (details supplied) as cars mount the pavement often at speed in order to park. Can enforcement measures be taken or infrastructure such as bollards or planters installed.	10/11/2021 14:43	Inspection Completed. Drapier Green added to provisional list for future major works. Localised defect logged.	4-Inspection Completed
11111811	Q38 NWACM 20/07/21	Fitzmaurice Road	To ask the Manager to replace the dip in the footpath at the southern edge of (details supplied) on the green. The footpaths were recently resurfaced but the dip is too high and local residents in wheelchairs and mobility units have difficulty accessing the green via the pavement.	03/09/2021 13:57	Referred to TAG	Referred to Utility/other Dept
11111810	Q34 NWACM 20/07/21	Tolka Estate	To ask the Manager to install planters or bollards on the road at (details supplied) as there used to be planters on this laneway to show that it was not a through road, the area has recently seen scrambler bikes going through the laneway at speed regularly.	09/11/2021 16:07	Contractor assigned to repair Road Maintenance Services Division have inspected this location and can confirm that bollards are in place across the width of the road.	7-Job Passed to Crew
11111809	Q33 NWACM 20/07/21	39 to 50 Westwood Road	To ask the Manager to repair the road surface in (details supplied), as it is very badly cracked and a cyclist recently came off their bike due to the poor condition.	06/09/2021 11:15		Enquiry Resolved
11111794	Q29 NWACM 20/07/21	Beneavin Park	"To ask the Chief Executive to replace the tarmac at the junction of (details supplied) as it has ravelled and is in need of repair.	25/08/2021 13:12		4-Inspection Completed
11111222	Q79 CM 05/07/21	Ferndale Avenue and Ballygall Road East Dublin 11	Details: Ferndale Avenue and Ballygall Road East Dublin 11 To ask the Manager to repair the road surface outside (details supplied) as there are two potholes.	03/09/2021 14:51	Referrerd to TAG	Referred to Utility/other Dept
11110363	Q32 15/06/21 NWAC	2 Drapier Green, Dublin 11	Details: 2 Drapier Green, Dublin 11 "To ask the Manager to provide an update on the repair of the public side of the footpath at the shops on (details supplied) which funding was provided for.	10/11/2021 14:37	Job Number 41090950 Completed	8-Job Completed
11110362	Q31 15/06/21 NWAC	" Glasnevin Avenue "	Details: Glasnevin Avenue To ask the Manager to repair the footpath at (details supplied)	03/09/2021 14:20	Question directed to local area office.	Enquiry Resolved
11110361	Q27 15/06/21 NWAC	4 Maolbhuille Road, Dublin 11.	Details: 24 Maolbhuille Road, Dublin 11.	03/09/2021 12:20	Job raised 41126987	Enquiry Resolved

**North West Area Committee – Council Questions April 2022**  
**Road Maintenance Services**

Number	Reference	Address	Description	Date	Text	Status
			To ask the Manager to repair the footpaths on (details supplied) as they are in poor condition in several locations.			
11110360	Q26 15/06/21 NWAC	Termon Court, Dublin 11	Details: Termon Court, Dublin 11 "To ask the Manager following on from the Area Committee question asked in February 2021 to ask the manager to provide an update on the ramp being too high at (details supplied) and when will it be repaired.	10/11/2021 14:19		4-Inspection Completed
11110359	Q52 15/06/21 NWAC	"Casement Road "	Details: Casement Road " "To ask the Chief Executive if he will make a comment on staffing levels in Roads Maintenance and backlog of issues (details supplied).	03/09/2021 12:05	Ramp Repair Completed	Resolved - No Further Action
11111296	Q82 CM 05/07/21	"10 SAINT PAPPIN ROAD DUBLIN11"	Details: Footpath at 10 St. Pappins Road was reported on April 10th where an elderly man tripped and hurt his face. The query was raised again recently (June 17th) and we were told it has not been inspected yet. " "To ask the Manager to arrange for the resurfacing of the (former) laneway area at (details supplied 1). Could the Manager also provide an updated timeframe for the new paving to be installed in (details supplied 2)	10/11/2021 15:36		4-Inspection Completed
11110358	Q15 15/06/21 NWAC	" (1) Cromlech Court between no 42 and 21. (2) Cromlech Court no 13-24 and 37-48. "	Details: (1) Cromlech Court between no 42 and 21. (2) Cromlech Court no 13-24 and 37-48. " "To ask the Manager to confirm a timeframe for the path improvements to be scheduled at (details supplied)	10/11/2021 14:14	Inspection carried out. Minor repairs logged for attention. Road added for potential inclusion on major works program.	4-Inspection Completed
11110357	Q13 15/06/21 NWAC	"St Pappin's Road north side footpaths between Ballymun Road and Delville Road "	Details: St Pappin's Road north side footpaths between Ballymun Road and Delville Road " "To ask the Manager to repair the first ramp entering Belclare Drive across from Centra.	03/09/2021 11:10	Reconstruction due to commence 5th Oct 21	Enquiry Resolved
11110356	Q4 15/06/21 NWAC	"Belclare Drive across from Centra. "	"	03/09/2021 11:43	Inspection Completed - No defects located Ramp has been added to the 2021 Resurfacing contracts.	Enquiry Resolved
11110355	Q3 15/06/21 NWAC	Poppintree Parade, Balbutcher Lane "Balbutcher Drive.	To ask the Manager to repair the ramps at the traffic lights at Poppintree Parade, Balbutcher Lane "To ask the Manager to repair the potholes on Balbutcher Drive.	06/09/2021 11:07		Enquiry Resolved
11110354	Q2 15/06/21 NWAC	"	" "To ask the Manager to remove the steel which is in the grass verge on (details supplied)	09/11/2021 16:05	Balbutcher Drive included on provisional list form 2022 Program of works	4-Inspection Completed
11110353	Q24 15/06/21 NWAC	Seamus Ennis Road	Details: Seamus Ennis Road in front of the Sorting Office and near the pedestrian crossing as residents have reported tripping on it. "	03/09/2021 11:20	Site Inspection was carried out. No steel present.	Enquiry Resolved



**North West Area Committee – Council Questions April 2022**  
**Road Maintenance Services**

Number	Reference	Address	Description	Date	Text	Status
11109148	Q50 NWACM 18/05/21	junction of Virginia Park and Virginia Drive, Dublin 11	To ask the Manager to repair the broken road surface around the manhole cover at the junction of Virginia Park and Virginia Drive, Dublin 11	10/11/2021 15:53	Issued passed to Drainage division,	Referred to Utility/other Dept
11109147	Q49 NWACM 18/05/21	"71 WILLOW PARK ROAD DUBLIN11"	To ask the Manager repair the footpath at (details supplied)  Details: 71 Willow Park Road, Dublin 11.	25/08/2021 15:49	A site visit was carried out in response to the query above. The footpath is in satisfactory condition, with a minor depression around an adjacent water valve. The resident may contact the Road Maintenance Service front desk if they would like to request specific works to be carried out.	4-Inspection Completed
11109146	Q45 NWACM 18/05/21	106 Ballygall Road West, Dublin 11	To ask the Manager to repair the potholes in the tarmac surface on the pavement at (details supplied) as the resident is keen to do work on her driveway but cannot do so until the pavement is repaired.  Details: 106 Ballygall Road West, Dublin 11 To ask this Area Committee to support the protection of the old St. Margaret's Road which is closed off now due to the building of the North City Depot as a living heritage trail. This road is a valuable site for its heritage and biodiversity for Ballymun. It is the last of our heritage hedgerows and there is a 300yr old Ash on that site.  This road is one of the few parts of Ballymun that still exists prior to the development of Ballymun in the 1960's. It is part of our living heritage. The old road can be part of a walking trail having an amenity, educational, heritage as well as a biodiversity value to the local communities.  Although parts of the old hedgerow is in poor condition, with appropriate management, it can be rejuvenated enhancing its biodiversity value. It would be a great way to demonstrate how the landscape of Ballymun looked prior to the 1960's when it was a rural area. This is the last piece of the old rural roads of Ballymun which has huge living heritage value. There is so little left at this stage of Ballymun's heritage.	06/09/2021 11:04		Enquiry Resolved
11115867	ITEM2B NWACM 16/11/	St. Margaret's Road	To ask the Manager can a path be built across from the new Aspen accommodation on Balbutcher Lane. This was an old entrance into the shopping centre but now that the shopping centre car park is gone and grass in its place, this section has no pedestrian path and is therefore seen as a car park space and cars park here. This means pedestrians cannot get past and have to walk out onto oncoming traffic. Can a new path for this section be urgently put in place. To ask the Chief Executive can the leaking pipe around the steps at the bottom of the Hill in Finglas please be urgently repaired and the steps made safe.	08/12/2021 12:32	Fingal County Council are the local authority in charge of maintenance for St Margarets Road. This query should be passed onto them for their attention. "	Resolved - No Further Action
11115340	Q24 NWACM 19/10/21	BALBUTCHER LANE		08/12/2021 12:27	Job has been added to the 2022 footpath contracts	Enquiry Resolved
11113544	Q90 NWCM 06/09/21	the steps at the bottom of the Hill in Finglas		04/04/2022 12:01		Referred to Utility/other Dept

**North West Area Committee – Council Questions April 2022**  
**Road Maintenance Services**

Number	Reference	Address	Description	Date	Text	Status
					Response issued: Anyone who wishes to have the path outside their property modified to facilitate a vehicle entrance should contact Road Maintenance Services Division. The application process, including conditions to be satisfied and information on charges that will be levied are outlined in the City Council's website at <a href="https://www.dublincity.ie/residential/transportation/road-maintenance-services/modify-footpath-allow-vehicular-access">https://www.dublincity.ie/residential/transportation/road-maintenance-services/modify-footpath-allow-vehicular-access</a> .	
11109145	Q34 NWACM 18/05/21	1 Dean Swift Road, Glasnevin, D11R263	To ask the Manager can a dish be put in place outside (details supplied).  Details: 1 Dean Swift Road, Glasnevin, D11R263) (ref: 2494910)	03/09/2021 16:14		Enquiry Resolved
					This is on our list of scheduled repairs but we are not currently able to confirm completion dates of works. We are currently working through a backlog of items which has developed due to the impact on operations from Covid restrictions. Works are being treated on a priority basis and the availability of crews in an area. Job RAised - 41112995	
11109143	Q27 NWACM 18/05/21	100 Cardiffsbridge Road	"Details: 100 Cardiffsbridge Road To ask the Manager to carry out a full assessment of the pathways at (details supplied)	03/09/2021 14:07		Enquiry Resolved
11109142	Q22 NWACM 18/05/21	Pinewood, Glasnevin	Details: Pinewood, Glasnevin. A number of pathways in this area are in a bad state of disrepair. Can a list of areas within Pinewood to be repaired please be provided.	10/11/2021 15:51		7-Job Passed to Crew
11109141	Q10 NWACM 18/05/21	footpath adjacent to Belclare Park which leads up to Poppintree Park	To ask the Manager to arrange for the footpath adjacent to Belclare Park which leads up to Poppintree Park to be edged properly.	10/11/2021 15:49	Defects added to confirm. Path to be added to provisional list of major works.	4-Inspection Completed
11109140	Q7 NWACM 18/05/21	BELCLARE CRESCENT	To ask the Manager to repair the ramps on Belclare Crescent, both are in very poor condition. They are the old red ramps and are crumbling.	10/05/2021 13:04	Job 41130498 - 01-Job Raised, Defect Job created via Connector	6-Job Raised
11109139	Q4 NWACM 18/05/21	Coultry Avenue	To ask the Manager to replace the trees and footpaths on Coultry Avenue in consultation with residents. The trees are causing huge issues and going under people's homes as well as cracking all the footpaths.	04/04/2022 12:09	defects logged	4-Inspection Completed
11109138	Q2 NWACM 18/05/21	KIPPURE PARK	To ask the Manager to repair the footpaths in Kippure Park, there are holes in parts of them which will cause a serious accident.	02/02/2022 11:19	Will need specific addresses to inspect in this area, for any known defects, Road Maintenance will review the condition of this lane when drafting the 2022 works programme with a view to consider its resurfacing, subject to budget availability and competing priorities.	Enquiry Resolved
11109137	Q1 NWACM 18/05/21	lane between Dunsink Avenue and Wellmount Road	To ask the Manager to resurface the lane between Dunsink Avenue and Wellmount Road	10/11/2021 16:00		Enquiry Resolved

**North West Area Committee – Council Questions April 2022**  
**Road Maintenance Services**

Number	Reference	Address	Description	Date	Text	Status
11109099	Q88 CM 10/05/21	The Car Park on Barry Road/Avenue at the shops	<p>"To ask the Chief Executive to arrange for an inspection of the surface of the car park at (details supplied) with a view to resurfacing and repair.</p> <p>Details: The Car Park on Barry Road/Avenue at the shops. A number of potholes are present which need repair.</p> <p>"</p>	03/09/2021 13:15		2-Passed to Inspector
11109098	Q16 CM 10/05/21	BALLYGALL AVENUE	<p>"To ask the Chief Executive to arrange for the footpaths on Ballygall Avenue to be CRES inspected and any repairs necessary to be carried out. The trees along this section of street are huge and are lifting the footpaths in places.</p> <p>"</p> <p>To ask the Manager to review the issue of speeding on (details supplied) and improve the ramps as recent resurfacing work has left the ramps less effective than previously.</p>	06/09/2021 11:03	"	Enquiry Resolved
11109135	Q44 NWACM 18/05/21	Ballygall Parade, Dublin 11	<p>Details: Ballygall Parade, Dublin 11.</p> <p>"To ask the Chief Executive to repair the road surface at (details supplied) as there is a large pothole which is impeding the resident's access to their driveway.</p>	10/11/2021 15:46	Speeding Enforement to be carried out by Gardai.	Enquiry Resolved
11108945	Q120 CM 10/05/21	"14 BALLYGALL AVENUE DUBLIN11"	<p>Details: 14 Ballygall Avenue Dublin 11</p> <p>"</p> <p>"To ask the Chief Executive to arrange for an inspection of the surface of the car park at (details supplied) with a view to resurfacing and repair.</p> <p>Details: The Car Park on Barry Road/Avenue at the shops. A number of potholes are present which need repair.</p> <p>"</p>	03/09/2021 15:01	Defect number: 31062758	2-Passed to Inspector
11108942	Q88 CM 10/05/21	The Car Park on Barry Road/Avenue at the shops	<p>"To ask the Chief Executive to arrange for an inspection of the surface of the car park at (details supplied) with a view to resurfacing and repair.</p> <p>Details: The Car Park on Barry Road/Avenue at the shops. A number of potholes are present which need repair.</p> <p>"</p>	03/09/2021 14:48		2-Passed to Inspector

**North West Area Committee – Council Questions April 2022**  
**Road Maintenance Services**

Number	Reference	Address	Description	Date	Text	Status
					"Road Maintenance Services Division has carried out an inspection of the footpaths on Ballygall Avenue and they were generally found to be in a satisfactory condition. Localised footpath repairs had been carried out in recent years. Routine maintenance repairs may be carried out in the future in response to requests related to specific addresses.	
11108454	Q16 NWAC 10/05/21	Ballygall Avenue	"To ask the Chief Executive to arrange for the footpaths on Ballygall Avenue to be inspected and any repairs necessary to be carried out. The trees along this section of street are huge and are lifting the footpaths in places. "	06/09/2021 11:02	"	Enquiry Resolved
			To ask the Manager to repair two large, potholes on the road at [details supplied] as these are particularly dangerous for cyclists and have already caused accidents.			
11117220	Q47 CM 14/12/21	Outside 3 and 4 Drapier Green	Details: Outside 3 and 4 Drapier Green. To ask the Manager to improve the caretaking of the Coultry and Woodhazel areas in terms of clearing litter, cleaning paths of dog poo, clearing litter before grass cutting, fixing damage to footpaths caused by trees which are now trip hazards and pruning trees that are blocking light such as between 20-37 Coultry Avenue.	14/12/2021 19:45		6-Job Raised
11114038	Q24 NWACM 21/09/21	Woodhazel area		04/04/2022 11:21	Defects logged Road Maintenance are not responsible for the installation of new cycle lanes, only maintenance of existing surfaces	4-Inspection Completed
11109134	Q61 NWACM 18/05/21	GLASNEVIN AVENUE	To ask the Manager to give an update on the proposed cycle lanes on Glasnevin Avenue and plans to ensure the cycle path is free of potholes and uneven surfaces.	03/09/2021 11:23		Enquiry Resolved

**North West Area Committee – Council Questions April 2022**  
**Road Maintenance Services**

Number	Reference	Address	Description	Date	Text	Status
					As part of a network upgrade EU Networks, a telecommunications utility Company, have installed ducting under the carriageway along Glasnevin Avenue. To date their contractor has completed the ducting installation and carried out a temporary reinstatement of their service trench. Temporary reinstatement is the first stage of a two stage reinstatement procedure. The second stage is permanent reinstatement. The Infrastructure Management Unit ( IMU) monitors utility openings and will not accept them unless the permanent reinstatement is carried out to the required standard. The utilities are aware of these requirements which are set out in The Guidelines for Managing Openings in Public Roads 2017	
11107875	Q46 NWACM 20/04/21	Glasnevin Avenue	To ask the Manager to provide a report detailing the condition of the road surface on Glasnevin Avenue following the recent road openings by a utilities company and to indicate if the repairs to the road surface are to an acceptable level.	03/09/2021 14:24	EU Networks have commenced work on their permanent reinstatement which will be completed in the coming months.	Enquiry Resolved
11107874	Q43 NWACM 20/04/21	TOLKA COTTAGES	To ask the Manager for timescales on the resurfacing of Tolka Cottages.	06/05/2021 10:33		Enquiry Resolved
11107932	Q34 NWAC 20/04/21	89 Sycamore Road	To ask the Manager to repair the drainage problems at (details supplied) when the pavement was resurfaced recently it caused pooling of water at the front gate as the water does not have anywhere to drain.	10/11/2021 15:45	INspection carried out. Unable to see issue. Will return after heavy rainfall to see if ponding evident.	4-Inspection Completed
11107872	Q35 NWACM 20/04/21	31 Grove Park Avenue	To ask the Manager to repair the footpath at (details supplied)	03/09/2021 15:40	Job raised - 41095079	Enquiry Resolved
11107871	Q33 NWACM 20/04/21	95 McKee Road	To ask the Manager to repair the footpath at [details supplied] as it has come loose.	03/09/2021 15:53	Job raised: 41135582	Enquiry Resolved
11107870	Q32 NWACM 20/04/21	junction of Cappagh Road and Patrickswell Plac	To ask the Manager to repair the raised footpath at the junction of Cappagh Road and Patrickswell Place. "To ask the Manager to arrange a survey of the condition of the road at (details supplied)	03/09/2021 13:55	Job raised: 41129910	Enquiry Resolved
11107869	Q23 NWACM 20/04/21	Dean Swift Road	Details: Dean Swift Road "	03/09/2021 15:42		4-Inspection Completed
11107868	Q17 NWACM 20/04/21	Willow Park Road and Beneavin Drive	To ask the Manager to repair the footpaths on Willow Park Road and Beneavin Drive, they are in a dire condition.	03/09/2021 15:32	General query - surveys carried out.	Enquiry Resolved
11107867	Q11 NWACM 20/04/21	DOON COURT	To ask the Manager to arrange for the potholes on Doon Court adjacent to the new O'Cualann build be repaired as they are causing damage to peoples cars locally.	10/11/2021 15:44	Repairs completed as part of 2021 resurfacing works	Enquiry Resolved

**North West Area Committee – Council Questions April 2022**  
**Road Maintenance Services**

Number	Reference	Address	Description	Date	Text	Status
			<p>To ask the Manager to arrange for the re-instatement of the paths from (details supplied). There are several uneven and dangerous paths, cracked paving, the edges have potholes in the tarmac "temporary surfaces" and the whole section needs to be considered for improvements.</p>			
11107864	Q8 NWACM 20/04/21	57-121 Griffith Road	<p>Details: 57-121 Griffith Road. The paths on the rest of Griffith Road were resurfaced a couple of years ago but this section was not included.</p> <p>To ask the Manager to arrange for the paving and road surfaces to be reinstated at (details supplied ); will the Manager consider a complete resurfacing of the roads and reinstatement of paving areas where the grass has overgrown in between the paving stones; at the following locations specifically:a) The entrance to Sillogue Gardens between no's 6 and 24 the road is peppered with potholes and several uneven "temporary resurfacing", it is an eyesore.</p> <p>b) Pothole to the rear of no 8</p> <p>c) at the entrance between 28 and 38, road has various uneven repairs, cracks and potholes (not to be confused with the rear of said houses which are in good condition)</p> <p>d) rear of 83 and 84, large potholes and uneven surfaces</p> <p>e) rear of 93 and 110, numerous potholes and uneven surfaces</p> <p>f) rear of 102, long crack in the road</p> <p>g) paved area to the front of 106-107 in need of an upgrade, multiple uneven paving stones with grass growing through them</p> <p>h) to the side/rear of no 53, path is uneven, cracked, and bottom step is broken, the paving stones at the end are covered in grass and likely needing to be removed and replaced.</p> <p>To ask the Manager to review the speed of traffic and road safety on (details supplied) as traffic is very fast and a car recently overturned. Ramps or other measures may be required.</p>	03/09/2021 15:56	<p>Works to be completed as part of 2020 Annual Footpaths Contract</p>	Enquiry Resolved
11107863	Q5 NWACM 20/04/21	"Sillogue Gardens"	<p>To ask the Manager to review the speed of traffic and road safety on (details supplied) as traffic is very fast and a car recently overturned. Ramps or other measures may be required.</p>	10/11/2021 15:42	<p>Sillogue Garden Provisionally added to program of works for 2022</p>	Enquiry Resolved
11115196	Q35 NWAC 19/10/21	CLUNE ROAD	<p>Details: Clune Road, Dublin 11</p>	08/12/2021 12:35	<p>Issue for Traffic</p>	<p>Referred to Utility/other Dept</p>