Comhairle Bhaile Átha Dublin City	cliath South Central Area - TAG Meeting Minutes for Noting							
Item Enquiry SP Ref	Торіс	Road	Post	Request Description	Tag Result	Tag Comments	Request By	Received Sec
1 7021404	Double Yellow Lines	NEW IRELAND ROAD (SC)	Dublin 8	DYLs need to be extended from the lampost to the gate on one side of the road only.	Not Recommended	SR not recommended - Following the assessment carried out by the Traffic Advisory Group Area Engineer it was recommended not to extend the Double Yellow Lines on the southern side of New Ireland Road at the junction of Herberton Road . After several site visits it was determined that the newly reinstated Double Yellow Lines were having a positive effect on traffic flow and no further interventions are needed.	Member of the Public	01/07/2021 0
2 7022591	Double Yellow Lines	SAINT JOHN'S STREET (SC)	Dublin 8	access required entering and exiting St. Michael's Terrace in a safe manner.		Following the assessment carried out by the Traffic Advisory Group Area Engineer it was recommended to install Double Yellow Lines along the gable wall of number 10 St John's street.Stat – Install Double Yellow Lines along the full length of the gable wall of number 10 St John's street,	TD	10/09/2021 1
3 7023326	One-Way System	BENMADIGAN ROAD (SC)	Dublin 1:	2 to make the green essentially a roundabout.	Not Recommended	Following the assessment carried out by the Traffic Advisory Group Area Engineer it was recommended not to introduce a one way system around Benmadigan Road. The introduction of such a large scheme will increase vehicle speeds on this road. The current arrangement of vehicles driving on both sides combined with the fact cars are parked on the carriageway act as an additional traffic calming measure along with the ramps that are currently in situ and thereby limiting vehicular speeds.	the Public	21/10/2021 3
4 7025358	Yellow Box	REUBEN WALK (SC)	Dublin 8	For emergency access	Not Recommended	Following the assessment carried out by the Traffic Advisory Group Area Engineer it was recommended not to install a yellow box at this location. This area isn't a vehicular entrance and isn't a traffic junction either. A yellow box is used to prevent the blocking of junctions. The criteria for the provision of a yellow box are that the side road traffic flows should be significant and that the side road should serve a major traffic generating facility or a minimum of 50 residential units.	Internal	08/03/2022 0

)	Comhairle Cathrach Bhaile Átha Cliath Dublin City Council		tha Cliath South Central Area - TAG Meeting Minutes for Noting						05/05/20 16 Items Page 2 0		
lte	m Enquiry	SP Ref	Торіс	Road	Post	Request Description	Tag Result	Tag Comments	Request By	Received Se	
5	7025391	Q19 SCAC 03/22	Double Yellow Lines	GURTEEN ROAD (SC)	Dublin	10 At junctions	Recommended	 d Following the assessment carried out by the Traffic Advisory Group Area Engineer it was recommended to install Double Yellow Lines near the junction of Drumfinn Road and Gurteen Road and Drumfinn Road and Drumfinn Avenue. Additionally it was recommended to install a Yield Sign at the Junction of Drumfinn Avenue and Drumfinn Road. Stat 1 - Starting from a point 8m south of LS12 on the western side of the carriageway of Drumfinn Road install Double Yellow Lines extending in a southerly direction for approx. 10m. Stat 2 - Starting from LS10 on the western side of the carriageway of Drumfinn Road install Double Yellow Lines extending in a northerly direction for approx. 12m. Stat 3 - Starting from LS4 on the western side of the carriageway of Drumfinn Road install Double Yellow Lines extending in a southerly direction for approx. 10m. Stat 4 - install a Yield Sign and relevant road markings at the junction of Drumfinn Avenue and Drumfinn Road. 		09/03/2022 0	
6	7025430		Traffic Calming	ERRIGAL ROAD (SC)	Dublin	12 Measures to ensure safety for residents within the cul-de-sac.	Recommended	 d Following the assessment carried out by the Traffic Advisory Group Area Engineer it was recommended to install Double Yellow Lines near the junction of Errigal Road (Cul-De-Sac 13 Errigal Road) and Errigal Road. Additionally it was recommended to install a Yield Sign at the Junction of Errigal Road (Cul-De-Sac 83 Errigal Road) and Errigal Road. Stat 1 - Starting from a point 10m east of the gable end of house number 13 Errigal Road on the southern side of the carriageway on Errigal Road (Cul-De-Sac) install Double Yellow Lines extending in a easterly direction for approx. 15m. Stat 2 – install a Yield Sign and relevant road markings at the junction of Errigal Road (Cul-De-Sac 83 Errigal Road) and Errigal Road. 	Councillor	11/03/2022 0	
7	7025609		Double Yellow Lines	DRUMFINN ROAD (SC)	Dublin	10 DYLs to prevent hazardous parking outside gates of Caritas College.	Recommended	 d Following the assessment carried out by the Traffic Advisory Group Area Engineer it was recommended to install Double Yellow Lines on the western side of Drumfinn Road outside the Caritas College. Stat – On the western side of Drumfinn Road starting from a point approx. 4m south of LS23, install Double Yellow Lines extending in a northern direction for 20m (excluding Entrances). 	the Public	24/03/2022 1	

Comhairle Cathrach Bhaile Átha Cliath Dublin City Council		(Area Committee Date: 18/05/2022)						05/05/2022 16 Items Page 3 of 5
Item Enquiry SP Ref	Торіс	Road	Post	Request Description	Tag Result	Tag Comments	Request By	Received Sec
8 7025687	Double Yellow Lines (Extend)	EMMET ROAD (SC)	Dublin 8	request DYLs be repainted here as a further deterrent to illegal parking so near a corner.	Recommended	 d Following the assessment carried out by the Traffic Advisory Group Area Engineer it was recommended to install Double Yellow Lines on either side of the entrance to Derek Beahan Recovery Garage on Emmet Road. Stat – Starting from a point approx. 22.6m west of LS15 install Double Yellow Lines extending in a westerly direction for 17m (to the back of the footpath/garden wall. Anything past the wall is private landing) Stat – Starting from a point approx. 16m east of LS18 install Double Yellow Lines extending in a easterly direction for 9m (to the back of the footpath/garden wall. Anything past the wall is private landing) 		29/03/2022 0
9 7025716	Bus Stop Marking	SAINT JOHN'S ROAD WEST (SC)	Dublin 8	As part of BusConnects C Spine Bus Stop Markings and associated signage, road markings.	: Recommended	 d As part of BusConnects: Install a Bus Stop Sign (TFI), RUS 031 on the north side of St. John's Road West, Approximately 12.6 metres west of Public Lamp Standard No. 7. Install a Bus Stop Sign (TFI), RUS 031 on the north side of St. John's Road West, Approximately 10 metres east of Public Lamp Standard No. 7. Install Bus Stop Markings, RRM 030 on the north side of St. John's Road West, starting approximately 12.5 metres east of Public Lamp Standard No. 7. Install Bus Stop Markings, RRM 030 on the north side of St. John's Road West, starting approximately 12.5 metres east of Public Lamp Standard No. 7, Extending west by Approximately 43.2 metres. Install a Bus Stop Sign (TFI), RUS 031 on the south side of St. John's Road West, Approximately 1.1 metres east of Public Lamp Standard No. 14. Install a Bus Stop Sign (TFI), RUS 031 on the south side of St. John's Road West, Approximately 15.8 metres west of Public Lamp Standard No. 12. Install Bus Stop Markings, RRM 030 on the south side of St. John's Road West, starting approximately 1.4 metres west of Public Lamp Standard No. 14, Extending east by Approximately 56 metres. Install a Bus Stop Sign (TFI), RUS 031 on the south side of St. John's Road West, Approximately 2.3 metres west of Public Lamp Standard No. 8. Install Bus Stop Sign (TFI), RUS 030 on the south side of St. John's Road West, Approximately 2.3 metres west of Public Lamp Standard No. 8. Install Bus Stop Sign (TFI), RUS 030 on the south side of St. John's Road West, Approximately 2.3 metres west of Public Lamp Standard No. 8. Install Bus Stop Markings, RRM 030 on the south side of St. John's Road West, starting approximately 4.8 metres west of Public Lamp Standard No. 8.)	30/03/2022 0

Comhairle Ca Bhaile Átha C Dublin City C	Cliath	South Central Area - TAG Meeting Minutes for Noting (Area Committee Date: 18/05/2022)							
Item Enquiry SP Ref	Торіс	Road	Post	Request Description	Tag Result	Tag Comments	Request By	Received Se	
10 7025718	Bus Stop Marking	VICTORIA QUAY (SC)	Dublin 8	As part of BusConnects C Spine: Bus Stop Markings and associated signage, road markings.	Recommended	As part of BusConnetcs: Install a Bus Stop Sign (TFI), RUS 031 on the south side of Victoria Quay, Approximately 9.8 metres eas of Public Lamp Standard No. 104. Install a Bus Stop Sign (TFI), RUS 031 on the south side of Victoria Quay, Approximately 0.9 metres east of Public Lamp Standard No. 103. Install Bus Stop Markings, RRM 030 on the south side of Victoria Quay, starting approximately 7.3 metres east of Public Lamp Standard No. 104, Extending east by Approximately 40 metres.	Internal t	30/03/2022 0	
11 7025722	Traffic Calming	EMMET ROAD (SC)	Dublin 8	speed bump to slow cars down.	Not Recommended	Following the assessment carried out by the Traffic Advisory Group Area Engineer it was not recommended to install a ramp on Spa Road at the junction of Emmet Road as this type of traffic calming is normally used in urban areas to indicate the start of a traffic calming scheme often where drivers turn off a major road into a minor side road. This junction is the exit point of a One Way Street and therefore wouldn't be suitable .	the Public	30/03/2022 0	
12 7025723	Bus Stop Marking	USHER'S QUAY (SC)	Dublin 8	As part of BusConnects C Spine, Bus Stop Markings and associated signage and road markings.	Recommended	As part of BusConnects: Install Bus Stop Markings, RRM 030 on the south side of Ushers Quay, starting approximately 7.5 metres west of Public Lamp Standard No. 25, Extending east by Approximately 22.1 metres. Install a Bus Stop Sign (TFI), RUS 031 on the south side of Ushers Quay, Approximately 18.2 metres east of Public Lamp Standard No. 22. (DCC LS 94) Install a Bus Stop Sign (TFI), RUS 031 on the south side of Ushers Quay, Approximately 2.8 metres east of Public Lamp Standard No. 23. (DCC LS 93) Install Bus Stop Markings, RRM 030 on the south side of Ushers Quay, starting approximately 15.7 metres east of Public Lamp Standard No. 22, Extending east by Approximately 36.5 metres.	Internal	30/03/2022 0	
13 7025726	Bus Stop Marking	MERCHANT'S QUAY (SC)	Dublin 8	As part of BusConnects C Spine: Bus Stop Markings and associated signage and road markings.	Recommended	As part of BusConnects: Install a Bus Stop Sign (TFI), RUS 031 on the south side of Merchants Quay, Approximately 8 metres west of Public Lamp Standard No. 83. Install a Bus Stop Sign (TFI), RUS 031 on the south side of Merchants Quay, Approximately 14.6 metres east of Public Lamp Standard No. 83. Install Bus Stop Markings, RRM 030 on the south side of Merchants Quay, starting approximately 10.5 metres west of Public Lamp Standard No. 83, Extending east by Approximately 36.5 metres. Install a Bus Stop Sign (TFI), RUS 031 on the south side of Merchants Quay, Approximately 6.5 metres east of Public Lamp Standard No. 82.	Internal	30/03/2022 0	

**	Comhairle Cathrach Bhaile Átha Cliath
	Dublin City Council

South Central Area - TAG Meeting Minutes for Noting (Area Committee Date: 18/05/2022)

05/05/2022 16 Items Page 5 of 5

ltem	n Enquiry	SP Ref	Торіс	Road	Post	Request Description	Tag Result	Tag Comments	Request By	Received Sec
14	14 7025910 Q1 SC 04/202	Q1 SCAC 04/2022	Traffic Calming	SARSFIELD ROAD (SC)	Dublin 1	0 DYL's on corner and also Yellow Box	Recommended	Following the assessment carried out by the Traffic Advisory Group Area Engineer it was recommended to install Double Yellow Lines at the entrance to Woodfield Avenue	Councillor	07/04/2022 0
							Stat 1 - Starting from a point 14m south of LS1 on the western side of the carriageway of Woodfield Avenue install Double Yellow Lines extending in a southerly direction for 14m	I		
							Stat 2 - Starting from a point 14m south of LS1 on the eastern side of the carriageway of Woodfield Avenue install Double Yellow Lines extending in a southerly direction for 12m.	I		
15	7025929		Yellow Box	LUCAN ROAD (SC)	Dublin 2	20 two Yellow Boxes at each of the two vehicle-access entrances to Mayfield House	Not Recommended	Following the assessment carried out by the Traffic Advisory d Group Area Engineer it was recommended not to install yellow box at the entrances of Mayfield House. A Yellow Box is used to prevent the blocking of junctions. The criteria for the provision of a yellow box are that the side road traffic flows should be significant and that the side road should serve a major traffic generating facility or a minimum of 50 residential units. A yellow box is not recommended at this location as it does not meet the criteria for the provision of same.	the Public	08/04/2022 0
16 7026044	Q18 SCAC 04/22	Yellow Box	CHAPELIZOD HILL ROAD (SC)	Dublin 2	20 outside Annamore Court	Recommended	Following the assessment carried out by the Traffic Advisory Group Area Engineer it was recommended to install a Yellow Box at the entrance to Annamore Court, Chapelizod Hill Road .		13/04/2022 0	
							Stat 1 - Starting from a point 15m east of LS20 on the southern side of the carriageway of Chapelizod Hill Road only install a Yellow Box extending in a westerly direction for 15m.			