

05/07/2022 22 Items Page 1 of 6

(Area Committee Date: 18/07/2022)

Ite	n Enquiry SP Ref	Topic	Road	Post	Request Description	Tag Result	Tag Comments	Request By	Received Sec
1	7013141	Parking Restrictions	SHANOWEN PARK (NC)	Dublin 9	Nos.1-37	Not Recommended	The area engineer has assessed the service requests lodged with Dublin City Council (DCC) at the aforementioned road. DCC must try to strike a balance between provision of parking for residents while keeping traffic flowing. The presence of on street parking has a passive traffic calming effect within a residential area, in accordance with Design Manual for Urban Roads and Streets guidelines. The removal of some of the available on street parking can exacerbate issues of speeding in addition moving the parking issues to neighbouring residential areas. The appropriate measure to deal with the issues raised in the service requests received by the area engineer is the introduction of a Residents' Permit Parking Scheme. The purpose of a Pay and Display and Permit Parking Scheme is to eliminate long term commuter parking in residential areas such Shanowen Place. If the residents would like to apply for a Residential Parking Scheme details of the criteria can be found on the DCC website by clicking the flowing link: https://www.dublincity.ie/residential/parking-dublin-city-centre/startDCC will only proceed with the preparation of a Pay and Display and Permit Parking Scheme. This may take the form of a number of written requests or a signed petition from residents of the Shanowen Park. (See as well SR 7023288 and SR 7024205)		06/01/2020 0
2	7019825	Speed Ramps	THE GROVE (NC)	Dublin 5	Entrance to Grove Estate	Not Recommended	The Grove does not meet the criteria for speed ramps as it is a cul-de-sac that is short in length (ie. it does not have a straight road of more than 200m). In addition, The Grove is in an area covered by the 30 km/h Slow Zone sign, indicating the lower speed limit and that the area is a Home Zone/Slow Zone, to warn motorists that it is a residential area and to expect children. This signage is provided at the entrance from Watermill Road, and an additional 'Children Crossing' sign is located at the entrance on The Grove from The Village. Therefore, further measures such ramps are not recommended by the Area Engineer at this location	the Public	06/04/2021 0
3	7019855	Double Yellow Lines	ELM MOUNT AVENUE (NC)	Dublin 9	Placing double yellow lines across the shared driveway going 5/6ft past the shared driveway end point on both sides		It is not recommended to install parking restrictions, such as a placing double yellow lines where restrictions are already covered under the law as this would lead to a proliferation of signs and maintenance costs. Under The Road Traffic (Traffic & Parking) Regulations, Section 36 paragraph (2); a vehicle shall not be parked: (g) in any place, position or manner that will result in the vehicle obstructing an entrance or an exit for vehicles to or from a premises, save with the consent of the occupier of such premises Illegal parking should be reported to the Gardai or Dublin Street Parking Services (tel no. 01 6022500), for enforcement under the law.	the Public	08/04/2021 0



05/07/2022 22 Items Page 2 of 6

(Area Committee Date: 18/07/2022)

Iten	Enquiry SP Ref	Topic	Road	Post	Request Description	Tag Result	Tag Comments	Request By	Received Sec
4	7020785	Double Yellow Lines	ELMFIELD AVENUE (NC)	Dublin 13	3 parking restrictions requested or dangerous bend and entry to green area.		Following a recent site visit, no adverse problems regarding parking were observed. Further restrictions such as double yellow lines on this section of the road would lead to increased traffic speeds, whereas parking tends to have a calming effect helping to slow down the traffic in accordance with Design Manual for Urban Roads and Streets guidelines. Therefore further restrictions are not recommended.	Member of the Public	27/05/2021 0
5	7022136	Double Yellow Lines	MIDDLE THIRD (NC)	Dublin 5	Possibly a double yellow line instead of a single yellow line	Not Recommended	It is not recommended to install double yellow lines opposite Heaven Hair Salon/Middle Third, as there is a Single Yellow Line, which explains that no parking is allowed during hours indicated on the time plate as follows (7.00-19.00 Monday-Saturday). Any instances of illegal parking, should be reported to the Gardai or Dublin Street Parking Services (tel no. 01 6022500), for enforcement under the law. Under The Road Traffic (Traffic & Parking) Regulations, Section 36 paragraph (2); a vehicle shall not be parked: (i) on a footway, a grass margin or a median strip.	Member of the Public	13/08/2021 0
6	7022316	Double Yellow Lines	GREENWOOD DRIVE (NC)	Dublin 13	3 provide Double Yellow Lines for ten feet or more at the wall in the lead up to his home.	Not Recommended	Following a recent site visit, no adverse problems regarding parking were observed. Greenwood Drive has on street parking which is effectively acting as traffic calming by physically narrowing the carriageway and reducing drivers forward visibility. Further restrictions on this section of the road would lead to increased traffic speeds, whereas parking tends to have a calming effect helping to slow down the traffic in accordance with Design Manual for Urban Roads and Streets guidelines. Therefore, double yellow lines are not recommended.		25/08/2021 0
7	7022724	Double Yellow Lines	KINCORA ROAD (NC)	Dublin 3	to reinforce where the junction is.	Not Recommended	Following a recent site visit, no adverse issues regarding parking were observed on Kincora Road at the junction with Belgrove Road. Further restrictions on this section of the road would lead to increased traffic speeds, whereas parking tends to have a calming effect helping to slow down the traffic in accordance with DMURS guidelines. A stop line associated with a worded STOP Marking is provided on Belgrove Road at the junction with Kincora Road that imposes a requirement on all approaching traffic to stop and may only continue if it is safe to do so. Double yellow lines are not recommended.	the Public	21/09/2021 0



05/07/2022 22 Items Page 3 of 6

(Area Committee Date: 18/07/2022)

Iten	n Enquiry SP Ref	Topic	Road	Post	Request Description	Tag Result	Tag Comments	Request By	/ Received	Sec
8	7023288	Double Yellow Lines	SHANOWEN PARK (NC)	Dublin 9	The road is not wide enough for parking on both sides. Ambulance and bin trucks can't get access, Alternating yellow lines on opposite sides of the road	Not Recommended	The area engineer has assessed the service requests lodged with Dublin City Council (DCC) at the aforementioned road. DCC must try to strike a balance between provision of parking for residents while keeping traffic flowing. The presence of on street parking has a passive traffic calming effect within a residential area, in accordance with Design Manua for Urban Roads and Streets guidelines. The removal of some of the available on street parking can exacerbate issues of speeding in addition moving the parking issues to neighbouring residential areas. The appropriate measure to deal with the issues raised in the service requests received by the area engineer is the introduction of a Residents' Permit Parking Scheme. The purpose of a Pay and Display and Permit Parking Scheme is to eliminate long term commuter parking in residential areas such Shanowen Place. If the residents would like to apply for a Residential Parking Scheme details of the criteria can be found on the DCC website by clicking the flowing link: https://www.dublincity.ie/residential/parking-dublin-city-centre/stat DCC will only proceed with the preparation of a Pay and Display and Permit Parking Scheme where there is a clear desire in favour of a Pay and Display and Permit Parking Scheme. This may take the form of a number of written requests or a signed petition from residents of the Shanowen Park.	t the Public		6
9	7023659	Double Yellow Lines	SHELMARTIN AVENUE (NC)	Dublin 3	double yellow lines at the junction of Shielmartin Avenue and Brian Road (Dublin 3) as motorists are not following the rules of the road and are parking too close to the junction on an ongoing basis.		Parking restrictions have been provided where appropriate at the junction of Shelmartin Avenue and Brian Road. Further restrictions would lead to increased traffic speeds,where as parking tends to have a calming effect helping to slow down traffic. Therefore further restrictions are not recommended. However, if any instances of illegal parking, should be reported to the Gardai or Dublin Street Parking Services (tel no. 01 6022500 for enforcement under the law. Under The Road Traffic (Traffic & Parking) Regulations, Section 36 paragraph (2); a vehicle shall not be parked: (c) within 5 metres of a road junction;)	15/11/2021	0
10	7023998	Double Yellow Lines	CASTLE VIEW (NC)	Dublin 5	blockage of access to and from my property / garage situated at Castleview, Kincora Rd, Clontarf		It is not recommended to install parking restrictions, such as a placing double yellow lines where restrictions are already covered under the law as this would lead to a proliferation of signs and maintenance costs. Under The Road Traffic (Traffic & Parking) Regulations, Section 36 paragraph (2); a vehicle shall not be parked: (g) in any place, position or manner that will result in the vehicle obstructing an entrance or an exit for vehicles to or from a premises, save with the consent of the occupier of such premises (k) in a manner in which it will interfere with the normal flow of traffic or which obstructs or endangers other traffic; Any instances of illegal parking, should be reported to the Gardai or Dublin Street Parking Services (tel no. 01 6022500), for enforcement under the law.	d the Public	f 07/12/2021	0



(Area Committee Date: 18/07/2022)

05/07/2022 22 Items Page 4 of 6

Item Enquiry SP Ref	Topic	Road	Post	Request Description	Tag Result	Tag Comments	Request By	Received Sec
11 7024205	Single Yellow Line	SHANOWEN PARK (NC)	Dublin 9	Single yellow line to prevent long term all day commuter parking.		The area engineer has assessed the service requests lodged with Dublin City Council (DCC) at the aforementioned road. DCC mustry to strike a balance between provision of parking for residents while keeping traffic flowing. The presence of on street parking has a passive traffic calming effect within a residential area, in accordance with Design Manua for Urban Roads and Streets guidelines. The removal of some of the available on street parking can exacerbate issues of speeding in addition moving the parking issues to neighbouring residential areas. The appropriate measure to deal with the issues raised in the service requests received by the area engineer is the introduction of a Residents' Permit Parking Scheme. The purpose of a Pay and Display and Permit Parking Scheme is to eliminate long term commuter parking in residential areas such Shanowen Place. If the residents would like to apply for a Residential Parking Scheme details of the criteria can be found on the DCC website by clicking the flowing link: https://www.dublincity.ie/residential/parking-dublin-city-centre/stat DCC will only proceed with the preparation of a Pay and Display and Permit Parking Scheme where there is a clear desire in favour of a Pay and Display and Permit Parking Scheme. This may take the form of a number of written requests or a signed petition from residents of the Shanowen Park. (See as well SR 7023288 and SR 7013141)		17/12/2021 0
12 7024319	Double Yellow Lines	BEAUVALE PARK (NC)	Dublin 5	DYLs for sharp bend at 9A Beauvale Park, as parked vehicles are causing a traffic hazard.	Recommended	Following investigation it is recommended to install double yellow lines on Beauvale Park at the bend (near no 9A), to prevent the hazard created by the parked cars and create a safe access for other vehicles and/or bin lorries. STAT: On the South side of the carriageway of Beauvale Park, from a point in line with the common boundary of no. 9/9A, install approx. 20 meters of Double Yellow Lines in a West direction.		07/01/2022 3
13 7025138	Double Yellow Lines	MARYFIELD DRIVE (NC)	Dublin 5	double-yellow lines needed at both ends of terminus to stop vehicles parking there	Recommended	Following investigation, it is recommended to install double-yellow lines at the both ends of terminus bus stop on Maryfield Drive in order to facilitate a safe access for buses. STAT: On Maryfield Drive, on the East side of the carriageway, from a point in line with common boundary of property No.21/23, install 9 meters of Double Yellow Line in a South direction(avoid bus cage). STAT: On Maryfield Drive, on the East side of the carriageway, from a point in line with the South pillon gate of no. 7, install 11 meters of Double Yellow Line in a North direction(avoid bus cage). (this one has already a stat on TAMS see Asset ID MAR18NC5)	Member of the Public	



05/07/2022

22 Items

(Area Committee Date: 18/07/2022)

Page 5 of 6 Item Enquiry SP Ref Topic Road **Post Request Description** Tag Result **Tag Comments** Request By Received Sec Following recent site visits, no adverse problems regarding 14 7026562 Double Yellow THORNVILLE ROAD Dublin 5 The cars parking here make Not TD 10/05/2022 0 Lines (NC) taking the turn dangerous. Recommended parking were observed. Any instances of illegal parking, should be reported to the Gardai or Dublin Street Parking Services (tel no. 01 6022500), for enforcement under the law. Under The Road Traffic (Traffic & Parking) Regulations, Section 36 paragraph (2); a vehicle shall not be parked: (c) within 5 metres of a road junction. 15 7026771 Cul-De-Sac ORCHARD ROAD Dublin 5 residents of Fox Lane and Recommended It is recommended to install a cul de sac sign (F 350) on Orchard Councillor 19/05/2022 0 Orchard Road, Raheny, Dublin 5 Road at junction with Howth Road as requested to reduce the (NC) who ask if DCC can provide and instances of motorists entering the area in error due to lack of erect a 'cul de sac' sign at the signage. entrance to their roads in Raheny. 16 7026972 Parking GRIFFITH WALK (NC) Dublin 9 double yellow lines well up on Recommended Following a site inspection, it is recommended to install a STOP Member of 27/05/2022 0 Restrictions Griffith Walk, continuing around line with an associated Single Centre Line and a worded STOP the Public Marking on Griffith Walk at the junction with Grace Park Terrace the corner on to Gracepark Terrace in order to improve visibility for pedestrians and create a safety exit for vehicles. STAT: To be installed Stop Line RRM 017 and a worded STOP Marking (M114) on Griffith Walk at the junction with Grace Park Terrace. STAT: On Griffith Walk at the junction with Grace Park Terrace to be installed Single Centre Line (RRM 001) starting from a point in line with Stop Line RRM 017 extending 12 meters in an North direction. (Details in attach – engineer report) 17 7026975 Children Crossing GREENWOOD LAWN Dublin 13 if DCC can provide and erect a Not Not recommended – a children crossing sign is not recommended Councillor 27/05/2022 0 'slow children at play' signs at Recommended for Greenwood Lawn as there is a children crossing sign less than Sign (NC) the entrance to Greenwood Lawn 200m away at the junction of Greenwood Walk with Blunden and Greenwood Drive. Drive. However, a slow road marking has been recommended in its place. STAT: On Greenwood Drive, 20m west from the junction with Greenwood Walk, install a slow road marking (M106) facing east. STAT: On Greenwood Drive, 75m west from the junction with Greenwood Court, install a slow road marking (M106) facing east.(see also 7027491). 18 7027150 Parking BRIAN ROAD (NC) Dublin 3 double yellow lines should be Not Not recommended – it is not the current policy of Dublin City TD 08/06/2022 0 Restrictions extended to match the solid Recommended Council to install parking restrictions where restrictions are white line. already covered under existing legislation. Under Road Traffic (Traffic and Parking) Regulations 1997, section 36:2:d "A vehicle

> shall not be parked on a section of roadway with less than 3 traffic lanes and where traffic sign number RRM 001 [continuous white line] has been provided;" Instances of illegal parking should be reported to DSPS (tel. 01 602 2500) or and Garda Síochána.



(Area Committee Date: 18/07/2022)

05/07/2022 22 Items Page 6 of 6

Item	Enquiry SP Ref	Topic	Road	Post	Request Description	Tag Result	Tag Comments	Request By Red	ceived Sec
19	7027151	Stop Sign	SHANARD ROAD (NC)	Dublin 9	install stop sign	Recommended	A stop sign (RUS 027) was previously recommended for the junction of Shanard Road and Shanowen Avenue. The Traffic Officer installed a stop sign at this location on 28/06/2022.	Councillor 08/	06/2022 0
20	7027262	Double Yellow Lines	MIDDLE THIRD (NC)	Dublin 5	Double yellow lines opposite the driveway access at 24 Middle Third D05RH56	Not Recommended	Not recommended – following a site visit, no issue regarding parking was observed. Under Road Traffic (Traffic and Parking) Regulations 1997 section 36:2: g "A vehicle shall not be parked—in any place, position or manner that will result in the vehicle obstructing an entrance or an exit for vehicles to or from a premises, save with the consent of the occupier of such premises;" It is not the current policy of Dublin City Council to introduce parking restrictions where restrictions are already covered under the law. Instances of illegal parking should be reported to DSPS (01 - 602 - 2500; email "info@dsps.ie") or an Garda Síochána.	Member of 14/ the Public	06/2022 0
21	7027266	Double Yellow Lines	FORTVIEW AVENUE (NC)	Dublin 3	Double yellow lines on the South side of the road, Illegal parking and block access for emergency services		Not recommended – following a site visit, no issue regarding parking was observed. Under Road Traffic (Traffic and Parking) Regulations 1997 section 36:2: g "A vehicle shall not be parked—in any place, position or manner that will result in the vehicle obstructing an entrance or an exit for vehicles to or from a premises, save with the consent of the occupier of such premises;" It is not the current policy of Dublin City Council to introduce parking restrictions where restrictions are already covered under the law. Instances of illegal parking should be reported to DSPS (phone: 01 602 2500; email "info@dsps.ie") or an Garda Síochána	Member of 14/ the Public	06/2022 1
22	7027491	TAG General Engineer Query	GREENWOOD LAWN (NC)	Dublin 1	3 Slow road markings for the road.	Recommended	A slow road marking has been recommended: STAT: On Greenwood Drive, 20m west from the junction with Greenwood Walk, install a slow road marking (M106) facing east. STAT: On Greenwood Drive, 75m west from the junction with Greenwood Court, install a slow road marking (M106) facing east. (see also 7026975).		06/2022 0