



Central Area - TAG Meeting Minutes for Noting

(Area Committee Date: 14/03/2023)

Item	Enquiry	SP Ref	Topic	Road	Post	Request Description	Tag Result	Tag Comments	Request By	Received	Sec
1	7022076		Speed Ramps	O'DEVANEY GARDENS (C)	Dublin 7	Speed ramps on the new section of road, continuing the existing ramps already on old O'Devaney Gardens Road	Not Recommended	<p>The area engineer does not recommend an additional speed ramp on O'Devaney Gardens. Dublin City Council has a limited budget for traffic calming measures for 2023. Generally when considering the installation of traffic calming measures, those roads without any vertical deflection are considered a priority over roads which are currently traffic calmed.</p> <p>The area is still under construction, and at the moment doesn't meet the criteria for the provision of speed ramps. The criteria for the installation of ramps are:</p> <ul style="list-style-type: none"> • The road should have a straight run of at least 200 metres. • The 85th percentile speed should be greater than the posted speed limit. • Traffic volumes should exceed 60 vehicles per hour. • There should be genuine road safety concerns, based either on actual accident statistics or on observed road safety patterns, or a written report from an inspector of the Garda Traffic Division of the local Garda Síochána relating to an issue of safety. Dangerous driving/instances of anti-social behaviour should be reported to the Gardaí as they occur. 	Member of the Public	11/08/2021	0
2	7024324		Pedestrian Crossing	BOTANIC AVENUE (C)	Dublin 9	install pedestrian crossing at junction of Botanic Ave/Drumcondra Road.	Not Recommended	<p>A controlled pedestrian crossing was recommended previously for the Capital works programme. The works will be subject to the availability of funding in 2023.</p> <p>No additional intervention is recommended at the moment.</p>	Member of the Public	10/01/2022	5
3	7024513		Pedestrian Crossing	BALLYBOGGAN ROAD (C)	Dublin 11	Traffic lights and pedestrian crossing for junction.	Recommended	<p>A signalised pedestrian crossing with build outs are proposed on Ballyboggan Road at the junction with Broombridge Road. These civil works will be subject to the availability of funding in 2023..</p>	Member of the Public	20/01/2022	0
4	7027054		TAG General Engineer Query	GUILD STREET (C)	Dublin 1	Right Turn box (Not Yellow Box) on Guild Street.	Recommended	<p>The Area Engineer recommends a Right Turn Box (RRM 006) to be located on the right turn lane on Guild Street to direct vehicles onto Sheriff Street Upper.</p>	Member of the Public	01/06/2022	0
5	7027174		P&D/Permit Parking	THOR PLACE (C)	Dublin 7	Residents wish to begin process for P&D/Permit Parking Scheme.	Recommended	<p>Recommended to install a Pay & Display & Permit Parking Scheme subject to a ballot of the residents.</p>	Councillor	08/06/2022	1
6	7028152		Ped. Refuge Island	SEAN MACDERMOTT STREET LOWER (C)	Dublin 1	Install islands to narrow the roadway and provide pedestrian refuge, due to speeding.	Not Recommended	<p>Construction work was completed on Gloucester Place Lower at the junction with Sean Macdermott Street Lower, in July/2022.</p> <p>A buildout was installed at the aforementioned junction narrowing the road width. No further action is recommended by the area engineer.</p>	Internal	26/07/2022	0



Central Area - TAG Meeting Minutes for Noting

(Area Committee Date: 14/03/2023)

Item	Enquiry	SP Ref	Topic	Road	Post	Request Description	Tag Result	Tag Comments	Request By	Received	Sec
7	7029536		Yellow Box	GARDINER STREET MIDDLE (C)	Dublin 1	Either a yellow box or Keep Clear painted on the road	Not Recommended	<p>The area engineer does not recommend a Yellow Box on Gardiner Street Middle. Yellow boxes are used to prevent the blocking of junctions where the side road traffic flow is relevant, and the side road should serve a minimum of fifty houses or a major traffic generator facility.</p> <p>These guidelines are in place to avoid a proliferation of yellow boxes in the city, as they are expensive to maintain.</p> <p>The keep clear road markings are provided opposite school gates.</p>	Member of the Public	10/10/2022	0
8	7030129		Yellow Box	DRUMCONDRA ROAD UPPER (C)	Dublin 9	Yellow box at entrance to Wellpark Avenue from Upper Drumcondra Road.	Recommended	<p>Area engineer recommends the provision of a YELLOW BOX on Drumcondra Road Upper at the junction with Wellpark Avenue. To facilitate vehicles exiting/entering Wellpark Ave. And allow bin lorries ingress/ egress to and from Wellpark Avenue from Drumcondra Road Upper. Excluding the OUTBOUND BUS LANE. The provision of a YELLOW BOX must go through a number of stages before it can be sent to the road lining team for completion. This process will take a number of weeks before the YELLOW BOX is provided.</p>	TD	09/11/2022	2
9	7030130		TAG General Engineer Query	NORTHBROOK TERRACE (C)	Dublin 3	Signage for disabled parking bay at 31 Northbrook Terrace.	Not Recommended	<p>The disabled parking bay was recently repainted, so no further action is recommended at the moment.</p> <p>The Disabled Person's Parking sign (F 204) does not need to be installed whenever a disabled bay is provided. The footpath in the area is narrow, and another road traffic pole would cause the pavement to be cluttered. Therefore a sign pole is not recommended.</p> <p>The Disabled Person's parking sign is normally installed on General disabled bays. Residential ones can be identified just with the road marking. It's important to state that any person with a blue badge is eligible to use a disabled parking bay on any given road.</p>	Member of the Public	09/11/2022	0
10	7030429		No Right Turn	DRUMCONDRA ROAD LOWER (C)	Dublin 9	Suggest a "no right turn" from Drumcondra Road onto St. Anne's Road. Local access for residents would be maintained by alternative routes	Not Recommended	<p>The area engineer does not recommend a NO RIGHT TURN from Drumcondra Road Lower onto St. Anne's Road to restrict access to the road. Currently there is a service request for the Neighbourhood Transport Engineer to look at the issues raised in relation to access to St. Anne's Road..</p>	Member of the Public	24/11/2022	1



Central Area - TAG Meeting Minutes for Noting

(Area Committee Date: 14/03/2023)

Item	Enquiry	SP Ref	Topic	Road	Post	Request Description	Tag Result	Tag Comments	Request By	Received	Sec
11	7030747		Double Yellow Lines	SPENCER STREET NORTH (C)	Dublin 3	The installation of double yellow lines.	Not Recommended	<p>The area engineer does not recommend DOUBLE YELLOW LINES on Spencer Street North. Under the Road Traffic (Traffic and Parking) Regulations, Section 36, a vehicle shall not be parked "(g) in any place, position or manner that will result in the vehicle obstructing an entrance or an exit for vehicles to or from a premises, save with the consent of the occupier of such premises; (i) on a footway, a grass margin or a median strip." Parking enforcement will be notified about the illegal parking in the road. Please note that instances of illegal parking should be reported to Dublin Street Parking Services, the City Council's parking enforcement contractor (Ph: 01-602 2500 or Email parkingenforcement@dublincity.ie), or to the local Gardai, as it is a matter for enforcement under the Road Traffic Regulations.</p> <p>If the problem persist, It is possible for residents to apply for a Pay & Display/Permit Parking Scheme, which can prevent illegal parking. Details are available on Dublin City Council Website. If a vehicle is abandoned the vehicle can only be towed away if the vehicle's tax disk is out of date. If this is the case, you can access the online service request form at https://citizenhub.dublincity.ie.</p>	Member of the Public	13/12/2022	0
12	7030760		Double Yellow Lines	CABRA DRIVE (C)	Dublin 7	DYLs to prevent parked vehicles from blocking access to Cabra Drive for public transport and emergency vehicles.	Recommended	The area engineer recommends No Parking sign (RUS 019) accompanied by '24 hour' (P 055) supplementary plate implemented on the west side of Cabra Drive. To allow emergency services access to Cabra Drive.	Member of the Public	14/12/2022	1
13	7030982		Parking Restrictions	STRAND STREET GREAT (C)	Dublin 1	DYLs, and remove hatching, to prevent free parking where cycle parking has been removed.	Not Recommended	<p>The area engineer does not recommend any action on Strand Street Great at the moment, as there is a construction work going on, and according to the planning application, the bike stand will be relocated, and the layout of parking is going to change.</p> <p>It will be up to the contractor to fund the remodelling/relocation of parking scheme on this street.</p> <p>Any change done by DCC will take time to be implemented, as there is a statutory process before provision of road markings can take place.</p> <p>Thus, it's not recommended to apply any parking restriction at this time.</p>	Internal	09/01/2023	1

Central Area - TAG Meeting Minutes for Noting

(Area Committee Date: 14/03/2023)

Item	Enquiry	SP Ref	Topic	Road	Post	Request Description	Tag Result	Tag Comments	Request By	Received	Sec
14	7030983		Loading Bay	GARDINER STREET MIDDLE (C)	Dublin 1	Loading bay for Imani Foods and other businesses.	Not Recommended	<p>The area engineer does not recommend a loading bay on Gardiner Street Middle as the provision of double yellow lines directly outside the premises allow for active loading and unloading, outside clearway times, for a duration of up to 30 minutes.</p> <p>The suppliers will not be fined as long as they remain for the permitted period of time. The provision of a loading bay would not be suitable due the layout of the road, which is a bus route.</p>	Member of the Public	09/01/2023	0
15	7030989		Double Yellow Lines	PARNELL SQUARE WEST (C)	Dublin 1	Extend DYs, and remove old dashed line, to eliminate unrestricted parking at this location.	Recommended	It is recommended to replace the redundant Bus Cage (from the common boundary of house nos. 37/38 to the common boundary of house nos. 35/36) with double yellow lines to prevent vehicles parking at this location.	Internal	09/01/2023	0
16	7031426		School Warden(Rescind)	FINGLAS ROAD (C)	Dublin 11	No Longer required	Recommended	The Area Engineer was contacted by DCC's Staff Officer from the Road Safety Education & Training/School Warden Service to inform the area engineer that the school warden is no longer required on Slaney Road.	Member of the Public	02/02/2023	0
17	11130946	TRF4780€	Yellow Box	ECCLES STREET (C)	Dublin 7	can the yellow junction box on Eccles Street outside the Emergency Department urgently be extended.	Not Recommended	<p>Based on an assessment by the area engineer, the area between the ramp to access the car park and Eccles Street is private, and therefore Dublin City Council are unable to approve this service request.</p> <p>The yellow box on Eccles Street was provided in 2020 to grant access to the car park and the dependences of the hospital in periods of high traffic in the street. It seems to be performing with no obvious encroachment into the yellow box during a site visit carried by the Area Engineer during evening peak. Enough space is granted for ambulances to turn in to access the hospital.</p>	Member of the Public	12/01/2023	1
18	11131067	TRF4785€	No Parking	CREMORE LAWN (C)	Dublin 11	request double yellow lines.	Not Recommended	<p>The Area Engineer does not recommend double yellow lines to be installed on the bend in Cremore Lawn. A vehicle should not be parked at a corner, a bend, the brow of a hill or on a hump-back bridge.</p> <p>Under the Road Traffic (Traffic and Parking) Regulations, Section 36, a vehicle shall not be parked "(k) in a manner in which it will interfere with the normal flow of traffic or which obstructs or endangers other traffic;"</p> <p>Dublin City Council does not provide signage to highlight the aforementioned rules. Please note that instances of illegal parking should be reported to Dublin Street Parking Services, the City Council's parking enforcement contractor (Ph: 01-602 2500 or Email parkingenforcement@dublincity.ie), or to the local Gardaí, as it is a matter for enforcement under the Road Traffic Regulations.</p>	Member of the Public	15/01/2023	0



Central Area - TAG Meeting Minutes for Noting

(Area Committee Date: 14/03/2023)

Item	Enquiry	SP Ref	Topic	Road	Post	Request Description	Tag Result	Tag Comments	Request By	Received	Sec
19	11131760	TRF4811C	No Parking	MANOR STREET (C)	Dublin 7	regarding illegal parking.	Not Recommended	<p>Illegal parking enforcement is not the remit of Transport Advisory Group. The measures to prevent parking are already in place.</p> <p>Instances of illegal parking should be reported to Dublin Street Parking Services, the City Council's parking enforcement contractor (Ph: 01-602 2500 or Email parkingenforcement@dublincity.ie), or to the local Gardaí, as it is a matter for enforcement under the Road Traffic Regulations.</p>	Member of the Public	25/01/2023	0
20	11131835	TRF4814C	Double Yellow Lines	RATHLIN ROAD (C)	Dublin 9	request current double yellow lines to be repainted.	Recommended	<p>The Area Engineer recommends the following road markings repainted on Rathlin Road/Stella Avenue:</p> <ul style="list-style-type: none"> •DYLs on the west side of the driveway of the house No. 410 on Rathlin Road. •The Disable parking bay in front of the house No. 29. •The DYLs on both sides at the junction of Rathlin Road/Stella Avenue. <p>The following STAT to be created for the double yellow lines on Rathlin Road. STAT: Double yellow lines (RRM 008) on Rathlin Road, from the Lamp Standard No. 4 on the corner of the junction with Stella Avenue, extending southwards to the driveway of the house No. 27A.</p>	Member of the Public	26/01/2023	0
21	11131983	TRF48114	Double Yellow Lines	CLONLIFFE ROAD (C)	Dublin 3	extend the yellow lines .	Not Recommended	<p>There is a proposed Pay & Display and Permit Parking scheme on Clonliffe Road subjected to a ballot by the residents. An extension of the double yellow lines at this junction is proposed as part of the aforementioned parking scheme.</p> <p>If approved, the scheme will be installed as well as the proposed double yellow lines. Therefore, the extension of double yellow lines is not recommended.</p>	Member of the Public	28/01/2023	0
22	11132381	TRF48362	Double Yellow Lines	SAINTE LAURENCE PLACE EAST (C)	Dublin 1	request installation of double yellow lines in front of the convent.	Not Recommended	<p>Double yellow lines are not recommended on Saint Laurence Place East, as on street parking does not cause a significant hazard or congestion at this location. The road is 5.9m wide and is suitable for one side parking, which works as a passive form of traffic calming.</p> <p>If residents wish to formalise parking on this road they can apply for a Pay & Display/Permit parking scheme. By clicking on the link below.</p> <p>https://www.dublincity.ie/residential/parking-dublin-city-centre/start</p>	Internal	03/02/2023	0



Central Area - TAG Meeting Minutes for Noting

(Area Committee Date: 14/03/2023)

03/03/2023

23 Items

Page 6 of 6

Item	Enquiry	SP Ref	Topic	Road	Post	Request Description	Tag Result	Tag Comments	Request By	Received	Sec
23	11132497	TRF48484	Double Yellow Lines	VILLA PARK GARDENS (C)	Dublin 7	request double yellow lines.	Recommended	To allow access for the Emergency Services on Villa Park Gardens the area engineer recommends the provision of Double Yellow Lines (DYLs) at the following locations: On either side of the laneway opposite Nos. 29/31 Villa Park Gardens for 6m either side of the laneway; between the driveways of Nos. 29/31 Villa Park Gardens for 6m; on the west side of Villa Park Gardens for 6m between property Nos 33/35.	Member of the Public	07/02/2023	0